
Lenovo ThinkVision P24q-30 LED display 60,5 cm (23.8") 2560 x 1440 pikseliä Quad HD musta

Tuotemerkki : Lenovo Tuoteperhe: ThinkVision Tuotekoodi: 63B4GAT6EU

Tuotteen nimi: P24q-30







| Display | | Network | |
|---|--|---|---|
| Display diagonal * | 60.5 cm (23.8") | Ethernet LAN | ✓ |
| Display resolution * | 2560 x 1440 pixels | Ergonomics | |
| HD type * | Quad HD | VESA mounting * | 1 |
| Native aspect ratio * | 16:9 | Panel mounting interface | 100 x 100 mm |
| Display technology * | LED IPS | Cable management | ✓ |
| Panel type * Backlight type | W-LED | Cable lock slot * | √ |
| Touchscreen * | | | |
| | X | Cable lock slot type | Kensington |
| Display brightness (typical) | 300 cd/m² | Height adjustment * | · |
| Response time * | 6 ms | Height adjustment | 15.5 cm |
| Anti-glare screen | - | Pivot | ✓ |
| Screen shape * | Flat | Pivot angle | -90 - 90° |
| Contrast ratio (typical) * | 1000:1 | Swivelling | ✓ |
| Contrast ratio (dynamic) | 3000000:1 | Swivel angle range | -45 - 45° |
| Maximum refresh rate * | 60 Hz | Tilt adjustment | ✓ |
| Viewing angle, horizontal | 178° | Tilt angle range | -5 - 23.5° |
| Viewing angle, vertical | 178° | On Screen Display (OSD) | ✓ |
| Display number of colours * | 16.7 million colours | Power | |
| Response time (fast) | 4 ms | | |
| Pixel pitch | 0.205 x 0.205 mm | Power consumption (typical) * | 25 W |
| | | | |
| Pixel density | 123 ppi | Power consumption (max) | 65 W |
| Viewable size, horizontal | 52.7 cm | Power consumption (off) | 0.5 W |
| Viewable size, horizontal Viewable size, vertical | | Power consumption (off) AC input voltage | 0.5 W 100 - 240 V |
| Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) | 52.7 cm | Power consumption (off) AC input voltage AC input frequency | 0.5 W 100 - 240 V 50 - 60 Hz |
| Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) supported | 52.7 cm 29.6 cm ✓ | Power consumption (off) AC input voltage | 0.5 W 100 - 240 V |
| Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) | 52.7 cm 29.6 cm | Power consumption (off) AC input voltage AC input frequency | 0.5 W 100 - 240 V 50 - 60 Hz |
| Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) supported High Dynamic Range (HDR) | 52.7 cm 29.6 cm ✓ | Power consumption (off) AC input voltage AC input frequency Power supply type | 0.5 W 100 - 240 V 50 - 60 Hz |
| Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology | 52.7 cm 29.6 cm ✓ High Dynamic Range 10 (HDR10) | Power consumption (off) AC input voltage AC input frequency Power supply type Weight & dimensions | 0.5 W 100 - 240 V 50 - 60 Hz Internal |
| Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Colour depth | 52.7 cm 29.6 cm ✓ High Dynamic Range 10 (HDR10) 8 bit | Power consumption (off) AC input voltage AC input frequency Power supply type Weight & dimensions Width (with stand) | 0.5 W 100 - 240 V 50 - 60 Hz Internal |
| Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Colour depth Colour gamut standard | 52.7 cm 29.6 cm ✓ High Dynamic Range 10 (HDR10) 8 bit sRGB | Power consumption (off) AC input voltage AC input frequency Power supply type Weight & dimensions Width (with stand) Depth (with stand) | 0.5 W 100 - 240 V 50 - 60 Hz Internal 539.5 mm 199.7 mm |
| Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Colour depth Colour gamut standard Colour gamut | 52.7 cm 29.6 cm ✓ High Dynamic Range 10 (HDR10) 8 bit sRGB 99% | Power consumption (off) AC input voltage AC input frequency Power supply type Weight & dimensions Width (with stand) Depth (with stand) Weight (with stand) Width (without stand) Depth (without stand) | 0.5 W 100 - 240 V 50 - 60 Hz Internal 539.5 mm 199.7 mm 5.7 kg 539.5 mm 46.5 mm |
| Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Colour depth Colour gamut standard Colour gamut sRGB coverage (typical) | 52.7 cm 29.6 cm ✓ High Dynamic Range 10 (HDR10) 8 bit sRGB 99% | Power consumption (off) AC input voltage AC input frequency Power supply type Weight & dimensions Width (with stand) Depth (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) | 0.5 W 100 - 240 V 50 - 60 Hz Internal 539.5 mm 199.7 mm 5.7 kg 539.5 mm 46.5 mm 323.7 mm |
| Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Colour depth Colour gamut standard Colour gamut sRGB coverage (typical) Performance | 52.7 cm 29.6 cm ✓ High Dynamic Range 10 (HDR10) 8 bit sRGB 99% 99% | Power consumption (off) AC input voltage AC input frequency Power supply type Weight & dimensions Width (with stand) Depth (with stand) Weight (with stand) Width (without stand) Depth (without stand) | 0.5 W 100 - 240 V 50 - 60 Hz Internal 539.5 mm 199.7 mm 5.7 kg 539.5 mm 46.5 mm |
| Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Colour depth Colour gamut standard Colour gamut sRGB coverage (typical) Performance Low Blue Light technology Multimedia | 52.7 cm 29.6 cm High Dynamic Range 10 (HDR10) 8 bit sRGB 99% | Power consumption (off) AC input voltage AC input frequency Power supply type Weight & dimensions Width (with stand) Depth (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Weight (without stand) | 0.5 W 100 - 240 V 50 - 60 Hz Internal 539.5 mm 199.7 mm 5.7 kg 539.5 mm 46.5 mm 323.7 mm 3.8 kg |
| Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Colour depth Colour gamut standard Colour gamut sRGB coverage (typical) Performance Low Blue Light technology | 52.7 cm 29.6 cm ✓ High Dynamic Range 10 (HDR10) 8 bit sRGB 99% 99% | Power consumption (off) AC input voltage AC input frequency Power supply type Weight & dimensions Width (with stand) Depth (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Bezel width (side) | 0.5 W 100 - 240 V 50 - 60 Hz Internal 539.5 mm 199.7 mm 5.7 kg 539.5 mm 46.5 mm 323.7 mm 3.8 kg 2 mm |

| Design | | Packaging data | |
|--|-------------|------------------------------|---|
| Product colour * | Black | Package width | 620 mm |
| Colour name | Raven Black | Package depth | 160 mm |
| Ports & interfaces | | Package height | 420 mm |
| Built-in USB hub * | ✓ | Package weight | 8.3 kg |
| Number of upstream ports | 1 | Packaging content | |
| Number of USB Type-B upstream ports quantity | 1 | Stand included | ✓ |
| | | Cables included | AC, DisplayPort, HDMI, USB Type-C |
| USB Type-A downstream ports quantity | 4 | Quick start guide | ✓ |
| HDMI * | ✓ | DisplayPort cable length | 1.8 m |
| HDMI ports quantity | 1 | HDMI cable length | 1.8 m |
| HDMI version | 2.0 | Other features | |
| DisplayPorts quantity | 2 | Compatible operating systems | Windows 10, Windows 11 |
| DisplayPort version | 1.4 | | Energy Star Certified, TCO 9.0, TCO |
| Audio output | • | Certification | Edge 2.0, EPEAT Gold, RoHS Eyesafe Display, TÜV Low Blue Light (Hardware solution), TÜV Rheinland Low Blue Light, TÜV Rheinland Flicker Free, TÜV Rheinland Eye Comfort |









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.