

KYOCERA ECOSYS PA4500cx Printer A4 Färg 45ppm Väri 1200 x 1200 DPI

Tuotemerkki : KYOCERA

Tuotekoodi: 1102Z13NL0

Tuotteen nimi : ECOSYS PA4500cx Printer A4 Färg 45ppm



KYOCERA ECOSYS PA4500cx Printer A4 Färg 45ppm. Tulostustekniikka: Laser, Väri. Värikasettien määrä: 4, Suurin toimintajakso: 100000 sivua kuukaudessa. Suurin resoluutio: 1200 x 1200 DPI. Suurin ISO A-luokan paperikoko: A4. Tulostusnopeus (musta, normaalilaatu, A4/US Letter): 45 ppm, Kaksipuolinen tulostus. Näyttö: LCD, Tuotteen väri: musta, Valkoinen



| Printing | | Performance | |
|---|--|---|--------------|
| Duplex printing mode | Auto | Sound pressure level (printing) | 54 dB |
| Print speed (colour, normal quality, A4/US Letter) | 45 ppm | Sound pressure level (duplex printing) | 54 dB |
| Colour * | ✓ | Sound pressure level (quiet mode) | 50 dB |
| Print technology * | Laser | Sound power level (standby) | 30 dB |
| Duplex printing * | ✓ | Design | |
| Maximum resolution * | 1200 x 1200 DPI | Market positioning * | Business |
| Print speed (black, normal quality, A4/US Letter) * | 45 ppm | Product colour * | Black, White |
| Duplex print speed (black, normal quality, A4/US Letter) | 37 ppm | Built-in display * | ✓ |
| Duplex print speed (colour, normal quality, A4/US Letter) | 37 ppm | Display | LCD |
| Warm-up time | 20 s | Colour display | ✗ |
| Time to first page (black, normal) | 5.1 s | Touchscreen | ✗ |
| Time to first page (colour, normal) | 6.2 s | Display number of lines | 5 lines |
| Economical printing | ✓ | Control type | Buttons |
| Features | | Certificates | |
| Maximum duty cycle * | 100000 pages per month | Waste Electrical and Electronic Equipment (WEEE) compliance | ✓ |
| Recommended duty cycle | 1500 - 5000 pages per month | Supplier features | |
| Printing colours * | Black, Cyan, Magenta, Yellow | Product or Article Information Sheet available? | ✓ |
| Number of print cartridges * | 4 | Power | |
| Page description languages * | JPEG, OpenXPS, PCL 5c, PCL 6, PCL XL, PCLm, PDF, PWG, TIFF, URF, XPS | Power consumption (printing) * | 576.8 W |

| | | | |
|------------------------------------|--|---|---|
| Features | | Power | |
| Printer fonts | Barcode, Bitmap, PCL | Power consumption (max) | 1289 W |
| Introduction month | October | Power consumption (ready) | 11.8 W |
| Introduction year | 2023 | Power consumption (PowerSave) | 0.4 W |
| Country of origin | Vietnam | Power consumption (off) | 0.1 W |
| Replacement cartridges | TK-5390K, TK-5390C, TK-5390M,TK-5390Y | Energy Star Typical Electricity Consumption (TEC) | 0.43 kWh/week |
| Input & output capacity | | AC input voltage | 220 - 240 V |
| Total number of input trays * | 2 | AC input frequency | 50/60 Hz |
| Total input capacity * | 650 sheets | System requirements | |
| Total output capacity * | 500 sheets | Windows operating systems supported | ✓ |
| Paper tray 1 input capacity | 550 sheets | | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura |
| Multi-Purpose tray | ✓ | Mac operating systems supported | |
| Multi-Purpose tray input capacity | 100 sheets | | |
| Maximum number of input trays | 6 | Linux operating systems supported | ✓ |
| Maximum input capacity | 2850 sheets | Other operating systems supported | ChromeOS |
| Maximum output capacity | 500 sheets | Operational conditions | |
| Paper handling | | Operating temperature (T-T) | 10 - 32.5 °C |
| Maximum ISO A-series paper size * | A4 | Storage temperature (T-T) | -20 - 40 °C |
| Maximum print size | 216 x 356 mm | Operating relative humidity (H-H) | 10 - 80% |
| Paper tray media types * | Letterhead, Plain paper, Pre-printed, Thicker paper | Storage relative humidity (H-H) | 10 - 90% |
| ISO A-series sizes (A0...A9) * | A4, A5, A6 | Operating altitude | 0 - 3500 m |
| ISO B-series sizes (B0...B9) | B5, B6 | Sustainability | |
| Non-ISO print media sizes | Legal, Letter | Sustainability compliance | ✓ |
| Custom media width | 105 - 216 mm | Sustainability certificates | EPEAT Gold, Eco Mark Program |
| Custom media length | 140 - 356 mm | Weight & dimensions | |
| Paper tray media weight | 60 - 220 g/m ² | Width | 394 mm |
| Ports & interfaces | | Depth | 533 mm |
| Direct printing * | ✓ | Height | 455 mm |
| USB port * | ✓ | Weight | 33 kg |
| USB 2.0 ports quantity | 3 | Packaging data | |
| Network | | Package width | 702 mm |
| Wi-Fi * | ✗ | Package depth | 567 mm |
| Ethernet LAN * | ✓ | Package height | 617 mm |
| Cabling technology | 10/100/1000Base-T(X) | Package weight | 41 kg |
| Ethernet LAN data rates | 10,100,1000 Mbit/s | Packaging content | |
| Near Field Communication (NFC) | ✗ | Cartridge(s) included | ✓ |
| Bluetooth | ✗ | Included cartridge capacity (black) | 8000 pages |
| Security algorithms | SNMPv3, TLS | Included cartridge capacity (CMY) | 6000 pages |
| Mobile printing technologies | Apple AirPrint, Kyocera Mobile Print, Mopria Print Service | Developer unit included | ✓ |
| Performance | | Printer drum included | ✓ |
| Internal memory * | 1000 MB | Batteries included | ✓ |
| Maximum internal memory | 3000 MB | Cables included | AC |
| Memory slots | 1 | Quick installation guide | ✓ |
| Storage media | SSD | User guide | ✗ |
| Card reader integrated | ✗ | Technical details | |
| Compatible memory cards | SD | Compliance certificates | CE, REACH, RoHS, cTUVus, UKCA, WEEE |
| Built-in processor | ✓ | | |



0632983071779



632983071779

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.