

ASUS ROG Rapture GT-BE98 wireless router 10 Gigabit Ethernet Quad-band (2.4 GHz / 5 GHz-1 / 5 GHz-2 / 6 GHz) Black

Brand : ASUS

Product code: 90IG08F0-MO9A0V

Product name : ROG Rapture GT-BE98

GT-BE98 Quad-band WiFi 7 (802.11be) Gaming Router, support new 320MHz bandwidth & 4096-QAM, dual 10G ports, backup WAN, Triple-level Game Acceleration, Mobile Game Mode, AURA RGB, AiMesh support, subscription-free network security and comprehensive VPN features

ASUS ROG Rapture GT-BE98. Wi-Fi band: Quad-band (2.4 GHz / 5 GHz-1 / 5 GHz-2 / 6 GHz), Top Wi-Fi standard: Wi-Fi 7 (802.11be), WLAN data transfer rate (max): 11529 Mbit/s. Ethernet LAN interface type: 10 Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000,2500,10000 Mbit/s, VPN support: VPN Client L2TP VPN Client Open VPN VPN Client PPTP VPN Client WireGuard VPN Server IPSec VPN.... Security algorithms: SSH, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-Enterprise, WPA3-PSK, WPS. Product type: Tabletop router, Product colour: Black, LED indicators: LAN, Power, WAN. Cables included: LAN (RJ-45)



| | | | |
|---------------------------------------|----------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------------------------------------------------------------|
| WAN connection | | Management features | |
| Ethernet WAN * | ✓ | MU-MIMO technology | ✓ |
| SIM card slot * | ✗ | Security | |
| 3G/4G USB modem compatibility * | ✓ | Security algorithms | SSH, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-Enterprise, WPA3-PSK, WPS |
| Wireless LAN features | | Firewall | ✓ |
| Wi-Fi band * | Quad-band (2.4 GHz / 5 GHz-1 / 5 GHz-2 / 6 GHz) | Parental control | ✓ |
| Top Wi-Fi standard * | Wi-Fi 7 (802.11be) | MAC address filtering | ✓ |
| WLAN data transfer rate (max) * | 11529 Mbit/s | System event log | ✓ |
| Wi-Fi standards | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 7 (802.11be) | DMZ support | ✓ |
| WLAN data transfer rate (first band) | 1376 Mbit/s | Protocols | |
| WLAN data transfer rate (second band) | 5764 Mbit/s | DHCP server | ✓ |
| WLAN data transfer rate (third band) | 5764 Mbit/s | Design | |
| WLAN data transfer rate (fourth band) | 11529 Mbit/s | Product colour | Black |
| Modulation | 4096-QAM | LED indicators | LAN, Power, WAN |
| Network | | On/off switch | ✓ |
| Ethernet LAN * | ✓ | Product type * | Tabletop router |
| Ethernet LAN interface type * | 10 Gigabit Ethernet | Packaging content | |
| Ethernet LAN data rates | 10,100,1000,2500,10000 Mbit/s | Cables included | LAN (RJ-45) |
| Dynamic DNS (DDNS) | ✓ | AC adapter included | ✓ |
| Number of guest networks (2.4 GHz) | 5 | Warranty card | ✓ |
| Number of guest networks (5 GHz) | 5 | Quick start guide | ✓ |
| Support Samba (storage) | ✓ | Antenna | |
| Media server | ✓ | Antenna design * | External |
| | | Antennas quantity | 8 |

| Network | | Features | |
|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-------------|
| VPN support | VPN Client L2TP VPN Client Open VPN VPN Client PPTP VPN Client WireGuard VPN Server IPSec VPN Server Open VPN VPN Server PPTP VPN Server WireGuard VPN Fusion | Built-in processor | ✓ |
| | | Processor frequency | 2600 MHz |
| | | Processor cores | 4 |
| | | Internal memory | 2000 MB |
| | | Flash memory | 256 MB |
| Ports & interfaces | | Power | |
| Ethernet LAN (RJ-45) ports * | 6 | Power source type * | AC |
| USB port * | ✓ | AC input voltage | 110 - 240 V |
| USB 2.0 ports quantity | 1 | AC input frequency | 50/60 Hz |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 1 | Output voltage | 19.5 V |
| | | Output current | 3.33 A |
| Management features | | Weight & dimensions | |
| Quality of Service (QoS) support | ✓ | Width | 350.4 mm |
| Wake-on-LAN ready | ✓ | Depth | 350.4 mm |
| Reset button | ✓ | Height | 220.6 mm |
| WPS push button | ✓ | Weight | 1.97 kg |
| | | Packaging data | |
| | | Package width | 384 mm |
| | | Package depth | 383 mm |
| | | Package height | 254 mm |
| | | Package weight | 4.85 kg |
| | | Package type | Box |



4711387079461

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-FEB-2025. Prints or copies of Information are only valid on the printed Publication date