

ASUS RT-AC1200 v.2 wired router Fast Ethernet Black

Brand : ASUS

Product code: 90IG0550-BM3400

Product name : RT-AC1200 v.2

- Concurrent 300 Mbps(2.4GHz) and 867 Mbps (5GHz) throughput for high-speed wireless performance
- Enjoy the ASUSWRT dashboard UI for easy setup and manage your router
- Improved coverage and multi-device performance with four external antennas — two each for the 2.4 GHz and 5 GHz bands
- Advanced parental control helps you protect your children from Internet addiction. You can restrict the times that each device can access the internet by applying scheduled time limits
- ASUS Router App makes your connected life easier!
- Dual WAN function can connect two WAN connections at the same time, to avert network downtime that is caused by ISP

AC1200, WLAN 802.11a/b/g/n/ac, 2.4/5GHz, 110 - 240V, 50/60HZ, 12V, black



WAN connection		Security	
Ethernet WAN *	✓	System event log	✓
DSL WAN *	✗	Technical details	
SIM card slot *	✗	Digital Living Network Alliance (DLNA) certified	✓
3G/4G USB modem compatibility *	✗	Packaging content	
Network		Cables included	LAN (RJ-45)
Networking standards *	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3	Quick start guide	✓
Ethernet interface type *	Fast Ethernet	Features	
Cabling technology	10/100Base-T(X)	Flash memory	16 MB
Ethernet LAN data rates	10,100 Mbit/s	Internal memory	64 MB
Management features		Windows operating systems supported	Windows 10, Windows 10 x64, Windows 8, Windows 8.1, Windows XP
Web-based management *	✓	Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Quality of Service (QoS) support	✓	Design	
Universal Plug and Play (UPnP)	✓	Product colour *	Black
Reset button	✓	LED indicators	LAN, Power, WAN, WLAN
WPS push button	✓	On/off switch	✓
Ports & interfaces		Power	
Ethernet LAN (RJ-45) ports *	5	AC input voltage	110 - 240 V
Protocols		AC input frequency	50 - 60 Hz
DMZ support	✓	Input current	0.5 A
DHCP client *	✓	Output voltage	12 V
Security			
Security algorithms *	64-bit WEP, 128-bit WEP, SNMP, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPS		

Security		Weight & dimensions	
Firewall	✓	Width	117 mm
Firewall security	SPI intrusion detection,DoS protection	Depth	126 mm
URL filtering	✓	Height	34 mm
Access Control List (ACL)	✓	Weight	271 g
Logistics data			
		Harmonized System (HS) code	85176990



4718017254731

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-FEB-2025. Prints or copies of Information are only valid on the printed Publication date