

NETGEAR GS108Tv3 Hallittu L2 Gigabit Ethernet (10/100/1000) Harmaa

Tuotemerkki : NETGEAR

Tuotekoodi: GS108T-300PES

Tuotteen nimi : GS108Tv3



NETGEAR GS108Tv3. Kytin tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8. Täysin kaksipuolinen. MAC-osoitetaulukko: 8000 entries, Kytkentäkapasiteetti: 16 Gbit/s. Verkkostandardit: IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3x. DC-syöttöjännite: 54 V. Virtaliitin: DC-tulo jakkiliitin

| Management features | | Design | |
|---|---|-----------------------------------|--|
| Switch type * | Managed | LED indicators | Activity, LAN, Link, PoE, Power, Speed |
| Switch layer | L2 | Performance | |
| Quality of Service (QoS) support | ✓ | Processor frequency | 500 MHz |
| Ports & interfaces | | Memory type | RAM |
| Basic switching RJ-45 Ethernet ports quantity * | 8 | Internal memory | 128 MB |
| Basic switching RJ-45 Ethernet ports type * | Gigabit Ethernet (10/100/1000) | Flash memory | 32 MB |
| Power connector | DC-in jack | Firmware upgradeable | ✓ |
| Network | | Mean time between failures (MTBF) | 2388657 h |
| Networking standards * | IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3x | Power | |
| Copper ethernet cabling technology | 10BASE-T, 100BASE-TX, 1000BASE-TX | Power supply included * | ✓ |
| Port mirroring | ✓ | AC input voltage | 100 - 240 V |
| Full duplex | ✓ | AC input frequency | 50 - 60 Hz |
| Flow control support | ✓ | DC input voltage | 54 V |
| Link aggregation | ✓ | Input current | 1.25 A |
| Broadcast storm control | ✓ | Power consumption (max) | 5.5 W |
| Rate limiting | ✓ | Power over Ethernet (PoE) | |
| Spanning tree protocol | ✓ | Power over Ethernet (PoE) * | ✗ |
| MAC address auto-learning supported | ✓ | Operational conditions | |
| Number of VLANs | 64 | Operating temperature (T-T) | 0 - 40 °C |
| Data transmission | | Storage temperature (T-T) | -20 - 70 °C |
| Switching capacity * | 16 Gbit/s | Operating relative humidity (H-H) | 0 - 95% |
| MAC address table * | 8000 entries | Storage relative humidity (H-H) | 0 - 95% |
| Store-and-forward | ✓ | Operating altitude | 0 - 3000 m |
| Jumbo frames support | ✓ | Non-operating altitude | 0 - 3000 m |
| Packet buffer memory | 0.5 MB | Heat dissipation | 18.66 BTU/h |
| Security | | Weight & dimensions | |
| DHCP features | DHCP client | Width | 158 mm |
| Access Control List (ACL) | ✓ | Depth | 101 mm |
| | | Height | 27 mm |
| | | Weight | 430 g |
| | | Packaging content | |
| | | Manual | ✓ |

| Security | | Packaging data | |
|--|---|----------------------------------|-------------------------------|
| Access Control List (ACL) IPv6 entries | 100 | Package type | Box |
| IGMP snooping | ✓ | Package width | 226 mm |
| Security algorithms | 802.1x RADIUS | Package depth | 270 mm |
| MAC address filtering | ✓ | Package height | 64 mm |
| | | Package weight | 780 g |
| Multicast features | | Certificates | |
| Multicast support | ✓ | Certification | CE, FCC, VCCI Class B, C-Tick |
| IPv4 multicast entries | 32 | | |
| Number of multicast groups filtered | 256 | Logistics data | |
| Protocols | | Master (outer) case width | 214 mm |
| Management protocols | SNMP | Master (outer) case length | 474 mm |
| Switching protocols | SNMP | Master (outer) case height | 312 mm |
| Data link protocols | Ethernet, Fast Ethernet, Gigabit Ethernet | Harmonized System (HS) code | 85176990 |
| Supported network protocols | HTTP, HTTPS | Master (outer) case gross weight | 5.49 kg |
| | | Products per master (outer) case | 6 pc(s) |
| Design | | | |
| Stackable * | ✗ | | |
| Product colour | Grey | | |



0606449138634



606449138634

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.