

NETGEAR GSM4210PX-100EUS verkkokytkin Hallittu L2/L3 Gigabit Ethernet (10/100/1000) Power over Ethernet -tuki musta



Tuotemerkki : NETGEAR

Tuotekoodi: GSM4210PX-100EUS

Tuotteen nimi : GSM4210PX-100EUS

NETGEAR GSM4210PX-100EUS. Kytkin tyyppi: Hallittu, Kytinkerros: L2/L3. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8. Täysin kaksipuolinen. MAC-osoitetaulukko: 16000 entries, Kytkentäkapasiteetti: 24 Gbit/s. Verkkostandardit: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ad, IEEE.... Power over Ethernet -tuki. Telineasennus

Management features		Design	
Switch type *	Managed	LED indicators	PoE, Power, Status
Switch layer	L2/L3	Performance	
Quality of Service (QoS) support	✓	Built-in processor	✓
Ports & interfaces		Processor model	ARM Cortex-A9
Basic switching RJ-45 Ethernet ports quantity *	8	Processor frequency	1250 MHz
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Internal memory	2048 MB
Network		Noise level	30.06 dB
Networking standards *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3x	Power	
Full duplex	✓	Power source *	AC/DC
Link aggregation	✓	Power supply included *	✓
Broadcast storm control	✓	AC input voltage	200 - 240 V
Rate limiting	✓	AC input frequency	50 - 60 Hz
Spanning tree protocol	✓	Power over Ethernet (PoE)	
VLAN support	✓	Power over Ethernet (PoE) *	✓
Virtual LAN features	MAC address-based VLAN, Private VLAN, Protocol-based VLAN, Tagged VLAN, Voice VLAN	Power over Ethernet plus (PoE+) ports quantity	8
Data transmission		Power over Ethernet (PoE) power per port	30 W
Switching capacity *	24 Gbit/s	Total Power over Ethernet (PoE) budget	220 W
MAC address table *	16000 entries	Operational conditions	
Store-and-forward	✓	Operating temperature (T-T)	0 - 50 °C
Security		Storage temperature (T-T)	-20 - 70 °C
DHCP features	DHCP Option 82, DHCP relay, DHCP server, DHCP snooping, DHCPv6 client, DHCPv6 relay, DHCPv6 server, DHCPv6 snooping	Operating relative humidity (H-H)	0 - 90%
Access Control List (ACL)	✓	Storage relative humidity (H-H)	0 - 95%
IGMP snooping	✓	Operating altitude	0 - 3000 m
SSH/SSL support	✓	Non-operating altitude	0 - 3000 m
Loop protection	✓	Heat dissipation	559.555 BTU/h
BPDU filtering/protection	✓	Weight & dimensions	
Authentication	MAC-based authentication	Width	210 mm
Authentication type	RADIUS	Depth	140 mm
		Height	40 mm
		Weight	967 g
		Packaging content	
		User guide	✓
		Manual	✓

Multicast features

Multicast support	✓
IPv4 multicast entries	2000

Design

Rack mounting *	✓
Product colour	Black



0606449160222



606449160222

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.