

## NETGEAR XS748T-100NES verkkokytin Hallittu L2+/L3 10G Ethernet (100/1000/10000) musta

**Tuotemerkki :** NETGEAR

**Tuotekoodi:** XS748T-100NES

**Tuotteen nimi :** XS748T-100NES



NETGEAR XS748T-100NES. Kytin tyyppi: Hallittu, Kytinkerros: L2+/L3. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: 10G Ethernet (100/1000/10000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 44, USB 2.0 -porttien määrä: 1. Täysin kaksipuolinen. MAC-osoitetaulukko: 16000 entries, Kytkentäkapasiteetti: 960 Gbit/s. Verkkostandardit: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE.... Telineasennus

Management features		Security	
Switch type *	Managed	Security algorithms	802.1x RADIUS
Switch layer	L2+/L3	MAC address filtering	✓
Quality of Service (QoS) support	✓	<b>Multicast features</b>	
Web-based management	✓	Multicast support	✓
<b>Ports &amp; interfaces</b>		<b>Protocols</b>	
Basic switching RJ-45 Ethernet ports quantity *	44	Management protocols	SNMP v1, v2c, v3
Basic switching RJ-45 Ethernet ports type *	10G Ethernet (100/1000/10000)	<b>Design</b>	
SFP+ module slots quantity	4	Rack mounting *	✓
USB 2.0 ports quantity	1	Product colour	Black
<b>Network</b>		LED indicators	Activity, Link, Power
Networking standards *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3an, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Number of fans	4 fan(s)
	10G support *	✓	<b>Performance</b>
Copper ethernet cabling technology	10GBASE-T	Built-in processor	✓
Cable types supported	Cat5e, Cat6, Cat6a, Cat7	Processor frequency	800 MHz
Port mirroring	✓	Internal memory	512 MB
Full duplex	✓	Flash memory	256 MB
IP routing	✓	Noise level	47.8 dB
Flow control support	✓	Mean time between failures (MTBF)	483808 h
Link aggregation	✓	<b>Power</b>	
Rate limiting	✓	AC input voltage	100 - 240 V
VLAN support	✓	AC input frequency	50 - 60 Hz
Virtual LAN features	Private VLAN, Protocol-based VLAN	Power consumption (max)	262.8 W
Number of VLANs	512	<b>Power over Ethernet (PoE)</b>	
<b>Data transmission</b>		Power over Ethernet (PoE) *	✗
Switching capacity *	960 Gbit/s	<b>Operational conditions</b>	
MAC address table *	16000 entries	Operating temperature (T-T)	0 - 50 °C
Store-and-forward	✓	Operating relative humidity (H-H)	0 - 90%
Latency (10 Gbps)	3.674 µs	Operating altitude	0 - 3000 m
		<b>Weight &amp; dimensions</b>	
		Width	440 mm
		Depth	310 mm
		Height	43 mm

Data transmission		Weight & dimensions	
Number of queues	8	Weight	6.25 kg
Number of static routes	64	<b>Packaging content</b>	
Jumbo frames support	✓	Cables included	AC
Jumbo frames	10000	Quick start guide	✓
Packet buffer memory	3 MB	Rack mount kit	✓
Security		Certificates	
DHCP features	DHCP server, DHCP client	Certification	CE, FCC Cl. A, VCCI Cl. A, Cl. A EN 55022 (CISPR 22), Cl. A C-Tick, EN 55024, CCC
Access Control List (ACL)	✓	<b>Logistics data</b>	
Access Control List (ACL) rules	164	Harmonized System (HS) code	85176990
IGMP snooping	✓		



0606449112382



606449112382

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.