EPSON

Epson TM-S2000II-MJ (012): 130DPM, 2 pockets

Brand : Epson

Product name : TM-S2000II-MJ (012): 130DPM, 2 pockets

Product code: A41CG60012

TM-S2000II-MJ (012): 130DPM, 2 pockets

Epson TM-S2000II-MJ (012): 130DPM, 2 pockets:

Truly multifunctional
In addition to its advanced cheque-scanning features, the TM-S2000II-MJ also offers two-sided, 24-bit color ID scanning and an inkjet printer for cashier cheque filling.

Easy to use
This easy to use and maintain cheque scanner also features, advanced self-diagnostics and an intuitive LCD display that keeps the user informed of the device status at all times, and communicates when interventions are needed.

More than just cheque scanning
In addition to supporting the traditional financial markets, the TM-S2000II-MJ also serves other niche markets such as restaurant vouchers and pharmacy prescriptions - speeding up processing times and eliminating unnecessary human intervention.

Stylish Design
Black version fits seamlessly into most environments. Efficient MSR design for improved usability. Compact design - small footprint.

Scanning

Maximum scan size *	109.728 x 255 mm
Optical scanning resolution *	300 x 300 DPI
Colour scanning	✔
Duplex scanning *	✔
Greyscale levels	256
ID card resolutions	200 x 200,300 x 300,600 x 600
Scanner throughput	130 dpm

Design

Scanner type *	Business card scanner
Product colour *	Black
Built-in display *	✔

Performance

Sensor type *	CIS
Scan file formats	BMP, JPEG, TIFF
Mean cycles between failures (MCBF)	4940000
Mean time between failures (MTBF)	180000 h
Built-in MICR	✔
MICR font set	CMC-7, E-13B
Built-in OCR	✔

Input capacity

Standard input capacity	100 sheets
Auto document feeder (ADF) input capacity	100 sheets

Paper handling

Scanning media types supported	Plain paper, Plastic Card
ID-card slot	✔
ID-cards (ISO/IEC 7810) compliant	✔
Card thickness (max)	0.2 mm

Weight & dimensions

Weight	4.1 kg

Packaging data

Quantity per pack	1 pc(s)
Package width	250 mm
Package depth	400 mm
Package height	295 mm
Package weight	5.62 kg

Packaging content

Cables included	USB
Quick start guide	✔
AC adapter included	✔

Operational conditions

Operating temperature (T-T)	10 - 35 °C
Storage temperature (T-T)	-20 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	20 - 85%

Other features

Scan speed (max)	1000 mm/sec
Scan speed (ID card)	118 mm/sec
Safety	TÜV (EN62368-1)
Print technology	Inkjet
Maximum media length	23.5 cm
Media thickness	0.08 - 0.2 mm
Printing height	5.08 cm
Print head life	6000 million shots/nozzle
Endorsement printing	✔
Character structure	Font A: 12 x 24, Font B: 9 x 17
Maximum text length per line	169 characters
Certification	CE, EN55024, EN55032 Class A, Directive 2014/30/EU

Paper handling

Plastic card media weight	60 - 120 g/m²
Maximum scan width	12 cm
Maximum scan length	23.5 cm

Ports & interfaces

USB port *	✔
USB version	2.0
USB connector type	USB Type-A
Standard interfaces	USB 2.0

Power

Power supply type *	DC
Output voltage	24 V

Weight & dimensions

Width	167 mm
Depth	410 mm
Height	206 mm

Logistics data

Products per pallet	63 pc(s)
Country of origin	China
Pallet gross weight	0 g
Pallet gross length	120 cm
Pallet gross width	80 cm
Pallet gross height	2.21 m
Products per pallet layer	9 pc(s)
Products per pallet layer (UK)	12 pc(s)
Products per pallet (UK)	84 pc(s)
Pallet weight (UK)	0 g
Pallet length (UK)	120 cm
Pallet width (UK)	100 cm
Pallet height (UK)	2.21 m
Harmonized System (HS) code	84716070

8715946651262