

## Epson TM-S2000II-MJ (012): 130DPM, 2 pockets


**Tuotemerkki :** Epson

**Tuotekoodi:** A41CG60012

**Tuotteen nimi :** TM-S2000II-MJ (012): 130DPM, 2 pockets

TM-S2000II-MJ (012): 130DPM, 2 pockets

Epson TM-S2000II-MJ (012): 130DPM, 2 pockets. Skannauksen enimmäiskoko: 109,728 x 255 mm, Optinen skannauserotellutarkkuus: 300 x 300 DPI, ID-kortin resoluutiot: 200 x 200,300 x 300,600 x 600. Skannerityyppi: Käyntikorttiskanneri, Tuotteen väri: musta. Anturin tyyppi: CIS, Tiedostomuodot (skanneri): BMP, JPEG, TIFF, Keskimääräinen vikaantumisaika: 180000 h. Vakiosyöttökapasiteetti (arkkia): 100 arkkaa, Automaattisen asiakirjojen syöttölaitteen kapasiteetti: 100 arkkaa. Tuetut skannausmediatyypit: Tavallinen paperi, Muovikortti, Kortin paksuus (maksimi): 0,2 mm, Muovikorttimedian paino: 60 - 120 g/m<sup>2</sup>



<b>Scanning</b>		<b>Weight &amp; dimensions</b>	
Maximum scan size *	109.728 x 255 mm	Weight	4.1 kg
Optical scanning resolution *	300 x 300 DPI	<b>Packaging data</b>	
Colour scanning	✓	Quantity per pack	1 pc(s)
Duplex scanning *	✓	Package width	250 mm
Greyscale levels	256	Package depth	400 mm
ID card resolutions	200 x 200,300 x 300,600 x 600	Package height	295 mm
Scanner throughput	130 dpm	Package weight	5.62 kg
<b>Design</b>		<b>Packaging content</b>	
Scanner type *	Business card scanner	Cables included	USB
Product colour *	Black	Quick start guide	✓
Built-in display *	✓	AC adapter included	✓
<b>Performance</b>		<b>Operational conditions</b>	
Sensor type *	CIS	Operating temperature (T-T)	10 - 35 °C
Scan file formats	BMP, JPEG, TIFF	Storage temperature (T-T)	-20 - 40 °C
Mean cycles between failures (MCBF)	4940000	Operating relative humidity (H-H)	20 - 80%
Mean time between failures (MTBF)	180000 h	Storage relative humidity (H-H)	20 - 85%
Built-in MICR	✓	<b>Other features</b>	
MICR font set	CMC-7, E-13B	Scan speed (max)	1000 mm/sec
Built-in OCR	✓	Scan speed (ID card)	118 mm/sec
<b>Input capacity</b>		Safety	TÜV (EN62368-1)
Standard input capacity	100 sheets	Print technology	Inkjet
Auto document feeder (ADF) input capacity	100 sheets	Maximum media length	23.5 cm
<b>Paper handling</b>		Media thickness	0.08 - 0.2 mm
Scanning media types supported	Plain paper, Plastic Card	Printing height	5.08 cm
ID-card slot	✓	Print head life	6000 million shots/nozzle
ID-cards (ISO/IEC 7810) compliant	✓	Endorsement printing	✓
Card thickness (max)	0.2 mm	Character structure	Font A: 12 x 24, Font B: 9 x 17
Plastic card media weight	60 - 120 g/m <sup>2</sup>	Maximum text length per line	169 characters
Maximum scan width	12 cm	Certification	CE, EN55024, EN55032 Class A, Directive 2014/30/EU
Maximum scan length	23.5 cm	<b>Logistics data</b>	
<b>Ports &amp; interfaces</b>		Products per pallet	63 pc(s)
USB port *	✓	Country of origin	China
USB version	2.0	Pallet gross weight	0 g
USB connector type	USB Type-A	Pallet gross length	120 cm
Standard interfaces	USB 2.0	Pallet gross width	80 cm
		Pallet gross height	2.21 m
		Products per pallet layer	9 pc(s)

Power		Logistics data	
Power supply type *	DC	Products per pallet layer (UK)	12 pc(s)
Output voltage	24 V	Products per pallet (UK)	84 pc(s)
Weight & dimensions		Pallet weight (UK)	0 g
Width	167 mm	Pallet length (UK)	120 cm
Depth	410 mm	Pallet width (UK)	100 cm
Height	206 mm	Pallet height (UK)	2.21 m
		Harmonized System (HS) code	84716070



8715946651262

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-MAR-2025. Prints or copies of Information are only valid on the printed Publication date