



DELL PowerEdge R760XS palvelin 480 GB Teline (2U) Intel® Xeon Silver 4410T 2,7 GHz 32 GB DDR5-SDRAM 1100 W

Tuotemerkki : DELL

Tuoteperhe: PowerEdge

Tuotekoodi: 8R4YN

Tuotteen nimi : R760XS



DELL PowerEdge R760XS. Suoritinperhe: Intel® Xeon Silver, Prosessorin taajuus: 2,7 GHz, Prosessorimalli: 4410T. Sisäinen muisti: 32 GB, Sisäisen muistin tyyppi: DDR5-SDRAM, Muistin sijoittelu (paikat x koko): 1 x 32 GB. Kokonaistallennuskapasiteetti: 480 GB. Ethernet LAN, Kaapelitekniikka: 10/100/1000Base-T(X). Virtalähde: 1100 W, Vikasietoisen virtalähteen tuki (RPS). Alustatyyppi: Teline (2U)



Processor		Ports & interfaces	
Processor manufacturer *	Intel	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Processor family *	Intel Xeon Silver	VGA (D-Sub) ports quantity	2
Processor model *	4410T	Design	
Processor frequency *	2.7 GHz	Chassis type *	Rack (2U)
Processor boost frequency	4 GHz	Product colour	Black
Processor cores	10	Rack rails	✓
Processor cache	26.25 MB	Bezel	✓
Motherboard chipset	Intel C741	Performance	
Number of processors installed	1	Remote administration	iDRAC9, Enterprise 16G
Thermal Design Power (TDP)	150 W	Software	
Maximum internal memory supported by processor	512 GB	Operating system installed *	✗
Memory types supported by processor	DDR5-SDRAM	Compatible operating systems *	Canonical Ubuntu Server LTS Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server VMware vSAN/ESXi
Memory clock speeds supported by processor	4000 MHz	Power	
Memory		Redundant power supply (RPS) support *	✓
Internal memory *	32 GB	Power supply *	1100 W
Internal memory type *	DDR5-SDRAM	Number of redundant power supplies supported	2
Buffered memory type	Registered (buffered)	Number of redundant power supplies installed	2
Memory ranking	2	Power supply input voltage	100 - 240 V
Memory slots	16x DIMM	Power cable length	2 m
Memory layout (slots x size)	1 x 32 GB	Power cable connector 1	C13 coupler
Memory data transfer rate	5600 MT/s	Power cable connector 2	C14 coupler
Maximum internal memory *	1 TB		
Storage			
Total storage capacity *	480 GB		
Number of SSDs installed	1		
SSD capacity	480 GB		

Storage		Power	
SSD interface	SATA III	Power cable current	12 A
SSD size	2.5"	Operational conditions	
Supported SSD sizes	3.5"	Storage temperature (T-T)	-40 - 65 °C
Number of SSDs supported	8	Storage relative humidity (H-H)	5 - 95%
RAID support *	✓	Operating altitude	0 - 3048 m
Supported RAID controllers	PERC H755	Non-operating altitude	0 - 12000 m
Hot-Plug support	✓	Carbon footprint	
Internal drive bays	8	Total carbon footprint (kg of CO2e)	6654
Supported storage drive interfaces	SAS, Serial ATA	Total carbon emissions, standard deviation (kg of CO2e)	3747
Drive writes per day (DWPD)	1	Carbon emissions, manufacturing (kg of CO2e)	466
Storage drive adapter included	✓	Carbon emissions, logistics (kg of CO2e)	133
Storage drive adapter type	2.5" - 3.5"	Carbon emissions, energy usage (kg of CO2e)	6055
Graphics		Total carbon emissions, w/o use phase (kg of CO2e)	599
On-board graphics card	✗	PAIA version	1.3.2, 2022
On-board graphics card model	Not available	Weight & dimensions	
Network		Width	482 mm
Ethernet LAN	✓	Height	86.8 mm
Cabling technology	10/100/1000Base-T(X)	Weight	28.6 kg
Ethernet interface type	Gigabit Ethernet	Other features	
Ports & interfaces		Data transfer rate	6 Gbit/s
Ethernet LAN (RJ-45) ports *	2	Bytes per sector	512
USB 2.0 ports quantity	2		



5397184843512

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.