

PHILIPS

Philips Evnia 5000 27M2N5500/00 LED display 68,6 cm (27") 2560 x 1440 pikseliä Quad HD LCD musta

Tuotemerkki : Philips

Tuoteperhe: Evnia

Tuotekoodi: 27M2N5500/00

Tuotteen nimi :
27M2N5500/00



Fast IPS Gaming monitor 27M2N5500 Quad HD -pelinäyttö

Philips Evnia 5000 27M2N5500/00 LED display 68,6 cm (27") 2560 x 1440 pikseliä Quad HD LCD musta:

Tämä näyttö on valmis peliin kuin peliin. 0,5 ms:n Smart MBR -toiminto, 180 Hz:n virkistystaajuus ja Quad HD -resoluutio takaavat kattavan ja visuaalisesti nautinnollisen pelikokemuksen. Philips Evnia 5000 27M2N5500/00. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 2560 x 1440 pikseliä, HD-tyyppi: Quad HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 1 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Panel mounting interface	100 x 100 mm
Display resolution *	2560 x 1440 pixels	Cable lock slot *	✓
HD type *	Quad HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LCD	Adjustable height (max)	13 cm
Panel type *	Nano IPS	Pivot	✓
LED backlight	✓	Pivot angle	-90 - 90°
Backlight type	W-LED	Swivelling	✓
Touchscreen *	✗	Swivel angle range	-45 - 45°
Display brightness (typical)	350 cd/m ²	Tilt adjustment	✓
Response time *	1 ms	Tilt angle range	-5 - 20°
Anti-glare screen	✓	On Screen Display (OSD)	✓
Screen shape *	Flat	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Contrast ratio (typical) *	1200:1	Number of OSD languages	21
Dynamic contrast ratio marketing name	Mega Infinity DCR	Plug and Play	✓
Maximum refresh rate *	170 Hz	LED indicators	Operation, Stand-by
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Display number of colours *	1.07 billion colours		
Response time (fast)	0.5 ms		
Pixel pitch	0.2331 x 0.2331 mm		
Pixel density	108.79 ppi		
Horizontal scan range	30 - 280 kHz		
Vertical scan range	48 - 180 Hz		
Viewable size, horizontal	59.7 cm		
Viewable size, vertical	33.6 cm		
Digital horizontal frequency	30 - 230 kHz		
Digital vertical frequency	48 - 144 Hz		
Display diagonal (metric)	68.5 cm		
High Dynamic Range (HDR) supported	✓		
		Power	
		Power consumption (typical) *	29.8 W
		Power consumption (standby) *	0.5 W
		Power consumption (off)	0.3 W
		AC input voltage	100 - 240 V
		AC input frequency	50/60 Hz
		Power supply type	External
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-20 - 60 °C
		Operating relative humidity (H-H)	20 - 80%

Display		Operational conditions	
High Dynamic Range (HDR) technology	DisplayHDR 400	Operating altitude	0 - 3658 m
DDC/CI	✓	Non-operating altitude	3658 - 12192 m
Haze rate	25%	Weight & dimensions	
Surface hardness	3H	Width (with stand)	614 mm
Colour depth	8 bit	Depth (with stand)	261 mm
Colour gamut standard	DCI-P3	Height (with stand)	519 mm
Colour gamut	93.5%	Weight (with stand)	5.68 kg
sRGB coverage (typical)	125%	Width (without stand)	614 mm
Adobe RGB coverage	89%	Depth (without stand)	60 mm
Display sRGB	✓	Height (without stand)	368 mm
Performance		Weight (without stand)	3.28 kg
NVIDIA G-SYNC *	✓	Packaging data	
AMD FreeSync *	✓	Package width	730 mm
Fast charging	✓	Package depth	188 mm
Component video sync	Separate sync	Package height	478 mm
Flicker-free technology	✓	Package weight	9.53 kg
Low Blue Light technology	✓	Packaging content	
Multimedia		Stand included	✓
Built-in speaker(s) *	✗	Cables included	AC, DisplayPort, HDMI
Built-in camera *	✗	Sustainability	
Design		Sustainability compliance	✓
Market positioning *	Gaming	Doesn't contain	Mercury, PVC/BFR
Product colour *	Black	Other features	
Ports & interfaces		Low input lag	✓
HDMI *	✓	Compatible operating systems	Mac OS X Windows 11/10
HDMI ports quantity	2	Exterior finish type	Textured
HDMI version	2.0	Picture enhancement	SmartImage game
DisplayPorts quantity	1	Recyclable packaging material	100%
DisplayPort version	1.4	Regulatory Approvals	CB, CCC, CECP, CEL, CE Mark, TUV-BAUART, EAC, MEPS, PSB, BSMI, EMF, FCC, ICES-003, TUV/ISO9241-307, UKCA
Headphone out *	✓	Heavy metals free	Hg (mercury)
HDCP	✓	Delta E	2
HDCP version	1.4/2.2	Adaptive synchronisation	✓
Ergonomics		EasyRead mode	✓
VESA mounting *	✓	LowBlue mode	✓
		Philips SmartUniformity	93 - 105%
		Compliance certificates	RoHS
		Mean time between failures (MTBF)	50000 h



8712581809645

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-FEB-2025. Prints or copies of Information are only valid on the printed Publication date