



## LG 21HQ513D-B/21" Grayscale 3MP tietokoneen litteä näyttö 54,1 cm (21.3") 1536 x 2048 pikseliä HD LCD musta

**Tuotemerkki :** LG

**Tuotekoodi:** 21HQ513D-B

**Tuotteen nimi :** 21HQ513D-B/21" Grayscale 3MP

LG 21HQ513D-B/21" Grayscale 3MP. Näytön halkaisija: 54,1 cm (21.3"), Näytön erottelutarkkuus: 1536 x 2048 pikseliä, HD-tyyppi: HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 5 ms, Vakiokuvausuhde: 3:4, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display		Ergonomics	
Display diagonal *	54.1 cm (21.3")	Pivot	✓
Display resolution *	1536 x 2048 pixels	Tilt adjustment	✓
HD type *	HD	Tilt angle range	-5 - 20°
Native aspect ratio *	3:4		
Display technology *	LCD		
Panel type *	IPS		
Touchscreen *	✗		
Display brightness (typical)	1100 cd/m <sup>2</sup>		
Response time *	5 ms		
Screen shape *	Flat		
Contrast ratio (typical) *	1800:1		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Pixel pitch	0.2115 x 0.2115 mm		
Colour depth	10 bit		
NTSC coverage (typical)	72%		
Multimedia		Power	
Megapixel (approx.)	3 MP	Power consumption (max)	120 W
Built-in camera *	✓	Power consumption (off)	0.3 W
		AC input frequency	50 - 60 Hz
		AC adapter output voltage	100 - 240 V
		Power supply type	External
Design		Weight & dimensions	
Market positioning *	Medical	Width (with stand)	343.1 mm
Product colour *	Black	Depth (with stand)	234.6 mm
		Height (with stand)	640 mm
		Weight (with stand)	7 kg
		Width (without stand)	343.1 mm
		Depth (without stand)	72.4 mm
		Height (without stand)	484 mm
		Weight (without stand)	5 kg
		Packaging data	
		Package width	636 mm
		Package depth	163 mm
		Package height	551 mm

Ports & interfaces		Packaging data	
Built-in USB hub *	✘	Package weight	9.5 kg
DVI port	✔	Package type	Box
DisplayPorts quantity	3	Packaging content	
Ergonomics		Cables included	AV, DVI, DisplayPort, USB
VESA mounting *	✔	Power adapter included	✔
Panel mounting interface	100 x 100 mm	Other features	
Height adjustment *	✔	Built-in calibration sensor	✔
Height adjustment	11 cm	Logistics data	
		Harmonized System (HS) code	85285210



0195174017296



195174017296



8806091443205

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.