## Canon

## Canon Zoemini S2 Valkoinen

Tuotemerkki : Canon Tuotekoodi: 4519C007

Tuotteen nimi: Zoemini S2

Canon Zoemini S2. Tuotteen väri: Valkoinen, Suurin polttoväli (35 mm filmiä vastaava): 25,7 mm, Valokuvapaperien koot: 2x3". Salamakuvausalue: 0,5 - 1 m. USB-liitin: Micro-USB. Akun kapasiteetti: 700 mAh, Akkuteknologia: Litium polymeeri (LiPo). Paino: 188 g, Tuotteen korkeus: 80,3 mm, Tuotteen syvyys: 22,4 mm





| Features                               |                       | Features  |                        |  |  |  |  |
|--|-----------------------|---|------------------------|--|--|--|--|
| ISO sensitivity (min)                  | 100                   | Near Field Communication (NFC) ✓                                  |                        |  |  |  |  |
| ISO sensitivity (max)                  | 1600                  | Flash   |                        |  |  |  |  |
| Maximum focal length (35mm film equiv) | 25.7 mm               | Built-in flash  | 1                      |  |  |  |  |
| Minimum aperture number                | 2.2                   | Flash range   | 0.5 - 1 m              |  |  |  |  |
| Maximum aperture number                | 2.2                   | Shutter   |                        |  |  |  |  |
| Photo paper                            | ✓                     | Remote shutter  | 1                      |  |  |  |  |
| Photo paper sizes (imperial)           | 2x3"                  |   |                        |  |  |  |  |
| Printing time (min)                    | 50 s                  | Display   |                        |  |  |  |  |
| Printing time (max)                    | 50 s                  | Built-in display  | ×                      |  |  |  |  |
| Borderless printing                    | ✓                     | Ports & interfaces  |                        |  |  |  |  |
| Maximum resolution                     | 314 x 600 DPI         | USB port  | <b>✓</b>               |  |  |  |  |
| White balance                          | Auto                  | USB connector type  | Micro-USB              |  |  |  |  |
| Product colour *                       | White                 | 7.  | MICIO-OSB              |  |  |  |  |
| LED indicators                         | ✓                     | Power   |                        |  |  |  |  |
| Compatible memory cards                | MicroSD (TransFlash)  | Battery operated  | ✓                      |  |  |  |  |
| Maximum memory card size               | 256 GB                | Battery capacity  | 700 mAh                |  |  |  |  |
| Megapixel (approx.)                    | 8 MP                  | Auto power off  | ✓                      |  |  |  |  |
| Light exposure modes                   | Auto                  | Rechargeable battery  | <b>✓</b>               |  |  |  |  |
| Self-timer                             | ✓                     | Battery technology  | Lithium Polymer (LiPo) |  |  |  |  |
| Self-timer delay                       | 3,5,10 s              | Operational conditions  |                        |  |  |  |  |
| Selfie mirror                          | <b>✓</b>              | •   | 5 - 40 °C              |  |  |  |  |
| Reset button                           | ✓                     | Operating temperature (T-T)                                       | 0 - 70%                |  |  |  |  |
| Mobile app support                     | ✓                     | Operating relative humidity (H-H) Photo paper storage temperature |                        |  |  |  |  |
| Mobile operating systems supported     | d Android 6.0, iOS 12 | (T-T)   | 0 - 25 °C              |  |  |  |  |
| Bluetooth                              | ✓                     | Photo paper storage relative                                      | 40 - 55%               |  |  |  |  |
| Bluetooth version                      | 5.0                   | humidity (H-H)  | 40 - 33%               |  |  |  |  |
|  |                       |   |                        |  |  |  |  |

|   |     |    |    | _  |    |   |    |     |    |  |
|---|-----|----|----|----|----|---|----|-----|----|--|
| w | eic | nh | 1t | N. | MI | m | en | SI. | nη |  |
|   |     |    |    |    |    |   |    |     |    |  |

| Weight | 188 g   |
|--------|---------|
| Height | 80.3 mm |
| Depth  | 22.4 mm |
| Width  | 121 mm  |



4549292176032

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.