


## ASUS Dual -RX7900XTX-O24G AMD Radeon RX 7900 XTX 24 GB GDDR6

**Brand :** ASUS

**Product family:** Dual

**Product code:** 90YV0IG2-M0NA00



**Product name :** DUAL-RX7900XTX-O24G

- OC Mode: up to 2615 MHz (Boost Clock)/ up to 2455 MHz (Game Clock)
  - Axial-tech fan design features a smaller fan hub that facilitates longer blades and a barrier ring that increases downward air pressure
  - 0dB technology lets you enjoy light gaming in relative silence
  - Dual ball fan bearings can last up to twice as long as sleeve bearing designs
  - Dual BIOS switch lets you toggle between Quiet and Performance BIOS profiles sans software
  - A protective backplate prevents PCB flex and trace damage
  - Auto-extreme uses automation to enhance reliability
  - GPU Tweak III software provides intuitive performance tweaking, thermal controls, and system monitoring
- Dual Radeon RX 7900 XTX OC Edition 24GB GDDR6 is armed to dish out frames and keep vitals in check



<b>Processor</b>		<b>Performance</b>	
CUDA *	×	OpenGL version *	4.6
Graphics processor family *	AMD	HDCP	✓
Graphics processor *	Radeon RX 7900 XTX	HDCP version	2.3
Processor boost clock speed	2525 MHz	Dual Link DVI *	×
Processor boost clock speed (OC mode)	2615 MHz	<b>Design</b>	
Processor boost clock speed (Gaming mode)	2455 MHz	Cooling type *	Active
Maximum resolution *	7680 x 4320 pixels	Cooling technology	ASUS Axial-tech
Parallel processing technology support *	Not supported	Number of fans	2 fan(s)
Stream processors	6144	Form factor	Full-Height/Half-Length (FH/HL)
Maximum displays per videocard	4	Number of slots	2.95
<b>Memory</b>		Illumination	✓
Discrete graphics card memory *	24 GB	Illumination colour	Multi
Graphics card memory type *	GDDR6	Product colour	Black
Memory bus *	384 bit	<b>Power</b>	
Data transfer rate	20 Gbit/s	Minimum system power supply *	850 W
<b>Ports &amp; interfaces</b>		Supplementary power connectors	3x 8-pin
Interface type *	PCI Express 4.0	<b>Weight &amp; dimensions</b>	
HDMI ports quantity *	1	Weight	1.46 kg
HDMI version	2.1	Length	323 mm
DisplayPorts quantity *	3	Depth	58 mm
DisplayPort version	2.1	Height	147 mm
<b>Performance</b>		<b>Packaging data</b>	
TV tuner integrated *	×	Package width	405 mm
DirectX version *	×	Package depth	233 mm
		Package height	88.5 mm
		Package weight	2.1 kg
		Package type	Box

**Packaging content**

Manual





4711387619001

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date