

## ASUS PRIME B760M-A WIFI Intel B760 LGA 1700 micro ATX

**Brand :** ASUS

**Product code:** 90MB1ELO-M1EAY0

**Product name :** PRIME B760M-A WIFI

- Intel® LGA 1700 Socket: Ready for 13th and 12th Gen Intel® processors
  - Ultrafast Connectivity: PCIe 4.0, two M.2 slots, Realtek 2.5Gb Ethernet, Wi-Fi 6, rear USB 3.2 Gen 2, front USB 3.2 Gen 1 Type-C®
  - Comprehensive Cooling: VRM heatsinks, M.2 heatsink, PCH heatsink, hybrid fan headers and Fan Xpert 2+
  - Exclusive Memory Technology: ASUS Enhanced Memory Profile II and ASUS OptiMem II
  - Aura Sync RGB Lighting: Onboard Addressable Gen 2 headers and Aura RGB header for RGB LED strips, easily synced with Aura Sync-capable hardware
- Intel B760, LGA1700, 4 x DIMM DDR5, 2.5Gb Ethernet, 802.11 a/b/g/n/ac/ax, Bluetooth 5.2, 128Mb Flash ROM, UEFI AMI BIOS, mATX



| Processor                                |   | Internal I/O                                      |  |
|--|---|---|--|
| Processor manufacturer *                 | Intel   | 12V power connector                               | ✓  |
| Processor socket *                       | LGA 1700  | RGB LED pin header                                | ✓  |
| Compatible processor series *            | Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold | Rear panel I/O ports                              |  |
| Supported processor sockets              | LGA 1700  | USB 2.0 ports quantity *                          | 4  |
| Memory                                   |   | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * | 2  |
| Supported memory types *                 | DDR5-SDRAM  | Ethernet LAN (RJ-45) ports *                      | 1  |
| Number of memory slots *                 | 4   | PS/2 ports quantity                               | 1  |
| Memory slots type                        | DIMM  | HDMI ports quantity *                             | 2  |
| Memory channels                          | Dual-channel  | HDMI version                                      | 2.1  |
| ECC compatibility                        | Non-ECC   | DisplayPorts quantity                             | 1  |
| Supported memory clock speeds            | 7200,7000,6800,6600,6400,6200,6000,5800,5600,5400,5200,5000,4800 MHz                                      | DisplayPort version                               | 1.4  |
| Supported memory clock speed (max)       | 7200 MHz  | Microphone in                                     | ✓  |
| Maximum internal memory *                | 128 GB  | WiFi-AP antenna jack                              | 2  |
| Unbuffered memory                        | ✓   | Network   |  |
| Storage controllers                      |   | Ethernet LAN                                      | ✓  |
| Supported storage drive types            | HDD & SSD   | Ethernet interface type                           | 2.5 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet                                |
| Supported storage drive interfaces *     | M.2, SATA III   | Wi-Fi *   | ✓  |
| Number of HDDs supported                 | 4   | Top Wi-Fi standard                                | Wi-Fi 6 (802.11ax)   |
| Number of storage drives supported       | 6   | Wi-Fi standards                                   | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) |
| RAID support                             | ✓   | Bluetooth   | ✓  |
| RAID levels                              | 0, 1, 5, 10   | Bluetooth version                                 | 5.2  |
| Graphics                                 |   | Features  |  |
| Parallel processing technology support * | Not supported   | Motherboard chipset *                             | Intel B760   |
| Internal I/O                             |   | Audio output channels *                           | 7.1 channels   |
| USB 2.0 connectors *                     | 3   |   |  |
| USB 3.2 Gen 1 (3.1 Gen 1) connectors *   | 3   |   |  |

| Internal I/O                     |   | Features                            |                            |
|----------------------------------|---|-------------------------------------|----------------------------|
| Number of SATA III connectors *  | 4 | Component for *                     | PC                         |
| S/PDIF out connector             | ✓ | Motherboard form factor *           | micro ATX                  |
| Front panel audio connector      | ✓ | Motherboard chipset family *        | Intel                      |
| ATX Power connector (24-pin)     | ✓ | Cooling type                        | Passive                    |
| CPU fan connector                | ✓ | Power source type                   | ATX                        |
| Number of chassis fan connectors | 2 | Windows operating systems supported | Windows 10 x64, Windows 11 |
| EPS power connector (8-pin)      | ✓ | <b>Expansion slots</b>              |                            |
| Number of COM connectors         | 1 | PCI Express x16 (Gen 4.x) slots     | 2                          |
| TPM connector                    | ✓ | Number of M.2 (M) slots             | 2                          |
|                                  |   | <b>BIOS</b>                         |                            |
|                                  |   | BIOS type *                         | UEFI AMI                   |
|                                  |   | BIOS memory size                    | 128 Mbit                   |
|                                  |   | <b>Weight &amp; dimensions</b>      |                            |
|                                  |   | Width                               | 244 mm                     |
|                                  |   | Depth                               | 244 mm                     |
|                                  |   | <b>Packaging content</b>            |                            |
|                                  |   | User guide                          | ✓                          |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-FEB-2025. Prints or copies of Information are only valid on the printed Publication date