

DELL Precision 3591 Intel Core Ultra 7 155H Mobiilityöasema 39,6 cm (15.6") Full HD 16 GB DDR5-SDRAM 512 GB SSD NVIDIA RTX 500 Ada Wi-Fi 6E (802.11ax) Windows 11 Pro Harmaa

Tuotemerkki: DELL Tuoteperhe: Precision Tuotekoodi: P63K7

Tuotteen nimi: 3591

DELL Precision 3591. Tuotetyyppi: Mobiilityöasema, Kotelo: Simpukka. Suoritinperhe: Intel Core Ultra 7, Prosessorimalli: 155H. Näytön halkaisija: 39,6 cm (15.6"), HD-tyyppi: Full HD, Näytön erottelutarkkuus: 1920 x 1080 pikseliä. Sisäinen muisti: 16 GB, Sisäisen muistin tyyppi: DDR5-SDRAM. Kokonaistallennuskapasiteetti: 512 GB, Tallennusmedia: SSD. Sisältyvän näytönohjaimen malli: Intel Arc Graphics, Erillisen näytönohjaimen malli: NVIDIA RTX 500 Ada. Käyttöjärjestelmä asennettu: Windows 11 Pro. Tuotteen väri: Harmaa





Design		Camera	
Product type * Mobile workstation Product colour * Grey Form factor * Clamshell Market positioning Business Intel® vPro™ Platform Eligibility Display Display diagonal * 39.6 cm (15.6") Display resolution * 1920 x 1080 pixels Touchscreen * X HD type Full HD Panel type IPS	Grey Clamshell Business ✓ 39.6 cm (15.6") 1920 x 1080 pixels X Full HD	Video capturing speed 30 fps Privacy camera Privacy type Privacy shutter Network Top Wi-Fi standard * Wi-Fi 6E (802.11ax) Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6 (802.11ax) Mobile network connection * × Wi-Fi data rate (max) 2400 Mbit/s Antenna type 2x2 WLAN controller model Intel Wi-Fi 6E AX211 WLAN controller manufacturer Intel Ethernet LAN ✓ Ethernet LAN data rates 10,100,1000 Mbit/s Bluetooth ✓ WWAN Upgradable MIMO ✓ MIMO type Multi User MIMO Ports & interfaces	
LED backlight Native aspect ratio Anti-glare screen Display brightness Pixel density RGB colour space Colour gamut Maximum refresh rate Contrast ratio (typical)	ve aspect ratio glare screen lay brightness density colour space ur gamut mum refresh rate 16:9 400 cd/m² 141 ppi sRGB 100% 60 Hz		10,100,1000 Mbit/s Upgradable
Processor	000.1	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	2
Processor manufacturer * Processor family * Processor generation Processor model * Processor cores Processor threads	Intel Intel Core Ultra 7 Intel® Core™ Ultra (Series 1) 155H 16 22	ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port	1 1 2.1 2

Processor		Ports & interfaces	
Processor boost frequency	4.8 GHz	Charging port type	USB Type-C
Performance cores	6	USB Type-C DisplayPort Alternate Mode	✓
Efficient cores	8	PowerShare	
Low Power Efficient-cores	2		✓
Performance-core Max Turbo Frequency	4.8 GHz	Number of USB ports with PowerShare support	1
Efficient-core Max Turbo Frequency	3.8 GHz	Keyboard	
Low Power Efficient-core Max Turbo Frequency	2.5 GHz	Pointing device	Touchpad
Performance-core base frequency	1.4 GHz	Keyboard language	Nordic
Efficient-core base frequency	0.9 GHz	Numeric keypad *	✓
Low Power Efficient-core Base	700 MHz	Keyboard backlit	✓
Frequency		Keyboard number of keys	100
Processor cache	24 MB	Software	
Processor cache type	Smart Cache	Operating system architecture	64-bit
Processor base power Maximum turbo power	28 W 115 W	, , ,	Danish, English, Finnish, Norwegian,
Neural processor unit (NPU)	113 W	Operating system language	Swedish
Neural processor unit (NPU)	Intel Al Boost	Trial software	No Microsoft Office Licence Included - 30 day Trial Offer Only
Maximum frequency NPU	1.4 GHz	Operating system installed *	Windows 11 Pro
Sparsity support	✓	Battery	
Windows Studio effects support	✓	Number of battery cells	4
Al datatype support on NPU	FP16, FP32, Int8	Battery capacity *	64 Wh
Al software frameworks supported	DirectML, ONNX RT, OpenVINO,	Battery voltage	15.2 V
by NPU	Windows ML	Battery recharge time	3 h
Memory		Fast charging	✓
Internal memory *	16 GB	Battery charge indicator	✓
Internal memory type	DDR5-SDRAM	Battery weight	280 g
Memory form factor	SO-DIMM	Power	
Memory layout (slots x size)	1 x 16 GB 2x SO-DIMM	AC adapter power	130 W
Memory slots Maximum internal memory *	64 GB	AC adapter frequency	50 - 60 Hz
Memory data transfer rate	5600 MT/s	AC adapter input voltage	100 - 240 V
Non-ECC	✓	USB Power Delivery (USB PD) *	✓
Storage		USB charging voltage	5,20 V
Total storage capacity *	512 GB	Security	
Storage media *	SSD	Cable lock slot	✓
Total SSDs capacity	512 GB	Cable lock slot type	Wedge
Number of SSDs installed	1	Smart card reader	✓
SSD capacity	512 GB	Trusted Platform Module (TPM)	✓
SSD interface	PCI Express 4.0	Trusted Platform Module (TPM)	2.0
NVMe	✓	version	
SSD form factor	M.2	Operational conditions	
SSD performance class	35	Operating temperature (T-T)	0 - 35 °C
M.2 SSD size	2230 (22 x 30 mm)	Storage temperature (T-T)	-40 - 65 °C
Optical drive type *	X	Operating relative humidity (H-H)	10 - 90%
Card reader integrated	✓ V: CD (T. 51.1.) M: CDUC	Storage relative humidity (H-H) Operating altitude	0 - 95% -15.2 - 3048 m
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC	Non-operating altitude	-15.2 - 10668 m
Graphics		Operating shock	110 G
Discrete graphics card model *	NVIDIA RTX 500 Ada	Non-operating shock Operating vibration	160 G 0.66 G
Discrete graphics card memory	4 GB	Non-operating vibration	1.3 G
Discrete graphics memory type	GDDR6	Sustainability	
On-board graphics card *	V	•	
On-board GPU manufacturer	Intel	Sustainability compliance	✓ FNEDCY STAD, TGO
Discrete graphics card *	✓	Sustainability certificates	ENERGY STAR, TCO
On-board graphics card family	Intel Arc Graphics	Weight & dimensions	
On-board graphics card model *	Intel Arc Graphics	Width	357.8 mm

Audio		Weight & dimensions	
Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone	2 Waves 2 W	Depth Height (front) Height (rear) Weight *	233.3 mm 2.27 cm 2.47 cm 1.79 kg
Number of microphones	2	Carbon footprint	
Camera		Total carbon footprint (kg of CO2e)	120
Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type	2.07 MP 1920 x 1080 pixels Full HD	Carbon emissions, manufacturing (kg of CO2e)	84
		Carbon emissions, logistics (kg of CO2e)	5
		Carbon emissions, energy usage (kg of CO2e)	31
		Carbon emissions, end-of-life (kg of CO2e)	1
		Total carbon emissions, w/o use phase (kg of CO2e)	89
		PAIA version	GaBi version 1, 2024
		Packaging content	
		Cables included	AC



5397184813508

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.