



## DELL Precision 3591 Intel Core Ultra 7 155H Mobiilityöasema 39,6 cm (15.6") Full HD 16 GB DDR5-SDRAM 512 GB SSD NVIDIA RTX 500 Ada Wi-Fi 6E (802.11ax) Windows 11 Pro Harmaa

**Tuotemerkki :** DELL

**Tuoteperhe:** Precision

**Tuotekoodi:** P63K7

**Tuotteen nimi :** 3591

DELL Precision 3591. Tuotetyyppi: Mobiilityöasema, Kotelo: Simpukka. Suoritinperhe: Intel Core Ultra 7, Prosessorimalli: 155H. Näytön halkaisija: 39,6 cm (15.6"), HD-tyyppi: Full HD, Näytön erottelutarkkuus: 1920 x 1080 pikseliä. Sisäinen muisti: 16 GB, Sisäisen muistin tyyppi: DDR5-SDRAM.

Kokonaistallennuskapasiteetti: 512 GB, Tallennusmedia: SSD. Sisältyvän näytönohjaimen malli: Intel Arc Graphics, Erillisen näytönohjaimen malli: NVIDIA RTX 500 Ada. Käyttöjärjestelmä asennettu: Windows 11 Pro. Tuotteen väri: Harmaa



Design		Camera	
Product type *	Mobile workstation	Video capturing speed	30 fps
Product colour *	Grey	Privacy camera	✓
Form factor *	Clamshell	Privacy type	Privacy shutter
Market positioning	Business	<b>Network</b>	
Intel® vPro™ Platform Eligibility	✓	Top Wi-Fi standard *	Wi-Fi 6E (802.11ax)
Display		Wi-Fi standards	Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)
Display diagonal *	39.6 cm (15.6")	Mobile network connection *	✗
Display resolution *	1920 x 1080 pixels	Wi-Fi data rate (max)	2400 Mbit/s
Touchscreen *	✗	Antenna type	2x2
HD type	Full HD	WLAN controller model	Intel Wi-Fi 6E AX211
Panel type	IPS	WLAN controller manufacturer	Intel
LED backlight	✓	Ethernet LAN	✓
Native aspect ratio	16:9	Ethernet LAN data rates	10,100,1000 Mbit/s
Anti-glare screen	✓	Bluetooth	✓
Display brightness	400 cd/m <sup>2</sup>	WWAN	Upgradable
Pixel density	141 ppi	MIMO	✓
RGB colour space	sRGB	MIMO type	Multi User MIMO
Colour gamut	100%	Ports & interfaces	
Maximum refresh rate	60 Hz	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Contrast ratio (typical)	800:1	Ethernet LAN (RJ-45) ports	1
Processor		HDMI ports quantity *	1
Processor manufacturer *	Intel	HDMI version	2.1
Processor family *	Intel Core Ultra 7	Thunderbolt 4 ports quantity	2
Processor generation	Intel® Core™ Ultra (Series 1)	Intel® Thunderbolt 4	✓
Processor model *	155H	Combo headphone/mic port	✓
Processor cores	16		
Processor threads	22		

<b>Processor</b>		<b>Ports &amp; interfaces</b>	
Processor boost frequency	4.8 GHz	USB Type-C DisplayPort Alternate Mode	✓
Performance cores	6	PowerShare	✓
Efficient cores	8	Number of USB ports with PowerShare support	1
Low Power Efficient-cores	2	<b>Keyboard</b>	
Performance-core Max Turbo Frequency	4.8 GHz	Pointing device	Touchpad
Efficient-core Max Turbo Frequency	3.8 GHz	Keyboard language	Nordic
Low Power Efficient-core Max Turbo Frequency	2.5 GHz	Numeric keypad *	✓
Performance-core base frequency	1.4 GHz	Keyboard backlit	✓
Efficient-core base frequency	0.9 GHz	Keyboard number of keys	100
Low Power Efficient-core Base Frequency	700 MHz	<b>Software</b>	
Processor cache	24 MB	Operating system architecture	64-bit
Processor cache type	Smart Cache	Operating system language	Danish, English, Finnish, Norwegian, Swedish
Processor base power	28 W	Trial software	No Microsoft Office Licence Included - 30 day Trial Offer Only
Maximum turbo power	115 W	Operating system installed *	Windows 11 Pro
<b>Neural processor unit (NPU)</b>		<b>Battery</b>	
Neural processor unit (NPU)	Intel AI Boost	Number of battery cells	4
Maximum frequency NPU	1.4 GHz	Battery capacity *	64 Wh
Sparsity support	✓	Battery voltage	15.2 V
Windows Studio effects support	✓	Battery recharge time	3 h
AI datatype support on NPU	FP16, FP32, Int8	Fast charging	✓
AI software frameworks supported by NPU	DirectML, ONNX RT, OpenVINO, Windows ML	Battery charge indicator	✓
<b>Memory</b>		Battery weight	280 g
Internal memory *	16 GB	<b>Power</b>	
Internal memory type	DDR5-SDRAM	AC adapter power	130 W
Memory form factor	SO-DIMM	AC adapter frequency	50 - 60 Hz
Memory layout (slots x size)	1 x 16 GB	AC adapter input voltage	100 - 240 V
Memory slots	2x SO-DIMM	USB Type-C charging port *	✓
Maximum internal memory *	64 GB	USB Power Delivery (USB PD) *	✓
Memory data transfer rate	5600 MT/s	USB charging voltage	5,20 V
Non-ECC	✓	<b>Security</b>	
<b>Storage</b>		Cable lock slot	✓
Total storage capacity *	512 GB	Cable lock slot type	Wedge
Storage media *	SSD	Smart card reader	✓
Total SSDs capacity	512 GB	Trusted Platform Module (TPM)	✓
Number of SSDs installed	1	Trusted Platform Module (TPM) version	2.0
SSD capacity	512 GB	<b>Operational conditions</b>	
SSD interface	PCI Express 4.0	Operating temperature (T-T)	0 - 35 °C
NVMe	✓	Storage temperature (T-T)	-40 - 65 °C
SSD form factor	M.2	Operating relative humidity (H-H)	10 - 90%
SSD performance class	35	Storage relative humidity (H-H)	0 - 95%
M.2 SSD size	2230 (22 x 30 mm)	Operating altitude	-15.2 - 3048 m
Optical drive type *	✗	Non-operating altitude	-15.2 - 10668 m
Card reader integrated	✓	Operating shock	110 G
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC	Non-operating shock	160 G
<b>Graphics</b>		Operating vibration	0.66 G
Discrete graphics card model *	NVIDIA RTX 500 Ada	Non-operating vibration	1.3 G
Discrete graphics card memory	4 GB	<b>Sustainability</b>	
Discrete graphics memory type	GDDR6	Sustainability compliance	✓
On-board graphics card *	✓	Sustainability certificates	ENERGY STAR, TCO
On-board GPU manufacturer	Intel	<b>Weight &amp; dimensions</b>	
Discrete graphics card *	✓	Width	357.8 mm
On-board graphics card family	Intel Arc Graphics		
On-board graphics card model *	Intel Arc Graphics		

Audio		Weight & dimensions	
Number of built-in speakers	2	Depth	233.3 mm
Speakers manufacturer	Waves	Height (front)	2.27 cm
Speaker power	2 W	Height (rear)	2.47 cm
Built-in microphone	✓	Weight *	1.79 kg
Number of microphones	2	<b>Carbon footprint</b>	
Camera		Total carbon footprint (kg of CO2e)	120
Front camera	✓	Carbon emissions, manufacturing (kg of CO2e)	84
Front camera resolution (numeric)	2.07 MP	Carbon emissions, logistics (kg of CO2e)	5
Front camera resolution	1920 x 1080 pixels	Carbon emissions, energy usage (kg of CO2e)	31
Front camera HD type	Full HD	Carbon emissions, end-of-life (kg of CO2e)	1
		Total carbon emissions, w/o use phase (kg of CO2e)	89
		PAIA version	GaBi version 1, 2024
		Packaging content	
		Cables included	AC



5397184813508

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.