

DELL Precision 3590 Intel Core Ultra 7 155H Mobiilityöasema 39,6 cm (15.6") Full HD 16 GB DDR5-SDRAM 512 GB SSD NVIDIA RTX 500 Ada Wi-Fi 6E (802.11ax) Windows 11 Pro Harmaa

Tuotemerkki : DELL Tuoteperhe: Precision Tuotekoodi: TFWWT

Tuotteen nimi: 3590

DELL Precision 3590. Tuotetyyppi: Mobiilityöasema, Kotelo: Simpukka. Suoritinperhe: Intel Core Ultra 7, Prosessorimalli: 155H. Näytön halkaisija: 39,6 cm (15.6"), HD-tyyppi: Full HD, Näytön erottelutarkkuus: 1920 x 1080 pikseliä. Sisäinen muisti: 16 GB, Sisäisen muistin tyyppi: DDR5-SDRAM. Kokonaistallennuskapasiteetti: 512 GB, Tallennusmedia: SSD. Sisältyvän näytönohjaimen malli: Intel Arc Graphics, Erillisen näytönohjaimen malli: NVIDIA RTX 500 Ada. Käyttöjärjestelmä asennettu: Windows 11 Pro. Tuotteen väri: Harmaa





Design		Camera	
Product type * Product colour * Form factor * Market positioning Intel® vPro™ Platform Eligibility	Mobile workstation Grey Clamshell Business ✓	Front camera resolution Front camera HD type Video capturing speed Privacy camera Privacy type	1920 x 1080 pixels Full HD 30 fps ✓ Privacy shutter
Display		Network	
Display diagonal * 39.6 cm (15.6") Display resolution * 1920 x 1080 pixels Touchscreen * HD type Full HD Panel type IPS LED backlight ✓ Native aspect ratio 16:9 Anti-glare screen ✓ Display brightness 250 cd/m² Pixel density 141 ppi Display diagonal (metric) 39.6 cm RGB colour space NTSC Colour gamut 45%	Top Wi-Fi standard * Wi-Fi standards	Wi-Fi 6E (802.11ax) 802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)	
	Mobile network connection * Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Ethernet LAN Ethernet LAN data rates Bluetooth MIMO MIMO type	X 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel 10,100,1000 Mbit/s Multi User MIMO	
Maximum refresh rate Contrast ratio (typical)	60 Hz 700:1	Ports & interfaces	Huiti Osci Mino
Processor	700.1	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Processor manufacturer * Processor family * Processor generation Processor model * Processor cores	Intel Intel Core Ultra 7 Intel® Core™ Ultra (Series 1) 155H 16	Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4	1 1 2.1 2

Processor		Ports & interfaces	
Processor threads	22	Combo headphone/mic port	✓
Processor boost frequency	4.8 GHz	Charging port type	USB Type-C
Performance cores	6 8	USB Type-C DisplayPort Alternate Mode	✓
Efficient cores Low Power Efficient-cores	2	PowerShare	✓
Performance-core Max Turbo			•
Frequency	4.8 GHz	Performance	
Efficient-core Max Turbo Frequency	3.8 GHz	Motherboard chipset	Intel SoC
Low Power Efficient-core Max Turbo Frequency	2.5 GHz	Ambient light sensor	✓
Performance-core base frequency	1.4 GHz	Keyboard	
Efficient-core base frequency	0.9 GHz	Pointing device	Touchpad
Low Power Efficient-core Base	700 MHz	Keyboard language	Nordic
Frequency Processor cache	24 MB	Numeric keypad *	/
Processor cache type	Smart Cache	Keyboard backlit	100
Processor base power	28 W	Keyboard number of keys	100
Maximum turbo power	115 W	Software	
Neural processor unit (NPU)		Operating system architecture	64-bit
Neural processor unit (NPU)	Intel Al Boost	Operating system language	Danish, English, Finnish, Norwegian, Swedish
Maximum frequency NPU	1.4 GHz	Trial software	No Microsoft Office License Included
Sparsity support	✓		30 day Trial Offer Only
Windows Studio effects support	✓	Operating system installed *	Windows 11 Pro
Al datatype support on NPU	FP16, FP32, Int8	Battery	
Al software frameworks supported	DirectML, ONNX RT, OpenVINO,	Number of battery cells	3
by NPU	Windows ML	Battery capacity *	54 Wh
Memory		Battery voltage	11.4 V 4 h
Internal memory *	16 GB	Battery recharge time Fast charging	4 II
Internal memory type	DDR5-SDRAM	Battery weight	220 g
Memory form factor Memory layout (slots x size)	SO-DIMM 1 x 16 GB	Power	g
Memory slots	2x SO-DIMM	AC adapter power	130 W
Maximum internal memory *	64 GB	AC adapter frequency	50/60 Hz
Memory data transfer rate	5600 MT/s	AC adapter input voltage	100 - 240 V
Non-ECC	✓	USB Power Delivery (USB PD) *	✓
Storage		USB charging voltage	20,5 V
Total storage capacity *	512 GB	USB charging current	6.5 A
Storage media *	SSD	Security	
Total SSDs capacity	512 GB	Cable lock slot	✓
Number of SSDs installed	1	Cable lock slot type	Wedge
SSD capacity SSD interface	512 GB PCI Express 4.0	Smart card reader	✓
NVMe	✓	Trusted Platform Module (TPM)	✓
SSD form factor	M.2	Trusted Platform Module (TPM)	2.0
SSD performance class	35	version	
M.2 SSD size	2230 (22 x 30 mm)	Operational conditions	
Optical drive type *	×	Operating temperature (T-T)	0 - 35 °C
Card reader integrated	✓	Storage temperature (T-T)	-40 - 65 °C
Compatible memory cards	MicroSD (TransFlash), MicroSDHC,	Operating relative humidity (H-H) Storage relative humidity (H-H)	10 - 90% 0 - 95%
	MicroSDXC	Operating altitude	-15.2 - 3048 m
Graphics		Non-operating altitude	-15.2 - 10668 m
Discrete GPU manufacturer	NVIDIA	Operating shock	110 G
Discrete graphics card model * Discrete graphics card memory	NVIDIA RTX 500 Ada 4 GB	Non-operating shock	160 G
Discrete graphics card memory Discrete graphics memory type	GDDR6	Operating vibration	0.66 G
On-board graphics card *	✓	Non-operating vibration	1.3 G
On-board GPU manufacturer	Intel	Sustainability	
Discrete graphics card *	✓	Sustainability compliance	✓
On-board graphics card family	Intel Arc Graphics	Sustainability certificates	TCO, ENERGY STAR, EPEAT Gold

Graphics		Weight & dimensions	
On-board graphics card model * Audio	Intel Arc Graphics	Width Depth	357.8 mm 233.3 mm
Audio system Number of built-in speakers Speakers manufacturer	· Weight *	Height (rear)	2.08 cm 2.28 cm 1.62 kg
Speaker power	2 W	Carbon footprint	
Built-in microphone	✓	Total carbon footprint (kg of CO2e)	119
Number of microphones	2	Carbon emissions, manufacturing (kg of CO2e)	86
Camera		Carbon emissions, logistics (kg of	4
Front camera	✓	CO2e)	
Front camera resolution (numeric)	2.07 MP	Carbon emissions, energy usage (kg of CO2e)	28
		Carbon emissions, end-of-life (kg of CO2e)	1
		Total carbon emissions, w/o use phase (kg of CO2e)	91
		PAIA version	GaBi version 1, 2024
		Packaging content	
		Cables included	AC



5397184816417

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.