



Lenovo Emulex LPe35002 Internal Fiber 32000 Mbit/s

Brand : Lenovo

Product code: 4XC7A08251


Product name : Emulex LPe35002

ThinkSystem Emulex LPe35002 32Gb 2-port PCIe Fibre Channel Adapter


[Lenovo Emulex LPe35002 Internal Fiber 32000 Mbit/s:](#)

The Emulex 32 Gb FC HBAs have an advanced ASIC which can achieve 5M IOPS per adapter, 3x more than the previous generation adapter, which speeds up applications, all-flash arrays (AFAs), and allows you to handle peak workload I/O spikes.

Compared to the previous generation, Emulex Gen 7 FC HBAs offer up to 3x better latency, enhanced security, and operational efficiency for 32GFC SANs. The adapters support a PCIe 4.0 host interface which enables 2x more bandwidth per lane with servers that have PCIe 4.0 support. Lenovo Emulex LPe35002. Internal. Connectivity technology: Wired, Host interface: PCI Express, Interface: Fiber. Maximum data transfer rate: 32000 Mbit/s. Product colour: Black, Green, Stainless steel



| Ports & interfaces | | Design | |
|------------------------------|--|-----------------------------------|---|
| Connectivity technology * | Wired | Compatible products | SR630 (7X01/7X02), SR650 (7X05/7X06), SR635 (7Y98 / 7Y99), SR655 (7Y00 / 7Z01), SR850 (7X18/7X19), SR860 (7X69/7X70), SR950 (7X11/12/13) |
| Host interface * | PCI Express | | |
| Interface * | Fiber | | |
| Fiber ports quantity | 2 | | |
| Fiber optic connector | SFP+ | | |
| PCI version | 4.0 | System requirements | |
| Network | | Compatible operating systems | Red Hat Enterprise Linux 7.6, Red Hat Enterprise Linux 7.7, Red Hat Enterprise Linux 8.0, VMware vSphere Hypervisor (ESXi) 6.7 U1, VMware vSphere Hypervisor (ESXi) 6.7 U2, VMware vSphere Hypervisor (ESXi) 6.7 U3 |
| Maximum data transfer rate * | 32000 Mbit/s | | Server operating systems supported |
| Design | | Operational conditions | |
| Component for * | Server | Operating temperature (T-T) | 0 - 55 °C |
| Product colour | Black, Green, Stainless steel | Storage temperature (T-T) | -20 - 85 °C |
| Internal * | ✓ | Operating relative humidity (H-H) | 5 - 95% |
| Hot-Plug support | ✓ | Weight & dimensions | |
| Certification | AS/NZS CISPR22:2009+A1, Class A, Australian EMC Framework (RCM), China RoHS compliant, cUR recognized to CSA 22.2, No. 60950-1-07, EN55022:2010, Class A, EN55024:2010, EN55032:2012, EU (CE Mark), FCC Rules, Part 15, Class A, Industry Canada, ICES-003, Class A, Japan VCCI, Class A, Korea MSIP, Class A, RoHS Compliant (Directive 2011/65/EU), TUV certified to EN60950-1+A11+A1+A12+A2, Taiwan BSMI, Class A, UL recognized to UL60950-1 2nd Edition | Width | 69 mm |
| | | Depth | 168 mm |
| | | Logistics data | |
| | | Harmonized System (HS) code | 85176990 |
| | | Other features | |
| | | Minimum operating temperature | 0 °C |
| | | Maximum operating temperature | 55 °C |



0889488496686



889488496686

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.