

## Fujitsu Intel Xeon Silver 4114 suoritin 2,2 GHz 13,75 MB L3

**Tuotemerkki :** Fujitsu **Tuotekoodi:** S26361-F4051-E114

Tuotteen nimi: Intel Xeon Silver 4114

Fujitsu Intel Xeon Silver 4114. Suoritinperhe: Intel® Xeon Silver, Prosessorin kanta: LGA 3647 (Socket P), Prosessorin litografia: 14 nm. Muistikanavat: Hexa-kanava, Prosessorin tukema suurin sisäinen muisti: 768 GB, Prosessorin tukemat muistityypit: DDR4-SDRAM. Markkinasegmentti: Palvelin, Tuetut ohjepaketit: AVX, AVX 2.0, AVX-512, SSE4.2, Skaalautuvuus: 2S

Processor		Features	
Processor generation	1st Generation Intel® Xeon® Scalable	Maximum number of PCI Express lanes	48
Processor model *	4114	PCI Express slots version	3.0
Processor base frequency *	2.2 GHz	Supported instruction sets	AVX, AVX 2.0, AVX-512, SSE4.2
Processor family *	Intel Xeon Silver	Scalability	25
Processor cores *	10	Embedded options available	×
Processor socket *	LGA 3647 (Socket P)	Processor special features	
Component for	Server/workstation	Intel® Hyper Threading Technology	
Processor lithography *	14 nm	(Intel® HT Technology)	✓
Processor threads	20	Intel® Turbo Boost Technology	2.0
Processor operating modes * Processor boost frequency	64-bit 3 GHz	Intel® AES New Instructions (Intel®	<b>✓</b>
Processor cache	13.75 MB	AES-NI) Enhanced Intel SpeedStep	
Processor cache type	L3	Technology	<b>✓</b>
Thermal Design Power (TDP)	85 W	Intel Trusted Execution Technology	✓
Stepping	LO	Intel® Speed Shift Technology	✓
Processor codename	Skylake	Intel TSX-NI	✓
Memory		Intel 64	✓
Maximum internal memory supported by processor	768 GB	Intel Virtualization Technology (VT-x)	
Memory types supported by processor	DDR4-SDRAM	Conflict-Free processor	✓
Memory clock speeds supported by processor	2400 MHz	Intel Turbo Boost Max Technology 3.0	×
Memory channels *	Hexa-channel	Intel® Optane™ Memory Ready	×
ECC	√	Intel® vPro™ Platform Eligibility	✓
Graphics		Operational conditions	
On-board graphics card *	×	Tcase	78 °C
Features			
Execute Disable Bit	<b>✓</b>		
Market segment	Server		

