

Fujitsu PRIMERGY RX2510 M2 server 0 GB Rack (1U) Intel® Xeon® E5 v4 E5-2623V4 2.6 GHz 16 GB DDR4-SDRAM 800 W

Brand : Fujitsu

Product family: PRIMERGY

Product code: VFY:R2512SC200IN

Product name : RX2510 M2

Intel Xeon E5-2623 v4 (10M Cache, 2.60 GHz), 16GB DDR4,NoHDD, 2x LAN, USB 2.0/3.0, Rack 1U, 800W

Fujitsu PRIMERGY RX2510 M2 server 0 GB Rack (1U) Intel® Xeon® E5 v4 E5-2623V4 2.6 GHz 16 GB DDR4-SDRAM 800 W:

The FUJITSU Server PRIMERGY RX2510 M2 is a dual-socket rack server optimized to meet demanding requirements of service providers and hosters. Balanced dual-socket Intel® Xeon® E5-2600 v4 family processor performance, easy manageability and top energy efficiency ensure cost-efficient operation. The 1U small-size housing delivers optimal density for large scale-out installations including up to 384 GB DDR4 memory meet demands emerging in the field of web hosting, managed CRM services, shared, managed or private cloud environments, or other XaaS solutions.

Fujitsu PRIMERGY RX2510 M2. Processor family: Intel® Xeon® E5 v4, Processor frequency: 2.6 GHz, Processor model: E5-2623V4. Internal memory: 16 GB, Internal memory type: DDR4-SDRAM. Total storage capacity: 0 GB. Ethernet LAN. Power supply: 800 W. Chassis type: Rack (1U)

Processor		Expansion slots	
Processor manufacturer *	Intel	PCI Express slots version	3.0
Processor family *	Intel® Xeon® E5 v4	Design	
Processor model *	E5-2623V4	Chassis type *	Rack (1U)
Processor frequency *	2.6 GHz	Rack mounting	· · · · · · · · · · · · · · · · · · ·
Processor boost frequency	3.2 GHz	-	•
Processor cores	4	Performance	
Processor cache	10 MB	Noise level	36 dB
Memory channels supported by processor	Quad	BIOS type	UEFI
Number of processors installed	1	Software	
Thermal Design Power (TDP)	85 W		Microsoft Hyper-V Server 2016 Microsoft Windows Server® 2016 Datacenter Microsoft Windows Server® 2016 Standard Microsoft Windows Server® 2016 Essentials Microsoft Windows Storage Server 2016 Standard Microsoft Hyper-V Server 2012 R2 Datacenter Microsoft Windows Server 2012 R2 Standard Microsoft Windows Server 2012 R2 Essentials Microsoft Windows Storage Server 2012 R2 Standard Microsoft Hyper-V Server 2012 National Microsoft Windows Server 2012 R2 Essentials Microsoft Windows Storage Server 2012 R2 Standard Microsoft Hyper-V Server 2012 Datacenter Microsoft Windows Server 2012 Standard Microsoft Windows Server 2012 Essentials Microsoft Windows Storage Server 2012 Standard Microsoft Hyper-V Server 2008 R2 Datacenter Microsoft Windows Server 2008 R2 Enterprise Microsoft Windows Server 2008 R2 Standard VMware vSphere 6.5 VMware vSphere 6.0 VMware vSphere 5.5 SUSE Linux Enterprise Server 11 Red Hat Enterprise Linux 7 Red Hat Enterprise Linux 6 Oracle Linux 7
Processor cache type	Smart Cache		
System bus rate	8 GT/s		
Processor socket	LGA 2011-v3		
Processor lithography	14 nm		
Processor threads	8		
Processor operating modes	64-bit		
Stepping	R0		
Bus type	QPI		
Number of QPI links	2		
Processor codename	Broadwell		
Tcase	73 °C	Compatible operating systems *	
Maximum internal memory supported by processor	1.54 TB	compatible operating systems	
Memory types supported by processor	DDR4-SDRAM		
Memory clock speeds supported by processor	1600,1866,2133 MHz		
Memory bandwidth supported by processor (max)	68.3 GB/s		
ECC supported by processor	1		
Execute Disable Bit	1		
Idle States	1		
Thermal Monitoring Technologies	1		
Maximum number of PCI Express lanes	40	Processor special features	Oracle VM 3
Processor package size	45 x 52.5 mm	CPU configuration (max)	2
			2

Publication date: 09-JAN-2025. Prints or copies of Information are only valid on the printed Publication date

Processor		Processor special features	
Supported instruction sets Processor code	AVX 2.0 SR2PJ	Enhanced Intel SpeedStep Technology	1
Scalability	2S	Intel® Identity Protection Technology (Intel® IPT)	×
Physical Address Extension (PAE) Physical Address Extension (PAE)	46 bit	Intel Virtualization Technology for Directed I/O (VT-d)	1
Embedded options available Processor series	× Intel Xeon E5-2600 v4	Intel® Hyper Threading Technology (Intel® HT Technology)	1
Conflict-Free processor	✓	Intel [®] Turbo Boost Technology	2.0
·		Intel Flex Memory Access	×
Memory Internal memory *	16 GB	Intel® AES New Instructions (Intel® AES-NI)	✓
Internal memory type *	DDR4-SDRAM	Intel Trusted Execution Technology	✓
Memory slots	12	Intel Enhanced Halt State	1
Memory clock speed Maximum internal memory *	2400 MHz 384 GB	Intel VT-x with Extended Page Tables (EPT)	✓
Storage		Intel Demand Based Switching	1
Total storage capacity *	0 GB	Intel [®] Secure Key	v
RAID support *	✓	Intel TSX-NI	<i>✓</i>
RAID levels	0, 1, 5, 6, 10, 50, 60	Intel® OS Guard	<i>✓</i>
Supported RAID controllers	Fujitsu PRAID EP420i, Fujitsu PRAID	Intel 64	v
Optical drive type *	EP400i, Fujitsu PRAID CP400i ×	Intel Identity Protection Technology version	0.00
Network		Intel Secure Key Technology version	1.00
Ethernet LAN	1	Intel Virtualization Technology (VT- x)	 Image: A second s
Ports & interfaces		Intel TSX-NI version	1.00
Ethernet LAN (RI-45) ports *	2	Processor ARK ID	92980
USB 2.0 ports quantity	2	Power	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	4	Power supply *	800 W
ports quantity VGA (D-Sub) ports quantity	1	Number of redundant power	1
Serial ports quantity	1	supplies supported Number of main power supplies	1
Expansion slots	-	Operational conditions	-
PCI Express x8 (Gen 3.x) slots	2	Operating temperature (T-T)	5 - 45 °C
PCI Express x8 (Gen 3.x) slots PCI Express x16 (Gen 3.x) slots	2	Operating relative humidity (H-H)	10 - 85%
		Weight & dimensions	
		Width	483 mm
		Depth	770 mm
		Height	43 mm
		Weight	16 kg

Weight 10 Technical details

Number of 2.5" bays	8
Number of 3.5" bays	4

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.