



## iiyama ProLite T2234MSC-B1S computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD Touchscreen Black

Brand : iiyama

Product family: ProLite

Product code: T2234MSC-B1S

Product name : T2234MSC-B1S

iiyama ProLite T2234MSC-B1S. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black



Display		Design	
Display diagonal *	54.6 cm (21.5")	Glass thickness	2.5 mm
Display resolution *	1920 x 1080 pixels	<b>Ports &amp; interfaces</b>	
HD type *	Full HD	VGA (D-Sub) ports quantity	1
Native aspect ratio *	16:9	HDMI *	✓
Panel type *	IPS	HDMI ports quantity	1
Touchscreen *	✓	DisplayPorts quantity	1
Touchscreen technology	Projected capacitive system	HDCP	✓
Touch technology	Multi-touch	<b>Ergonomics</b>	
Number of simultaneous touchpoints	10	VESA mounting *	✓
Display brightness (peak)	350 cd/m <sup>2</sup>	Panel mounting interface	100 x 100 mm
Display brightness (typical)	305 cd/m <sup>2</sup>	Cable management	✓
Response time *	8 ms	Height adjustment *	✗
Screen shape *	Flat	Tilt adjustment	✓
Contrast ratio (typical) *	1000:1	Tilt angle range	-5 - 90°
Viewing angle, horizontal	178°	<b>Power</b>	
Viewing angle, vertical	178°	Energy efficiency class (SDR) *	E
Display number of colours *	16.7 million colours	Energy consumption (SDR) per 1000 hours *	16 kWh
Pixel pitch	0.247 x 0.247 mm	Power consumption (typical) *	21 W
Horizontal scan range	30 - 84 kHz	Power consumption (standby) *	1.5 W
Viewable size, horizontal	47.6 cm	Power consumption (off)	0.3 W
Viewable size, vertical	26.8 cm	Power supply type	External
Surface hardness	7H	European Product Registry for Energy Labelling (EPREL) code	1531684
<b>Performance</b>		<b>Weight &amp; dimensions</b>	
NVIDIA G-SYNC *	✗	Width (with stand)	517.5 mm
AMD FreeSync *	✗	Depth (with stand)	239.5 mm
Palm rejection	✓	Height (with stand)	374 mm
<b>Multimedia</b>		Weight (with stand)	5.9 kg
Number of speakers	2		
RMS rated power	6 W		
Built-in speaker(s) *	✓		
Built-in camera *	✗		

**Design**

Product colour \*                      Black

**Packaging content**

Cables included                      Audio, DisplayPort, HDMI, Power, USB

**Other features**

International Protection (IP) code    IP65



4948570122226

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-MAR-2025. Prints or copies of Information are only valid on the printed Publication date