



DELL Xeon Intel Silver 4210 suoritin 2,2 GHz 13,75 MB

Tuotemerkki : DELL

Tuoteperhe: Xeon

Tuotekoodi: 338-BSDG

Tuotteen nimi : Intel Xeon
Silver 4210

DELL Xeon Intel Silver 4210. Suoritinperhe: Intel® Xeon Silver, Prosessorin kanta: LGA 3647 (Socket P), Prosessorin litografia: 14 nm. Muistikanavat: Hexa-kanava, Prosessorin tukema suurin sisäinen muisti: 1,02 TB, Prosessorin tukemat muistityypit: DDR4-SDRAM. Markkinasegmentti: Palvelin, Tuetut ohjepaketit: AVX-512, Skaalautuvuus: 2S. Prosessorin pakkauskooko: 76.0 x 56.5 mm. Yhteensopivuus: - PowerEdge R640 - PowerEdge R740 - PowerEdge R740XD - PowerEdge C6420 - PowerEdge R440 -...

Processor		Processor special features	
Processor generation	2nd Generation Intel® Xeon® Scalable	Intel Trusted Execution Technology	✓
Processor model *	4210	Intel® Speed Shift Technology	✓
Processor base frequency *	2.2 GHz	Intel VT-x with Extended Page Tables (EPT)	✓
Processor family *	Intel Xeon Silver	Intel TSX-NI	✓
Processor cores *	10	Intel 64	✓
Processor socket *	LGA 3647 (Socket P)	Intel Virtualization Technology (VT-x)	✓
Component for	Server/workstation	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Processor lithography *	14 nm	Intel Turbo Boost Max Technology 3.0	✗
Processor threads	20	AVX-512 Fused Multiply-Add (FMA) units	1
Processor operating modes *	64-bit	Intel® Deep Learning Boost (Intel® DL Boost) on CPU	✓
Processor boost frequency	3.2 GHz	Intel® Resource Director Technology (Intel® RDT)	✓
Processor cache	13.75 MB	Intel® Volume Management Device (VMD)	✓
Thermal Design Power (TDP)	85 W	Intel® Run Sure Technology	✗
Processor codename	Cascade Lake	Mode-based Execute Control (MBE)	✓
Processor ARK ID	193384	Intel® vPro™ Platform Eligibility	✓
Memory		Intel Speed Select Technology (SST)	✗
Maximum internal memory supported by processor	1.02 TB	Intel® Speed Select Technology - Base Frequency (Intel® SST-BF)	✗
Memory types supported by processor	DDR4-SDRAM	Intel® Optane™ DC Persistent Memory technology	✗
Memory clock speeds supported by processor	2400 MHz	Operational conditions	
Memory channels *	Hexa-channel	Tcase	78 °C
ECC	✓	Technical details	
Graphics		Launch date	Q2'19
On-board graphics card *	✗	Product type	Processor
Discrete graphics card *	✗	Status	Launched
On-board graphics card model *	Not available	Memory speed (max)	2400 MHz
Discrete graphics card model *	Not available	Number of UPI links	2
Features		Logistics data	
Execute Disable Bit	✓	Harmonized System (HS) code	85423119
Market segment	Server	Weight & dimensions	
Maximum number of PCI Express lanes	48	Processor package size	76.0 x 56.5 mm
PCI Express slots version	3.0		
Supported instruction sets	AVX-512		
Scalability	2S		
Embedded options available	✓		
PCI Express CEM revision	3.0		
Processor special features			
Intel® Hyper Threading Technology (Intel® HT Technology)	✓		
Intel® Turbo Boost Technology	2.0		

Processor special features	Other features
Intel® AES New Instructions (Intel® AES-NI) ✓	Compatibility - PowerEdge R640 - PowerEdge R740 - PowerEdge R740XD - PowerEdge C6420 - PowerEdge R440 - PowerEdge T640 - PowerEdge T440 - PowerEdge FC640 - PowerEdge M640 - PowerEdge M640 VRTX - PowerEdge R540 - PowerEdge MX740c - PowerEdge R740xd2 - PowerEdge XR2
Enhanced Intel SpeedStep Technology ✓	



5397184330098



0884116398691



884116398691

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.