

DELL Precision 3591 Intel Core Ultra 7 155H Mobiilityöasema 39,6 cm (15.6") Full HD 16 GB DDR5-SDRAM 512 GB SSD NVIDIA RTX 1000 Ada Wi-Fi 6E (802.11ax) Windows 11 Pro Harmaa

Tuotemerkki : DELL

Tuoteperhe: Precision

Tuotekoodi: YTKJ1

Tuotteen nimi : 3591

DELL Precision 3591. Tuotetyyppi: Mobiilityöasema, Kotelo: Simpukka. Suoritinperhe: Intel Core Ultra 7, Prosessorimalli: 155H. Näytön halkaisija: 39,6 cm (15.6"), HD-tyyppi: Full HD, Näytön erottelutarkkuus: 1920 x 1080 pikseliä. Sisäinen muisti: 16 GB, Sisäisen muistin tyyppi: DDR5-SDRAM.

Kokonaistallennuskapasiteetti: 512 GB, Tallennusmedia: SSD. Sisältyvän näytönohjaimen malli: Intel Arc Graphics, Erillisen näytönohjaimen malli: NVIDIA RTX 1000 Ada. Käyttöjärjestelmä asennettu: Windows 11 Pro. Tuotteen väri: Harmaa





Design		Camera	
Design Product type * Product colour * Form factor * Market positioning Intel® vPro™ Platform Eligibility Display Display diagonal * Display resolution * Touchscreen * HD type Panel type LED backlight Native aspect ratio Anti-glare screen Display brightness Pixel density RGB colour space Colour gamut	Mobile workstation Grey Clamshell Business ✓ 39.6 cm (15.6") 1920 x 1080 pixels X Full HD IPS ✓ 16:9 ✓ 400 cd/m ² 141 ppi sRGB 100% 60 Hz	Camera Video capturing speed Privacy camera Privacy type Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Ethernet LAN Ethernet LAN data rates Bluetooth WWAN MIMO MIMO	30 fps ✓ Privacy shutter Wi-Fi 6E (802.11ax) Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) × 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel ✓ 10,100,1000 Mbit/s ✓ Upgradable ✓ Multi User MIMO
Contrast ratio (typical)	800:1	Ports & interfaces	
Processor Processor manufacturer * Processor family * Processor generation Processor model * Processor cores Processor threads	Intel Intel Core Ultra 7 Intel® Core™ Ultra (Series 1) 155H 16 22	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port	2 1 1 2.1 2 ✓

Processor		Ports & interfaces	
Processor boost frequency	4.8 GHz	USB Type-C DisplayPort Alternate	
Performance cores	6	Mode	1
Efficient cores	8	PowerShare	 Image: A second s
Low Power Efficient-cores	2	Number of USB ports with	1
Performance-core Max Turbo Frequency	4.8 GHz	PowerShare support Keyboard	
Efficient-core Max Turbo Frequency	3.8 GHz	Pointing device	Touchpad
Low Power Efficient-core Max Turbo	2.5 GHz	Keyboard language	Nordic
Frequency	1.4 GHz	Numeric keypad *	✓
Performance-core base frequency Efficient-core base frequency	0.9 GHz	Keyboard backlit	1
Low Power Efficient-core Base		Keyboard number of keys	100
Frequency	700 MHz	Software	
Processor cache	24 MB	Operating system architecture	64-bit
Processor cache type Processor base power	Smart Cache		Danish, English, Finnish, Norwegian,
Maximum turbo power	28 W 115 W	Operating system language	Swedish No Microsoft Office Licence Included
Neural processor unit (NPU)		Trial software	- 30 day Trial Offer Only
Neural processor unit (NPU)	Intel Al Boost	Operating system installed *	Windows 11 Pro
Maximum frequency NPU	1.4 GHz	Battery	
Sparsity support	1	Number of battery cells	4
Windows Studio effects support	1	Battery capacity *	64 Wh
AI datatype support on NPU	FP16, FP32, Int8	Battery voltage	15.2 V
Al software frameworks supported by NPU	DirectML, ONNX RT, OpenVINO, Windows ML	Battery recharge time	3 h
-		Fast charging	
Memory Internal memory *	16 GB	Battery charge indicator Battery weight	✓ 280 g
Internal memory type	DDR5-SDRAM		200 g
Memory form factor	SO-DIMM	Power	
Memory layout (slots x size)	1 x 16 GB	AC adapter power	130 W
Memory slots	2x SO-DIMM	AC adapter frequency AC adapter input voltage	50 - 60 Hz 100 - 240 V
Maximum internal memory *	64 GB	USB Type-C charging port *	100 - 240 V ✓
Memory data transfer rate	5600 MT/s	USB Power Delivery (USB PD)	/
Non-ECC	1	USB charging voltage	5,20 V
Storage		Security	-,
Total storage capacity *	512 GB	Cable lock slot	1
Storage media *	SSD	Cable lock slot type	Wedge
Total SSDs capacity Number of SSDs installed	512 GB 1	Smart card reader	√ v
SSD capacity	1 512 GB	Trusted Platform Module (TPM)	1
SSD interface	PCI Express 4.0	Trusted Platform Module (TPM)	
NVMe	1	version	2.0
SSD form factor	M.2	Operational conditions	
SSD performance class	35	Operating temperature (T-T)	0 - 35 °C
M.2 SSD size	2230 (22 x 30 mm)	Storage temperature (T-T)	-40 - 65 °C
Optical drive type *	×	Operating relative humidity (H-H)	10 - 90%
Card reader integrated	✓ MiaraCD (TransElach) MiaraCDUC	Storage relative humidity (H-H) Operating altitude	0 - 95% -15.2 - 3048 m
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC	Non-operating altitude	-15.2 - 10668 m
Graphics		Operating shock	110 G
Discrete graphics card model *	NVIDIA RTX 1000 Ada	Non-operating shock	160 G
Discrete graphics card memory	6 GB	Operating vibration Non-operating vibration	0.66 G 1.3 G
Discrete graphics memory type	GDDR6		1.5 0
On-board graphics card *		Sustainability	
On-board GPU manufacturer	Intel	Sustainability compliance	
Discrete graphics card *	Intel Are Crembice	Sustainability certificates	ENERGY STAR, TCO
On-board graphics card family On-board graphics card model *	Intel Arc Graphics Intel Arc Graphics	Weight & dimensions	
on-board graphics card model "		Width	357.8 mm

Audio		Weight & dimensions	
Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone	2 Waves 2 W ✔	Depth Height (front) Height (rear) Weight *	233.3 mm 2.27 cm 2.47 cm 1.79 kg
Number of microphones	2	Carbon footprint	
Camera		Total carbon footprint (kg of CO2e)	120
Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type	 2.07 MP 1920 x 1080 pixels Full HD 	Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e)	84 5
		Carbon emissions, energy usage (kg of CO2e)	31
		Carbon emissions, end-of-life (kg of CO2e)	1
		Total carbon emissions, w/o use phase (kg of CO2e)	89
		PAIA version	GaBi version 1, 2024
		Packaging content	
		Cables included	AC



5397184813607

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.