## Samsung Galaxy A35 5G 16.8 cm (6.6") Hybrid Dual SIM Android 14 USB Type-C 6 GB 128 GB 5000 mAh Blue

**Brand :** Samsung **Product family:** Galaxy **Product code:** SM-A356BLBBEUB

Product name: A35 5G

- Bright 6.6" High Definition Display
- Shoot stunning photos with 50MP camera
- Powerful processor for fast screen response
- Works with e-SIMs (no SIM card needed)

Galaxy A35 5G

Samsung Galaxy A35 5G . Display diagonal: 16.8 cm (6.6"), Display resolution: 1080 x 2340 pixels. Processor frequency: 2 GHz, Processor family: Samsung Exynos. RAM capacity: 6 GB, Internal storage capacity: 128 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Triple camera. SIM card capability: Hybrid Dual SIM. Operating system installed: Android 14. Battery capacity: 5000 mAh. Product colour: Blue. Weight: 209 g





Display		Camera	
Display diagonal *	16.8 cm (6.6")	Camera High Dynamic Range (HDR)	/
Screen shape	Flat	mode	
Display technology marketing name	Super AMOLED	Time lapse mode	1
Panel type	AMOLED	Image stabilizer	✓
Display glass type	Gorilla Glass	Image stabilizer type	Optical Image Stabilization (OIS)
Gorilla Glass version	Gorilla Glass Victus+	Night mode	✓
Display resolution *	1080 x 2340 pixels	Panorama	✓
Display number of colours	16 million colours	Macro photography	✓
Maximum refresh rate	120 Hz	Network	
Display brightness	1000 cd/m²		
Maximum display brightness	1650 cd/m <sup>2</sup>	SIM card capability *	Hybrid Dual SIM
(Outdoor)		Mobile network generation *	5G
Pixel density	389 ppi	SIM card type *	NanoSIM + eSIM
Brand specific technologies	Always-on display	3G standards *	UMTS, WCDMA
Processor		4G standard *	LTE-TDD & LTE-FDD
Processor family *	Samsung Exynos	5G standard *	Sub6 FDD, Sub6 TDD
Processor cores	8	Wi-Fi	<b>✓</b>
Processor boost frequency	2.4 GHz		802.11a, 802.11b, 802.11g, Wi-Fi 4
Processor frequency *	2 GHz	Wi-Fi standards	(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Storage		Bluetooth *	✓
User memory	108 GB	Bluetooth version	5.3
RAM capacity *	6 GB	Wi-Fi Direct	✓
Internal storage capacity *	128 GB	MIMO	✓

MicroSD   TransFlash  Mobiletin   1024 QAM   Maximum memory card size   178	Chausana		National	
Maximum memory card size         1.796"         USB port — USB port — USB port — USB yes — USB	Storage		Network	
Camera         USB port*         USB Type-C           Rear camera sensor size         1/4*         USB connector type         USB Type-C           Third rear camera sensor size         1/5*         Ber camera resolution (numeric)*         50 MP         Design         Ber connect sensor size           From fractor are camera resolution (numeric)         8 MP         Form factor*         Billu           Cloud rear camera resolution (numeric)         5 MP         Colour name         Amesome (reblue (numeric))           Third rear camera resolution (numeric)         1.8         Housing material         Glaza, Metal           Rear camera aperture number         2.2         Performance         V           Rear camera prised size         0.8 µm         Fast changing         V           Rear camera prised size         1.12 µm         Front camera prised size         V           Third rear camera prised size         1.12 µm         Fast Changing         V           Rear camera field of view (FOV) angle         20°         GS (saladille)         V           UFOV) angle         2.0         GS (saladille)         V           UFOV angle         2.0         GS (saladille)         V           UFOV angle         2.0         GS (saladille)         V           UFOV angl			Modulation	1024-QAM
Rear camera sensor size         1/1.96°         USB connector type         USB Type C           Second rear camera sensor size         1/4°         USB version         2.0           Rear camera resolution (numeric)         50 MP         Form factor *         Bur           Rear camera resolution (numeric)         5 MP         Form factor *         Bur           Find rear camera resolution (numeric)         5 MP         Color name         Awesome (ceblue           Find rear camera aperture number         1.8         House (color name)         Awesome (ceblue)           Second rear camera aperture number         2.2         Performance           Second rear camera aperture number         2.2         Performance           Find rear camera aperture number         2.2         Performance           Find rear camera pixel size         0.8 µm         Find camera (medici of vice)         C           Second rear camera pixel size         1.12 µm         Averagetion         V           Rear camera pixel size         1.12 µm         Averagetion         V           Rear camera field of vicey         0.2         Second rear camera field of vicey         V           CEVOV angle         2.2         Country         C         C           Second rear camera field of vicey         8.6	Maximum memory card size	1 IR	Ports & interfaces	
Scond rear camera sensor size Nitrol rear camera sensor size No MP         144*         USB version         2,0         20         20         15**         Rear camera resolution (numeric)**         5 MP         Design         Torm factor **         Bar         Second rear camera resolution (numeric)**         5 MP         From factor **         Blue         Awassems (colour **         Blue         Period (colour **         Awassems (colour **)         Awassems (colour **)         Blue         Period (colour **)         Awassems (colour **)         Blue         Period (colour **)         Awassems (colour **)         Period (colour **)         Blue         Period (colour **)         Period (colour **)<	Camera		USB port *	✓
Third rear ramen assolution (numeric)         15° MP         Design         Bera camera resolution (numeric)         50 MP         Form factor*         Bure           Second rear assolution (numeric)         5 MP         Product calour*         Blue           Third rear camera resolution (numeric)         5 MP         Colour name (numeric)         Awesome leablue (numeric)           Rear camera aperture number         1.8         Form factor*         Glass, Metal           Rear camera aperture number         2.2         Performance         Colour name (numeric)         Glass, Metal           Rear camera pixel size         2.4         Fast charging         ✓         ✓           Rear camera pixel size         1.12 µm         Fase recopnition         ✓         ✓           Rear camera field of view (rov) angle         1.0°         Awystation         ✓         ✓           Rear camera field of view (rov) angle         1.0°         Glalie         ✓ </td <td></td> <td></td> <td>USB connector type</td> <td>USB Type-C</td>			USB connector type	USB Type-C
Rear camera resolution (numeric)*         50 MP         Design*         West Colour*         Blar           Scood rear camera resolution (numeric)*         5 MP         Form factor*         Blue Colour*         Muse Colour*         Blue Colour*         Blue Colour*         Muse Colour*         Muse Colour*         Blue Colour*         Muse Colour*         Blue		•	USB version	2.0
Second rear camera resolution (numeric)         8 MP         Form factor* (product colour*)         Bure (product colour*)           Third rear camera resolution (numeric)         5 MP         Colour name (numeric)         Awesome (cebiue (numeric) (product colour*)         Awesome (cebius (numeric) (product colour*)         Awesome (ceb			Design	
Commency   SMP		50 MP	Form factor *	Bar
Counner()   SMP		8 MP	Product colour *	Blue
International Protection (IP) code   IP67	Third rear camera resolution	5 MP	Colour name	Awesome Iceblue
Second rear camera aperture number search apixel size 1.22 µm         Feat charging principated of the principate of the princ			International Protection (IP) code	IP67
number         2.2         Performance           Thirdi rear camera aperture number         2.4         Fast charging	•	1.8	Housing material	Glass, Metal
Rear camera pixel size         0.8 µm         Fingerprint reader         Came (amorator)         Came (amo	•	2.2	Performance	
Second rear camera pixel size         1.12 µm         Face recognition         Very second rear camera pixel size         1.12 µm           Rear camera field of view (FOV) angle         80°         GS (Satellite)         V           Second rear camera field of view (FOV) angle         120°         GGLONASS         V           Find rear camera field of view (FOV) angle         10x         Gallelo         V           Digital zoom         10x         Quasi Zenth Satellite System         V           Front camera sensor size         13.06°         Position location*         V           Front camera sensor size         13.06°         Multimedia           Front camera paerture number         2.2         Audio system         Dolby Atmos           Front camera paerture number         2.2         Audio formats supported         Dolby Atmos           Front camera paerture number         2.2         Audio formats supported         MAA, AMIA, AMIA, AMIR, AMIS, FLAC, IMY, MAA, MIK, MID, MPS, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAY, XMF           Float paer sealution (max)         380 x 2160 pixels         Software         Audio formats supported         Android           Maximum frame rate         240 fps         Paer camera type **         Android         Android           Rear camera type **         Trple camera         Removable battery	Third rear camera aperture number	2.4	Fast charging	<b>✓</b>
Third rear camera pixel size         1.12 μm         Navigation           Rear camera field of view (FOV) angle         6PS (satellite)         ✓           Second rear camera field of view (FOV) angle         210°         GLONASS         ✓           CFOV) angle         78°         Gallue         ✓           CFOV) angle         10°         Gallue         ✓           Front camera field of view (FOV) angle         Single camera         Quasi-Zenith Satellite System         ✓           Digital zoom         13.00°         Position location*         ✓           Front camera sensor size         13.00°         Position location*         ✓           Front camera sensor size         1.12 μm         Job obly Atmos         Job obly Atmos           Front camera sensor size         1.12 μm         Job obly Atmos         Job obly Atmos           Front camera field of view (FOV) angle         80°         Audio system         Job obly Atmos           Front camera field of view (FOV) angle         80°         Audio formats supported         Job obly Atmos           Rear camera field of view (FOV) angle         80°         Audio formats supported         Job obly Atmos           Rear camera field of view (FOV) angle         180°         Job obly Atmos         Job obly Atmos           Rear camera	·	·	Fingerprint reader	✓
Rear camera field of view (FOV) angle Second rear camera field of view (FOV) angle Second rear camera field of view (FOV) angle Font camera field of view (FOV) angle Font camera field of view (FOV) angle Font camera sensor size Font camera sensor size Font camera sensor size Font camera sensor size 13.00° Font camera sensor size 13.00° Font camera petture number 2.2 Font camera petture number Font camera petture number Font camera petture number Font camera field of view (FOV) angle Font camera petture number Font camera petture number Font camera petture number 1.12 µm Font camera petture number 1.12 µm Font camera field of view (FOV) angle Rear camera field of view (FOV) angle Maximum frame rate 1.80x 720@30'ps 1.930x 180x 2160 pixels Maximum frame rate 1.930x 180x 2160 pixels Maximum frame rate 1.930x 180x 2160 pixels Maximum frame rate 1.930x 180x 2160 pixels 1.930x 180x 2160 pixels Maximum frame rate 1.930x 180x 2160 pixels	•	·	Face recognition	✓
Second rear camera field of view (FOV) angle (FOV) ang	·	1.12 μm	Navigation	
Second rear camera field of view [FOV] angle   GLONASS   FOR   Gallico   FOR   Gallico   FOR   Gallico   FOR   Gallico   FOR   FOR   Gallico   FOR   F		80°		
ReiDou	=	1200		
Time and a camera fleet of view (FOV) angle   ToX   Quasi-Zenith Satellite System (QZSS)	(FOV) angle	120°		•
Digital zoom 10x Quasi-Zenith Satellite System (CZSS) Front camera Sensor size 17.06* Position location *		78°		•
Front camera type **         Single camera         QCZSS)           Front camera sensor size         13.06*         position location **         ✓           Front camera sensor size         13 MP         Multimedia           Front camera aperture number         2.2         Dolby Almos           Front camera pixel size         1.12 µm         Audio system         Dolby Almos           Front camera field of view (FOV) angle         80°         Audio formats supported         MAA, Mid, MIDI, MP3, MMF, OGA, OG, OTA, RTTL, RTX, WAY, MMF, OGA, OGG, OTA, RTTL, MAY, WAY, MMF, OGA, OGG, OTA, RTTL, MAY, MMF, OGA, OGG, OTA, RTTL, MTX, WAY, MMF,	<del>-</del>	100		•
Front camera sensor size         1/3.06°         Position location *         ✓           Front camera resolution (numeric)*         13 MP         Multimedia           Front camera aperture number         2.2         Audio system         Dolby Atmos           Front camera pixel size         1.12 µm         3GA, AAC, AMR, AWB, FLAC, IMY, MAF, OGA, OGG, OTA, RTTTL, RTX, WAV, MMF and GOG, OTA, RTTTL, RTX, WAV, MMF, OGA, OGG, OTA, RTTTL, RTX, WAV, MMF, OGA, OGG, OTA, RTTTL, RTX, WAV, MMF, VIdeo formats supported         3G2, 3GP, AVI, FLV, M4V, MKY, MPA, WEBM           Flash type         LED         Software           Video capture resolution (max)         3840 x 2160 pixels         Software           Maximum frame rate         240 fps         Platform *         Android           Accapture speed         1280x720@30fps, 1920x1080@60fps, 1920x1080@60fps, 3840x2160@30fps         Battery         Android 14           Rear camera type *         Triple camera         Removable battery         X           Auto focus         Y         Sensor         Y           Rear camera type *         Triple camera         Removable battery         X           Auto focus         Y         Accelerometer         ✓           Auto focus         Y         Accelerometer         ✓           Hall sensor         Y         Accelerometer         ✓ <td><del>-</del></td> <td></td> <td></td> <td>✓</td>	<del>-</del>			✓
Front camera resolution (numeric)* 13 MP Front camera aperture number   2.2 Front camera aperture number   1.12 µm   2.04   2.0   3.00	, ·	•		_
Front camera aperture number         2.2           Front camera pixel size         1.12 μm         Audio system         Dolby Atmos           Front camera field of view (FOV) angle         80°         Audio formats supported         3GA, AAC, AMR, AWB, FLAC, IMY, angle				•
Front camera pixel size         1.12 μm         Audio system         Dolby Atmos           Front camera field of view (FOV) angle         80°         Audio formats supported         3GA, AAC, AMR, AWB, FLAC, IMY, angle           Rear camera flash *         ✓         Video formats supported         3G2, 3GP, AVI, FLV, MAV, MKP, MPA, WEBM           Flash type         LED         Video formats supported         3G2, 3GP, AVI, FLV, MAV, MKV, MPA, WEBM           Video capture resolution (max)         3840 x 2160 pixels         Software           Maximum frame rate         1280x720@30fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@30fps, 3840x2160@30fps, 3840x2160@30fps, 3840x2160@30fps, 3840x2160@30fps         Battery           Rear camera type *         Triple camera         Removable battery         X           Auto focus         Y         Sensors           Proximity sensor         ✓           Accelerometer         ✓           Accelerometer         ✓           Ambent light sensor         ✓           Hall sensor         ✓           Weight & dimensions         ✓           Width         78 mm           Depth         8.2 mm           Height         161.7 mm           Weight **         209 g           Obles included         USB Type-C </td <td>, , ,</td> <td></td> <td>Multimedia</td> <td></td>	, , ,		Multimedia	
Front damera neid of view (FCV) angle angl	·	1.12 μm	Audio system	•
Flash type       LED       Video formats supported       WEBM       WEBM         Video capture resolution (max)       3840 x 2160 pixels       Software         Maximum frame rate       240 fps       Platform *       Android         120x1080@30fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@30fps       Battery       Android 14         Rear camera type *       Triple camera       Removable battery       X         Auto focus       Fossors       Sensors         Proximity sensor       ✓         Accelerometer       ✓         Ambient light sensor       ✓         Geomagnetic sensor       ✓         Hall sensor       ✓         Weight & dimensions       ✓         Weight & eight       8.2 mm         Height       161.7 mm         Weight **       209 g         Packaging content       ✓         Cables included       USB Type-C         Sill card ejector pin       ✓         Other features	angle		Audio formats supported	M4A, Mid, MIDI, MP3, MXMF, OGA,
Flash type  Video capture resolution (max)  Maximum frame rate  1280x720@30fps, 1290x1080@30fps, 1290x1080@30fps, 1290x1080@30fps, 1290x1080@30fps, 1290x1080@30fps, 1290x1080@30fps, 1280x2160@30fps  Rear camera type *  Triple camera  Auto focus  ***  ***  ***  ***  ***  ***  ***			Video formats supported	
Maximum frame rate 240 fps Platform * Android 1280x720@30fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@30fps Pattery	· ·			WEBM
Resolution at capture speed 1280x720@30fps, 1920x1080@30fps, 1920x1080@30fps, 3840x2160@30fps, 3840x2160@30fps  Rear camera type * 7riple camera	•	•	Software	
Resolution at capture speed ig 1920x1080@60fps, 3840x2160@30fps  Rear camera type * Triple camera Removable battery	Maximum frame rate	1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps,		
Rear camera type * Triple camera Removable battery \$ 5000 mAh  Auto focus	Resolution at capture speed			Alluloid 14
Auto focus  Auto focus  Battery capacity*  Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Beach and  Beach and  Weight  Weight  Battery capacity*  Focus on the sensor  Accelerometer  Ambient light sensor  Weight & dimensions  Width  78 mm  Depth  Beach and  Beach and			•	
Sensors  Proximity sensor  Accelerometer  Ambient light sensor  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width 78 mm Depth 8.2 mm Height Height 161.7 mm Weight * 209 g  Packaging content  Cables included USB Type-C SIM card ejector pin  ✓ Other features	Rear camera type *	Triple camera	•	
Proximity sensor  Accelerometer  Ambient light sensor  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  Belle Be	Auto focus	1	Battery capacity *	5000 mAn
Accelerometer  Ambient light sensor  Geomagnetic sensor  Hall sensor  Weight & dimensions  Width  Depth  B.2 mm  Height  Height  161.7 mm  Weight *  209 g  Packaging content  Cables included  USB Type-C  SIM card ejector pin  Other features			Sensors	
Ambient light sensor Geomagnetic sensor Hall sensor  Weight & dimensions  Width 78 mm Depth 8.2 mm Height 161.7 mm Weight* 209 g  Packaging content  Cables included USB Type-C SIM card ejector pin  Other features			Proximity sensor	✓
Geomagnetic sensor  Hall sensor  Weight & dimensions  Width 78 mm  Depth 8.2 mm  Height 161.7 mm  Weight * 209 g  Packaging content  Cables included USB Type-C  SIM card ejector pin  ✓  Other features			Accelerometer	<b>✓</b>
Hall sensor  Weight & dimensions  Width 78 mm  Depth 8.2 mm  Height 161.7 mm  Weight * 209 g  Packaging content  Cables included USB Type-C  SIM card ejector pin ✓  Other features			Ambient light sensor	✓
Weight & dimensions  Width 78 mm  Depth 8.2 mm  Height 161.7 mm  Weight * 209 g  Packaging content  Cables included USB Type-C  SIM card ejector pin ✓  Other features			Geomagnetic sensor	✓
Width 78 mm  Depth 8.2 mm  Height 161.7 mm  Weight * 209 g  Packaging content  Cables included USB Type-C  SIM card ejector pin ✓  Other features			Hall sensor	✓
Depth 8.2 mm Height 161.7 mm Weight * 209 g  Packaging content Cables included USB Type-C SIM card ejector pin ✓  Other features			Weight & dimensions	
Height 161.7 mm Weight * 209 g  Packaging content  Cables included USB Type-C SIM card ejector pin ✓  Other features			Width	78 mm
Weight * 209 g  Packaging content  Cables included USB Type-C  SIM card ejector pin ✓  Other features			Depth	8.2 mm
Packaging content  Cables included USB Type-C  SIM card ejector pin   ✓  Other features			Height	161.7 mm
Cables included USB Type-C SIM card ejector pin   ✓ Other features			Weight *	209 g
SIM card ejector pin ✓  Other features			Packaging content	
Other features			Cables included	USB Type-C
			SIM card ejector pin	✓
Repairability index 8.4			Other features	
			Repairability index	8.4



8806095457604

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.