## Lenovo ThinkVision 27 3D LED display 68,6 cm (27") 3840 x 2160 pikseliä 4K Ultra HD musta

Tuotemerkki: Lenovo Tuoteperhe: ThinkVision Tuotekoodi: 63F1UAT3EU

Tuotteen nimi: 27 3D

Lenovo ThinkVision 27 3D. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, HD-tyyppi: 4K Ultra HD, Näytön teknologia: LED, Vasteaika (tyypillinen): 6 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta





Diamian		F	
Display		Ergonomics	
Display diagonal *	68.6 cm (27")	VESA mounting *	✓
Display resolution *	3840 x 2160 pixels	Panel mounting interface	100 x 100 mm
HD type *	4K Ultra HD	Cable management	✓
Native aspect ratio *	16:9	Cable lock slot *	✓
Display technology *	LED	Cable lock slot type	Kensington
Panel type *	IPS	Height adjustment *	<b>✓</b>
LED backlight	<b>✓</b>	Adjustable height (max)	15.5 cm
Backlight type	W-LED	Pivot	<b>✓</b>
Touchscreen *	×	Pivot angle	-90 - 90°
Display brightness (typical)	310 cd/m²	Swivelling	<b>✓</b>
Response time *	6 ms	Swivel angle range	-45 - 45°
Anti-glare screen	<b>✓</b>	Tilt adjustment	✓ ·
Screen shape *	Flat	Tilt angle range	-5 - 23.5°
Contrast ratio (typical) *	1200:1		-5 - 25.5
Contrast ratio (dynamic)	3000000:1	Power	
Maximum refresh rate *	60 Hz	Energy efficiency class (SDR) *	G
Viewing angle, horizontal	178°	Energy efficiency class (HDR) *	G
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000	41 kWh
Display number of colours *	16.7 million colours	hours *	
Response time (fast)	4 ms	Energy consumption (HDR) per 1000 hours *	53 kWh
Pixel pitch	0.155 x 0.155 mm	Power consumption (typical) *	43.8 W
Pixel density	163 ppi	Power consumption (standby) *	0.5 W
Viewable size, horizontal	59.7 cm	Power consumption (max)	246 W
Viewable size, vertical	33.6 cm	Power consumption (off)	0.5 W
High Dynamic Range (HDR) supported	✓	AC input voltage	100 - 240 V
High Dynamic Range (HDR)	High Dynamic Dange 10 (UDD10)	AC input frequency	50/60 Hz
technology	High Dynamic Range 10 (HDR10)	Power supply type	Internal
Colour depth	8 bit	Energy efficiency scale	A to G

		_	
Display		Power	
Colour gamut standard Colour gamut	DCI-P3 99%	European Product Registry for Energy Labelling (EPREL) code	1780143
sRGB coverage (typical)	100%	Operational conditions	
Adobe RGB coverage	99%	Operating temperature (T-T)	0 - 40 °C
BT.2020 coverage	83%	Storage temperature (T-T)	-20 - 60 °C
Multimedia		Operating relative humidity (H-H)	8 - 80%
Number of speakers	2	Storage relative humidity (H-H)	5 - 95%
RMS rated power	10 W	Weight & dimensions	
Built-in speaker(s) *	<b>✓</b>	Width (with stand)	614.8 mm
Built-in microphone	×	Depth (with stand)	222.7 mm
Built-in camera *	×	Height (with stand)	568 mm
Design		Weight (with stand)	8.9 kg 614.8 mm
Product colour *	Black	Width (without stand)  Depth (without stand)	72.3 mm
Colour name	Raven Black	Height (without stand)	390 mm
Detachable stand	<b>✓</b>	Weight (without stand)	6.6 kg
Feet colour	Black	Bezel width (side)	8 mm
Ports & interfaces		Bezel width (top)	8 mm
Built-in USB hub *	/	Bezel width (bottom)	4.43 cm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Packaging data	
OSB HUD VEISION	3.2 Gen 1 (3.1 Gen 1)	. ackaging aata	
USB upstream port type	USB Type-C	Package width	720 mm
			720 mm 165 mm
USB upstream port type Number of upstream ports Number of USB Type-C upstream	USB Type-C	Package width Package depth Package height	165 mm 520 mm
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity	USB Type-C 1	Package width Package depth Package height Package weight	165 mm 520 mm 12.4 kg
USB upstream port type Number of upstream ports Number of USB Type-C upstream	USB Type-C 1	Package width Package depth Package height	165 mm 520 mm
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports	USB Type-C 1	Package width Package depth Package height Package weight Package type Packaging content	165 mm 520 mm 12.4 kg Box
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity	USB Type-C  1  4  1	Package width Package depth Package height Package weight Package type	165 mm 520 mm 12.4 kg Box
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode	USB Type-C  1  1  4	Package width Package depth Package height Package weight Package type Packaging content	165 mm 520 mm 12.4 kg Box
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD)	USB Type-C  1  4  1	Package width Package depth Package height Package weight Package type Packaging content Stand included	165 mm 520 mm 12.4 kg Box  ✓ AC, DisplayPort, HDMI, USB Type-A
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to	USB Type-C  1  1  4  1  •  •  100 W	Package width Package depth Package height Package weight Package type Packaging content Stand included Cables included Quick start guide DisplayPort cable length	165 mm 520 mm 12.4 kg Box   ✓ AC, DisplayPort, HDMI, USB Type-A to USB Type-C, USB Type-C ✓ 1.8 m
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI *	USB Type-C  1  1  4  1  V  100 W	Package width Package depth Package height Package weight Package type  Packaging content  Stand included  Cables included  Quick start guide DisplayPort cable length HDMI cable length	165 mm 520 mm 12.4 kg Box   ✓ AC, DisplayPort, HDMI, USB Type-A to USB Type-C, USB Type-C  ✓ 1.8 m 1.8 m
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to	USB Type-C  1  1  4  1  •  •  100 W	Package width Package depth Package height Package weight Package type  Packaging content Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length	165 mm 520 mm 12.4 kg Box   ✓ AC, DisplayPort, HDMI, USB Type-A to USB Type-C, USB Type-C ✓ 1.8 m
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity	USB Type-C  1  1  4  1  V  100 W  2	Package width Package depth Package height Package weight Package type Packaging content Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length Power cable length	165 mm 520 mm 12.4 kg Box   ✓ AC, DisplayPort, HDMI, USB Type-A to USB Type-C, USB Type-C  ✓ 1.8 m 1.8 m 1.8 m
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version	USB Type-C 1 1 4 1  1  1  1  2  2 2 2.1	Package width Package depth Package height Package weight Package type  Packaging content Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length	165 mm 520 mm 12.4 kg Box  AC, DisplayPort, HDMI, USB Type-A to USB Type-C, USB Type-C  1.8 m 1.8 m 1.8 m 1.8 m
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity	USB Type-C  1  1  4  1  •  •  •  100 W  •  2  2.1  1	Package width Package depth Package height Package weight Package type Packaging content Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length Pother features Compatible operating systems	165 mm 520 mm 12.4 kg Box   ✓ AC, DisplayPort, HDMI, USB Type-A to USB Type-C, USB Type-C  ✓ 1.8 m 1.8 m 1.8 m  1.8 m  1.8 m  1.8 m
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version	USB Type-C 1 1 4 1  1  1  1  2  2  2.1 1 1.4	Package width Package depth Package height Package weight Package type Packaging content Stand included Cables included Quick start guide DisplayPort cable length HDMI cable length Power cable length Power cable length	165 mm 520 mm 12.4 kg Box  AC, DisplayPort, HDMI, USB Type-A to USB Type-C, USB Type-C  1.8 m 1.8 m 1.8 m 1.8 m





197532306363

0197532306363

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.