

PHILIPS

## Philips Evnia 25M2N3200W/00 tietokoneen litteä näyttö 62,2 cm (24.5") 1920 x 1080 pikseliä Full HD LCD Harmaa

**Tuotemerkki :** Philips

**Tuoteperhe:** Evnia

**Tuotekoodi:** 25M2N3200W/00

**Tuotteen nimi :**  
25M2N3200W/00

Gaming Monitor 25M2N3200W Full HD -pelinäyttö

Philips Evnia 25M2N3200W/00 tietokoneen litteä näyttö 62,2 cm (24.5") 1920 x 1080 pikseliä Full HD LCD Harmaa:

Meille on tärkeää nopeus, joka on kaunista katsella. Tässä näytössä on 240 hertsin virkistystaajuus ja 16:9 Full HD -tarkkuus, joten voit pelata pelejä reaaliaikaisen nopeuden siivittämänä ja tarkan kuvan terävöittämänä.

Philips Evnia 25M2N3200W/00. Näytön halkaisija: 62,2 cm (24.5"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 1 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: Harmaa



Display		Ergonomics	
Display diagonal *	62.2 cm (24.5")	Adjustable height (max)	13 cm
Display resolution *	1920 x 1080 pixels	Pivot	✓
HD type *	Full HD	Pivot angle	-90 - 90°
Native aspect ratio *	16:9	Swivelling	✓
Display technology *	LCD	Swivel angle range	-30 - 30°
Panel type *	VA	Tilt adjustment	✓
Backlight type	W-LED	Tilt angle range	-5 - 20°
Touchscreen *	✗	On Screen Display (OSD)	✓
Display brightness (typical)	300 cd/m <sup>2</sup>	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Response time *	1 ms	Plug and Play	✓
Anti-glare screen	✓	LED indicators	Operation, Stand-by
Screen shape *	Flat	<b>Power</b>	
Contrast ratio (typical) *	3000:1	Energy efficiency class (SDR) *	E
Dynamic contrast ratio marketing name	Mega Infinity DCR	Energy efficiency class (HDR) *	Not available
Maximum refresh rate *	240 Hz	Energy consumption (SDR) per 1000 hours *	19 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	27.7 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.5 W
Display number of colours *	1.07 billion colours	Power consumption (off)	0.3 W
Response time (fast)	0.5 ms	AC input voltage	100 - 240 V
Pixel pitch	0.2832 x 0.2802 mm	AC input frequency	50 - 60 Hz
Pixel density	89.91 ppi	Power supply type	Internal
Horizontal scan range	30 - 274 kHz	Energy efficiency scale	A to G
Vertical scan range	48 - 240 Hz	European Product Registry for Energy Labelling (EPREL) code	1503715
Viewable size, horizontal	54.4 cm	<b>Operational conditions</b>	
Viewable size, vertical	30.3 cm	Operating temperature (T-T)	0 - 40 °C
Display diagonal (metric)	62.2 cm	Storage temperature (T-T)	-20 - 60 °C
DDC/CI	✓		
Haze rate	25%		
Surface hardness	3H		
Colour depth	8 bit		
sRGB coverage (typical)	120%		
NTSC coverage (typical)	101.5%		

<b>Display</b>		<b>Operational conditions</b>	
Display sRGB	✓	Operating relative humidity (H-H)	20 - 80%
<b>Performance</b>		Operating altitude	0 - 3658 m
NVIDIA G-SYNC *	✗	Non-operating altitude	0 - 12192 m
AMD FreeSync *	✗	<b>Weight &amp; dimensions</b>	
VESA Adaptive Sync support	✓	Width (with stand)	557 mm
Component video sync	Separate sync	Depth (with stand)	239 mm
Flicker-free technology	✓	Height (with stand)	508 mm
Low Blue Light technology	✓	Weight (with stand)	4.64 kg
<b>Multimedia</b>		Width (without stand)	557 mm
Built-in speaker(s) *	✗	Depth (without stand)	64 mm
Built-in camera *	✗	Height (without stand)	331 mm
<b>Design</b>		Weight (without stand)	3.3 kg
Market positioning *	Gaming	<b>Packaging data</b>	
Product colour *	Grey	Package width	730 mm
Colour name	Dark Slate	Package depth	188 mm
Feet colour	Black	Package height	420 mm
<b>Ports &amp; interfaces</b>		Package weight	7.6 kg
Built-in USB hub *	✗	<b>Packaging content</b>	
HDMI *	✓	Stand included	✓
HDMI ports quantity	2	Cables included	AC, DisplayPort, HDMI
HDMI version	2.0	Manual	✓
DisplayPorts quantity	1	<b>Sustainability</b>	
DisplayPort version	1.4	Doesn't contain	Mercury, PVC/BFR
Audio output	✓	<b>Other features</b>	
HDCP	✓	Low input lag	✓
HDCP version	1.4/2.2	Exterior finish type	Textured
<b>Ergonomics</b>		Picture enhancement	SmartImage game
VESA mounting *	✓	Recyclable packaging material	100%
Panel mounting interface	100 x 100 mm	Regulatory Approvals	CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU RoHS; TUV/ISO9241-307; TUV-BAUART
Cable lock slot *	✓	EasyRead mode	✓
Cable lock slot type	Kensington	LowBlue mode	✓
Height adjustment *	✓	Mean time between failures (MTBF)	50000 h



8712581800673

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-FEB-2025. Prints or copies of Information are only valid on the printed Publication date