



DELL P Series P2425H tietokoneen litteää näyttö 61 cm (24") 1920 x 1080 pikseliä Full HD LCD musta

Tuotemerkki : DELL

Tuoteperhe: P Series

Tuotekoodi: DELL-P2425H

Tuotteen nimi : P2425H

DELL P Series P2425H. Näytön halkaisija: 61 cm (24"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvausuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display		Ergonomics	
Display diagonal *	61 cm (24")	Pivot	✓
Display resolution *	1920 x 1080 pixels	Pivot angle	-90 - 90°
HD type *	Full HD	Swivelling	✓
Native aspect ratio *	16:9	Swivel angle range	-45 - 45°
Display technology *	LCD	Tilt adjustment	✓
Panel type *	IPS	Tilt angle range	-5 - 21°
LED backlight	✓	On Screen Display (OSD)	✗
Backlight type	LED	Plug and Play	✓
Touchscreen *	✗	LED indicators	✓
Display brightness (typical)	250 cd/m ²	Power	
Response time *	8 ms	Energy efficiency class (SDR) *	C
Anti-glare screen	✓	Energy efficiency class (HDR) *	Not available
Screen shape *	Flat	Energy consumption (SDR) per 1000 hours *	12 kWh
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	Power consumption (typical) *	11.7 W
Supported video modes	480p, 576p, 720p, 1080p	Power consumption (standby) *	0.3 W
Contrast ratio (typical) *	1500:1	Power consumption (max)	65 W
Maximum refresh rate *	100 Hz	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50/60 Hz
Display number of colours *	16.7 million colours	Input current	1.5 A
Response time (fast)	5 ms	Power supply type	Internal
Pixel pitch	0.2745 x 0.2745 mm	Energy efficiency scale	A to G
Pixel density	92.53 ppi	European Product Registry for Energy Labelling (EPREL) code	1865623
Horizontal scan range	30 - 110 kHz	Operational conditions	
Vertical scan range	48 - 100 Hz	Operating temperature (T-T)	0 - 40 °C
Viewable size, horizontal	52.7 cm	Storage temperature (T-T)	-20 - 60 °C

Display		Operational conditions	
Viewable size, vertical	29.6 cm	Operating relative humidity (H-H)	10 - 80%
Viewable size diagonal	60.5 cm	Storage relative humidity (H-H)	5 - 90%
Surface hardness	3H	Operating altitude	0 - 5000 m
sRGB coverage (typical)	99%	Non-operating altitude	0 - 12192 m
Dell ComfortView technology	✓	Weight & dimensions	
Performance		Width (with stand)	538.6 mm
NVIDIA G-SYNC *	✗	Depth (with stand)	181.8 mm
AMD FreeSync *	✗	Height (with stand)	364 mm
Flicker-free technology	✓	Weight (with stand)	4.61 kg
Low Blue Light technology	✓	Width (without stand)	538.6 mm
Windows operating systems supported	Windows 10, Yes	Depth (without stand)	50 mm
Mac operating systems supported	MacOS	Height (without stand)	314.2 mm
Multimedia		Weight (without stand)	3.12 kg
Built-in speaker(s) *	✗	Bezel width (side)	5.8 mm
Built-in camera *	✗	Bezel width (top)	5.8 mm
Design		Bezel width (bottom)	1.2 cm
Product colour *	Black	Packaging data	
Front bezel colour	Black	Package weight	6.78 kg
Feet colour	Grey	USB cable length	1.8 m
Ports & interfaces		Packaging content	
Built-in USB hub *	✓	Stand included	✓
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Cables included	AC, DisplayPort, USB Type-A
Number of USB Type-B upstream ports quantity	1	Quick start guide	✓
USB Type-A downstream ports quantity	3	DisplayPort cable length	1.8 m
USB Type-C downstream ports quantity	1	HDMI cable length	1.8 m
USB Power Delivery (USB PD)	✓	Sustainability	
USB Power Delivery up to	15 W	Sustainability compliance	✓
VGA (D-Sub) ports quantity	1	Sustainability certificates	TÜV mark
HDMI *	✓	Doesn't contain	Arsenic, Mercury, PVC/BFR
HDMI ports quantity	1	Carbon footprint	
HDMI version	1.4	Total carbon footprint (kg of CO2e)	138
DisplayPorts quantity	1	Carbon emissions, manufacturing (kg of CO2e)	67
DisplayPort version	1.2	Carbon emissions, logistics (kg of CO2e)	10
Headphone out *	✗	Carbon emissions, energy usage (kg of CO2e)	58
HDCP	✓	Carbon emissions, end-of-life (kg of CO2e)	3
HDCP version	1.4	Total carbon emissions, w/o use phase (kg of CO2e)	80
AC (power) in	✓	PAIA version	GaBi version 1, 2024
Ergonomics		Brand-specific features	
VESA mounting *	✓	Dell Display Manager (DDM) compatibility	✓
Panel mounting interface	100 x 100 mm		
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	✓		
Height adjustment	15 cm		



5397184821701

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date