



DELL P Series P2725H_WOST tietokoneen litteä näyttö 68,6 cm (27") 1920 x 1080 pikseliä Full HD LCD musta

Tuotemerkki : DELL

Tuoteperhe: P Series

Tuotekoodi: DELL-P2725HWO

Tuotteen nimi : P2725H_WOST



DELL P Series P2725H_WOST. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys. Tuotteen väri: musta



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	AC (power) in	✓
Display resolution *	1920 x 1080 pixels	Ergonomics	
HD type *	Full HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LCD	Cable management	✓
Panel type *	IPS	Cable lock slot *	✓
LED backlight	✓	Cable lock slot type	Kensington
Backlight type	LED	Height adjustment *	✗
Touchscreen *	✗	Pivot	✗
Display brightness (typical)	300 cd/m ²	Swivelling	✗
Response time *	8 ms	Tilt adjustment	✗
Anti-glare screen	✓	On Screen Display (OSD)	✓
Screen shape *	Flat	Plug and Play	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	LED indicators	✓
Supported video modes	480p, 576p, 720p, 1080p	Power	
Contrast ratio (typical) *	1500:1	Energy efficiency class (SDR) *	D
Maximum refresh rate *	100 Hz	Energy efficiency class (HDR) *	Not available
Viewing angle, horizontal	178°	Energy consumption (SDR) per 1000 hours *	16 kWh
Viewing angle, vertical	178°	Power consumption (typical) *	15.8 W
Display number of colours *	16.7 million colours	Power consumption (standby) *	0.3 W
Response time (fast)	5 ms	Power consumption (max)	74 W
Pixel pitch	0.3114 x 0.3114 mm	Power consumption (off)	0.3 W
Pixel density	81.57 ppi	AC input voltage	100 - 240 V
Horizontal scan range	30 - 83 kHz	AC input frequency	50/60 Hz
Vertical scan range	48 - 76 Hz	Input current	1.5 A
Viewable size, horizontal	59.8 cm	Power supply type	Internal

Display		Power	
Viewable size, vertical	33.6 cm	Energy efficiency scale	A to G
Viewable size diagonal	68.6 cm	European Product Registry for Energy Labelling (EPREL) code	1874335
Surface hardness	3H	Operational conditions	
sRGB coverage (typical)	99%	Operating temperature (T-T)	0 - 40 °C
Dell ComfortView technology	✓	Storage temperature (T-T)	-20 - 60 °C
Performance		Operating relative humidity (H-H)	10 - 80%
NVIDIA G-SYNC *	✗	Storage relative humidity (H-H)	5 - 90%
AMD FreeSync *	✗	Operating altitude	0 - 5000 m
Flicker-free technology	✓	Non-operating altitude	0 - 12192 m
Low Blue Light technology	✓	Weight & dimensions	
Windows operating systems supported	Windows 10, Yes	Width (without stand)	610.7 mm
Mac operating systems supported	MacOS	Depth (without stand)	50 mm
Multimedia		Height (without stand)	354.7 mm
Built-in speaker(s) *	✗	Weight (without stand)	4.03 kg
Built-in camera *	✗	Bezel width (side)	6.4 mm
Design		Bezel width (top)	6.4 mm
Product colour *	Black	Bezel width (bottom)	1.2 cm
Front bezel colour	Black	Packaging data	
Ports & interfaces		Package weight	6.8 kg
Built-in USB hub *	✓	USB cable length	1.8 m
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Packaging content	
Number of USB Type-B upstream ports quantity	1	Stand included	✗
USB Type-A downstream ports quantity	3	Cables included	AC, DisplayPort, HDMI, USB
USB Type-C downstream ports quantity	1	Quick start guide	✓
USB Power Delivery (USB PD)	✓	DisplayPort cable length	1.8 m
USB Power Delivery up to	15 W	HDMI cable length	1.8 m
VGA (D-Sub) ports quantity	1	Sustainability	
HDMI *	✓	Sustainability compliance	✓
HDMI ports quantity	1	Sustainability certificates	ENERGY STAR, TCO
HDMI version	1.4	Doesn't contain	Arsenic, Mercury, PVC/BFR
DisplayPorts quantity	1	Other features	
DisplayPort version	1.2	Compliance certificates	RoHS, TÜV mark
Headphone out *	✗	Brand-specific features	
HDCP	✓	Dell Display Manager (DDM) compatibility	✓
HDCP version	1.4		



5397184821756

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-FEB-2025. Prints or copies of Information are only valid on the printed Publication date