



## ATEN US3311 KVM-kytkin Hopea

**Tuotemerkki :** ATEN

**Tuotekoodi:** US3311-AT-G

**Tuotteen nimi :** US3311



ATEN US3311. Näppäimistöportin liitin: USB, Hiiriportin liitin: USB, Videoportin tyyppi: DisplayPort. HD-tyyppi: 4K Ultra HD, Enimmäiserottelutarkkuus: 3840 x 2160 pikseliä, Videokaistanleveys: 60 Hz. Tuotteen väri: Hopea, Kotelon materiaali: Alumiini. Voimanlähde: DC, Tulojännite: 12 V, Syöttöjännite: 3 A. Windows-käyttöjärjestelmätuki: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Mac-käyttöjärjestelmätuki: Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina,...., Muu käyttöjärjestelmätuki: Android

Ports & interfaces		System requirements	
Number of computers controlled *	2	Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Keyboard port type *	USB		
Mouse port type *	USB	Other operating systems supported	Android
Video port type *	DisplayPort		
DisplayPorts quantity	1	<b>Operational conditions</b>	
USB hub	✓	Operating temperature (T-T)	0 - 40 °C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A hub ports quantity	4	Storage temperature (T-T)	-20 - 60 °C
USB Type-C ports quantity	3	Operating relative humidity (H-H)	0 - 80%
DC-in jack	✓	<b>Weight &amp; dimensions</b>	
<b>Performance</b>		Width	119 mm
HD type *	4K Ultra HD	Depth	143 mm
Maximum resolution *	3840 x 2160 pixels	Height	23.8 mm
Video bandwidth	60 Hz	Weight	350 g
Data transfer rate (max)	5 Gbit/s	<b>Packaging data</b>	
Plug and Play	✓	Package width	62 mm
<b>Design</b>		Package depth	283 mm
Product colour *	Silver	Package height	173 mm
Housing material	Aluminium	Package volume	1982.18 cm <sup>3</sup>
Wired remote switch	✓	Package weight	1.01 kg
LED indicators	✓	<b>Packaging content</b>	
<b>Display</b>		Cables included	USB Type-C
Built-in display *	✗	Manual	✓
<b>Power</b>		AC adapter included	✓
Power source	DC	Remote control included	✓
Input voltage	12 V	<b>Logistics data</b>	
Input current	3 A	Master (outer) case net weight	4.25 kg
USB Power Delivery (USB PD)	✓	Master (outer) case width	300 mm
USB Power Delivery revision	3.0	Master (outer) case length	336 mm
USB Power Delivery up to	100 W	Master (outer) case height	194 mm
		Master (outer) case gross weight	5.43 kg

System requirements		Logistics data	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64	Master (outer) case volume	19538.62 cm <sup>3</sup>
		Country of origin	Taiwan



4710469342806

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-DEC-2024. Prints or copies of Information are only valid on the printed Publication date