Verbatim CMH-08 USB Type-C 5000 Mbit/s Silver

Brand : Verbatim Product code: 32151

Product name: CMH-08

- Transform a single USB-C \$ port into eight ports including HDMI and SD card readers for comprehensive connectivity
- 2 x HDMI, 3 x USB-A 3.2 Gen1, 1 x SD card slot, 1 x microSD card slot, 1 x USB-C PD
- Dual HDMI output enables connection to multiple monitors for an expanded workspace
- USB 3.2 Gen1 technology ensures fast data transfer speeds
- Integrated SD and microSD memory card slots
- Provides USB-C® power charging easily charge your USB-C® device whilst still using other ports 2 x HDMI, 8K 30Hz, 4K 30Hz, 3 x USB-A 3.2 Gen1, 5Gb/s, 1 x SD 3.0, 1 x microSD 3.0, 1 x USB-C PD, 100W, 121mm x 40mm x 13mm





Ports & interfaces		Weight & dimensions	
Host interface *	USB Type-C	Height	13 mm
Hub interfaces *	HDMI, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB Type-C	Weight	79 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A		Packaging data	
ports quantity	3	Quantity per pack	1 pc(s)
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1	Package width	85 mm
		Package depth	155 mm
HDMI ports quantity	2	Package height	20 mm
Ports quantity *	8	Package weight	123 g
Card reader slot	2	Package type	Hanging box
Compatible memory cards	MicroSD (TransFlash), SD	Packaging content	
Features		Quick start guide	✓
Data transfer rate *	5000 Mbit/s	Operational conditions	
Maximum refresh rate	30 Hz	•	
Product colour	Silver	Operating temperature (T-T)	0 - 40 °C
Housing material	Acrylonitrile butadiene styrene (ABS), Aluminium	Storage temperature (T-T) Operating relative humidity (H-H)	-20 - 70 °C 10 - 85%
USB Power Delivery (USB PD)	✓	, , ,	10 - 03 /0
USB Power Delivery up to	100 W	Logistics data	
HD type	8K Ultra HD	Packs per box (outer)	40
LED indicators	×	Box (outer) per layer	12
Cable length	0.15 m	Products per pallet	1920 pc(s)
Country of origin	China	Master (outer) case width	215 mm
Certification	EAC/CE/UKCA/FCC RoHS/REACH	Layers per pallet	4 pc(s)
	EAC/CE/ORCA/I CC NOTS/REACTI	Master (outer) case length	345 mm
Power		Master (outer) case height	250 mm
Output voltage	5 V	Master (outer) case gross weight	5.76 kg
Output current	0.9 A	Products per master (outer) case	40 pc(s)
		Shipping (inner) case width	9.7 cm
		Shipping (inner) case length	32.5 cm

System requirements		Logistics data	
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8 Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger,	Shipping (inner) case height Shipping (inner) case gross weight Products per shipping (inner) case	11 cm 1.34 kg 10 pc(s)
	Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7	Technical details	
Mac operating systems supported	Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura	Master (outer) cases per pallet	48 pc(s)
Linux operating systems supported	1		
Other operating systems supported	ChromeOS		
Weight & dimensions			
Width	40 mm		
Depth	121 mm		





023942321514

0023942321514





Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.