verbatim

Verbatim CMH-08 USB Type-C 5000 Mbit/s Hopea

Tuotemerkki : Verbatim

Tuotekoodi: 32151

Tuotteen nimi : CMH-08

Verbatim CMH-08. Isäntäkoneen käyttöliittymä: USB Type-C, Liittimiä: HDMI, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB Type-C, Yhteensopivat muistikortit: MicroSD (TransFlash), SD. Tiedonsiirtonopeus: 5000 Mbit/s, Suurin päivitystaajuus: 30 Hz, Tuotteen väri: Hopea. Ulostulojännite: 5 V, Lähtövirta: 0,9 A. Windows-käyttöjärjestelmätuki: Windows 10, Windows 11, Windows 7, Windows 8, Mac-käyttöjärjestelmätuki: Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X..., Muu käyttöjärjestelmätuki: ChromeOS. Tuotteen leveys: 40 mm, Tuotteen syvyys: 121 mm, Tuotteen korkeus: 13 mm

Ports & interfaces

Host interface *	USB Type-C
Hub interfaces *	HDMI, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
HDMI ports quantity	2
Ports quantity *	8
Card reader slot	2
Compatible memory cards	MicroSD (TransFlash), SD

Features

Data transfer rate *	5000 Mbit/s
Maximum refresh rate	30 Hz
Product colour	Silver
Housing material	Acrylonitrile butadiene styrene (ABS), Aluminium
USB Power Delivery (USB PD)	✔
USB Power Delivery up to	100 W
HD type	8K Ultra HD
LED indicators	✘
Cable length	0.15 m
Country of origin	China
Certification	EAC/CE/UKCA/FCC RoHS/REACH

Power

Output voltage	5 V
Output current	0.9 A

Weight & dimensions

Height	13 mm
Weight	79 g

Packaging data

Quantity per pack	1 pc(s)
Package width	85 mm
Package depth	155 mm
Package height	20 mm
Package weight	123 g
Package type	Hanging box

Packaging content

Quick start guide	✔

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	10 - 85%

Logistics data

Packs per box (outer)	40
Box (outer) per layer	12
Products per pallet	1920 pc(s)
Master (outer) case width	215 mm
Layers per pallet	4 pc(s)
Master (outer) case length	345 mm
Master (outer) case height	250 mm
Master (outer) case gross weight	5.76 kg
Products per master (outer) case	40 pc(s)
Shipping (inner) case width	9.7 cm
Shipping (inner) case length	32.5 cm

System requirements

Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8
Mac operating systems supported	Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Linux operating systems supported	✔
Other operating systems supported	ChromeOS

Weight & dimensions

Width	40 mm
Depth	121 mm

Logistics data

Shipping (inner) case height	11 cm
Shipping (inner) case gross weight	1.34 kg
Products per shipping (inner) case	10 pc(s)

Technical details

Master (outer) cases per pallet	48 pc(s)

0023942321514

023942321514

(01)20023942321518

(01)50023942321519