

Lenovo ThinkSystem SR250 V2 server 0 GB Rack (1U) Intel Xeon E E-2356G 3.2 GHz 32 GB DDR4-SDRAM 450 W

Brand : Lenovo Product family: ThinkSystem Product code: 7D7QA02QEA

Product name: SR250 V2

- No OS
- Intel Xeon E-2356G (12MB Cache, 3.2GHz)
- 32GB DDR4-SDRAM (1 x 32)
- XCC Enterprise

Intel Xeon E-2356G (12MB Cache, 3.2GHz), 32GB DDR4-SDRAM, Intel UHD Graphics P750, LAN (Broadcom 5719), 5350-8I, XCC Enterprise, 450W, No OS

Lenovo ThinkSystem SR250 V2 server 0 GB Rack (1U) Intel Xeon E E-2356G 3.2 GHz 32 GB DDR4-SDRAM 450 W:

The Lenovo ThinkSystem SR250 V2 is a high-value single-socket 1U rack server for growing businesses that need optimized performance and flexibility for future growth, along with enterprise-class reliability, management, and security. The server supports the new Intel Xeon E-2300 Series processors, formerly codenamed "Rocket Lake".

This product guide provides essential presales information to understand the ThinkSystem SR250 V2 server, its key features and specifications, components and options, and configuration guidelines. This guide is intended for technical specialists, sales specialists, sales engineers, IT architects, and other IT professionals who want to learn more about the SR250 V2 and consider its use in IT solutions

Processor		Design	
Processor manufacturer *	Intel	Rack mounting	✓
Processor family *	Intel Xeon E	Rack rails	✓
Processor model *	E-2356G	Performance	
Processor frequency * Processor boost frequency	3.2 GHz 5 GHz	Remote administration	XCC Enterprise
Processor cores	6	Trusted Platform Module (TPM)	✓
Processor cache	12 MB	Trusted Platform Module (TPM)	2.0
Motherboard chipset	Intel C256	version	2.0
Number of processors installed	1	Software	
Execute Disable Bit	✓	Operating system installed *	×
Idle States	✓		Microsoft Windows Server, Red Hat
Embedded options available	×	Compatible operating systems *	Enterprise Linux, SUSE Linux Enterprise Server, VMware ESXi
Memory			Enterprise Server, Vinware ESA
Internal memory *	32 GB	Processor special features	
Internal memory type *	DDR4-SDRAM	CPU configuration (max)	1
Memory slots	4x DIMM	Enhanced Intel SpeedStep Technology	✓
ECC	×	Intel Virtualization Technology for	✓
Memory layout (slots x size)	1 x 32 GB	Directed I/O (VT-d)	
Maximum internal memory *	128 GB	Intel Trusted Execution Technology	•
Storage		Intel VT-x with Extended Page Tables (EPT)	✓
Total storage capacity *	0 GB	Intel TSX-NI	✓
RAID support *	✓	Intel Clear Video Technology	✓
Supported RAID controllers	5350-81	Intel Software Guard Extensions	✓
Hot-swap	•	(Intel SGX)	
Optical drive type *	×	Intel 64	✓
Internal drive bays	8	Intel Virtualization Technology (VT-x)	✓
Graphics		Power	
On-board graphics card	✓	Power supply *	450 W
On-board graphics card family On-board graphics card model	Intel® UHD Graphics Intel UHD Graphics P750	rower suppry	420 44

Network		Operational conditions	
Ethernet LAN	✓	Operating temperature (T-T)	5 - 45 °C
Ports & interfaces		Storage temperature (T-T) Operating relative humidity (H-H)	-40 - 60 °C 8 - 90%
USB 2.0 ports quantity	1	Storage relative humidity (H-H)	8 - 90%
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Operating altitude	0 - 3050 m
USB 3.2 Gen 2 (3.1 Gen 2) Type-A	2	Weight & dimensions	
ports quantity VGA (D-Sub) ports quantity Serial ports quantity	1	Width Depth	435 mm 545 mm
Design		Height Weight	43 mm 12.3 kg
Chassis type * Product colour	Rack (1U) Black, Metallic		

