

Lenovo

Lenovo ThinkSystem SR250 V2 palvelin 0 GB Teline (1U) Intel Xeon E E-2356G 3,2 GHz 32 GB DDR4-SDRAM 450 W

Tuotemerkki : Lenovo

Tuoteperhe: ThinkSystem

Tuotekoodi: 7D7QA02QEA

Tuotteen nimi : SR250 V2



Lenovo ThinkSystem SR250 V2. Suoritinperhe: Intel Xeon E, Prosessorin taajuus: 3,2 GHz, Prosessorimalli: E-2356G. Sisäinen muisti: 32 GB, Sisäisen muistin tyyppi: DDR4-SDRAM, Muistin sijoittelu (paikat x koko): 1 x 32 GB. Kokonaistallennuskapasiteetti: 0 GB. Ethernet LAN. Virtalähde: 450 W. Alustatyyppi: Teline (1U)

Processor		Design	
Processor manufacturer *	Intel	Rack mounting	✓
Processor family *	Intel Xeon E	Rack rails	✓
Processor model *	E-2356G	Performance	
Processor frequency *	3.2 GHz	Remote administration	XCC Enterprise
Processor boost frequency	5 GHz	Trusted Platform Module (TPM)	✓
Processor cores	6	Trusted Platform Module (TPM) version	2.0
Processor cache	12 MB	Software	
Motherboard chipset	Intel C256	Operating system installed *	✗
Number of processors installed	1	Compatible operating systems *	Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware ESXi
Execute Disable Bit	✓	Processor special features	
Idle States	✓	CPU configuration (max)	1
Embedded options available	✗	Enhanced Intel SpeedStep Technology	✓
Memory		Intel Virtualization Technology for Directed I/O (VT-d)	✓
Internal memory *	32 GB	Intel Trusted Execution Technology	✓
Internal memory type *	DDR4-SDRAM	Intel VT-x with Extended Page Tables (EPT)	✓
Memory slots	4x DIMM	Intel TSX-NI	✓
ECC	✗	Intel Clear Video Technology	✓
Memory layout (slots x size)	1 x 32 GB	Intel Software Guard Extensions (Intel SGX)	✓
Maximum internal memory *	128 GB	Intel 64	✓
Storage		Intel Virtualization Technology (VT-x)	✓
Total storage capacity *	0 GB	Power	
RAID support *	✓	Power supply *	450 W
Supported RAID controllers	5350-8l	Operational conditions	
Hot-swap	✓	Operating temperature (T-T)	5 - 45 °C
Optical drive type *	✗	Storage temperature (T-T)	-40 - 60 °C
Internal drive bays	8	Operating relative humidity (H-H)	8 - 90%
Graphics		Storage relative humidity (H-H)	8 - 90%
On-board graphics card	✓	Operating altitude	0 - 3050 m
On-board graphics card family	Intel® UHD Graphics	Weight & dimensions	
On-board graphics card model	Intel UHD Graphics P750	Width	435 mm
Network			
Ethernet LAN	✓		
Ports & interfaces			
USB 2.0 ports quantity	1		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1		

Ports & interfaces

USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2
VGA (D-Sub) ports quantity	1
Serial ports quantity	1

Weight & dimensions

Depth	545 mm
Height	43 mm
Weight	12.3 kg

Design

Chassis type *	Rack (1U)
Product colour	Black, Metallic

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date