

Kensington SD4781P Langallinen USB 3.2 Gen 2 (3.1 Gen 2) Type-C musta

Tuotemerkki : Kensington

Tuotekoodi: K33603EU

Tuotteen nimi : SD4781P

Kensington SD4781P. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, USB Power Delivery asti: 100 W. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Tuotteen väri: musta, HD-tyyppi: 4K Ultra HD, Digitaalinen enimmäistarkkuus: 4096 x 2160 pikseliä. Virtalähteen malli: DC, AC-syöttöjännite: 100 - 240 V, Syöttöjännite: 1.8 A. Windows-käyttöjärjestelmätuki: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Mac-käyttöjärjestelmätuki: Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur,..., Muu käyttöjärjestelmätuki: ChromeOS



Ports & interfaces		Power	
Connectivity technology *	Wired	Output current	8.5 A
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Compatible power plug types	EU, UK
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Software	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	1	Windows operating systems supported Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1		
USB Power Delivery (USB PD)	✓		
USB Power Delivery revision	3.0		
USB Power Delivery up to	100 W		
HDMI ports quantity *	2		
HDMI version	2.0		
DisplayPorts quantity	2		
DisplayPort version	1.2		
Microphone in *	✗		
Combo headphone/mic port	✓		
Headphone outputs *	1		
Headphone connectivity	3.5 mm		
DC-in jack	✓		
Network			
Ethernet LAN *	✓		
Ethernet LAN (RJ-45) ports	1		
Ethernet LAN data rates	10,100,1000 Mbit/s		
Performance			
Card reader integrated *	✗		
HD type	4K Ultra HD		
Maximum digital resolution	4096 x 2160 pixels		

Performance		Software	
Maximum refresh rate	60 Hz		Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Cable lock slot	✓	Mac operating systems supported	
Cable lock slot type	Kensington, Nano	Other operating systems supported	ChromeOS
Product colour *	Black	Operational conditions	
LED indicators	✓	Operating temperature (T-T)	0 - 40 °C
Plug and Play	✗	Storage temperature (T-T)	-18 - 60 °C
Housing material	Acrylonitrile butadiene styrene (ABS), Metal, Polycarbonate (PC)	Operating relative humidity (H-H)	0 - 55%
Country of origin	Thailand	Sustainability	
Power		Sustainability compliance	✓
Power source type	DC	Sustainability certificates	ErP
AC input voltage	100 - 240 V	Weight & dimensions	
Input current	1.8 A	Width	210 mm
Output voltage	20 V	Depth	90 mm
		Height	30 mm
		Weight	395 g
		Packaging data	
		Package width	235 mm
		Package depth	150 mm
		Package height	90 mm
		Package weight	1.46 kg
		Packaging content	
		Warranty card	✓
		Cables included	AC, USB Type-C
		AC adapter included	✓
		Quick start guide	✓
		Interface adapters included	USB Type-A male - USB Type-C female
		Technical details	
		Compliance certificates	CB, CE, RoHS, UKCA
		Logistics data	
		Products per master (outer) case	6 pc(s)
		Other features	
		Minimum system requirements	Intel Core i5 6th+ 8Gb RAM Intel HD Graphics 620



5028252640718

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date