



DELL UltraSharp U3425WE tietokoneen litteä näyttö 86,7 cm (34.1") 3440 x 1440 pikseliä Wide Quad HD LCD musta, Hopea

Tuotemerkki : DELL

Tuoteperhe: UltraSharp

Tuotekoodi: DELL-U3425WE

Tuotteen nimi : U3425WE

DELL UltraSharp U3425WE. Näytön halkaisija: 86,7 cm (34.1"), Näytön erottelutarkkuus: 3440 x 1440 pikseliä, HD-tyyppi: Wide Quad HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvasuhde: 21:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 2 (3.1 Gen 2). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta, Hopea




Display		Ergonomics	
Display diagonal *	86.7 cm (34.1")	Cable lock slot *	✓
Display resolution *	3440 x 1440 pixels	Cable lock slot type	Kensington
HD type *	Wide Quad HD	Height adjustment *	✓
Native aspect ratio *	21:9	Height adjustment	15 cm
Display technology *	LCD	Pivot	✗
Panel type *	IPS	Swivelling	✓
Backlight type	LED	Swivel angle range	-30 - 30°
Touchscreen *	✗	Tilt adjustment	✓
Display brightness (typical)	300 cd/m ²	Tilt angle range	-5 - 21°
Response time *	8 ms	On Screen Display (OSD)	✓
Anti-glare screen	✓	Plug and Play	✓
Screen shape *	Curved	LED indicators	✓
Screen curvature rating	1900R		
Supported graphics resolutions	640 x 480 (VGA), 720 x 480, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800 (WXGA), 1600 x 1200, 1920 x 1080 (HD 1080), 2560 x 1440, 3440 x 1440	Power	
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Energy efficiency class (SDR) *	F
Contrast ratio (typical) *	2000:1	Energy efficiency class (HDR) *	Not available
Maximum refresh rate *	120 Hz	Energy consumption (SDR) per 1000 hours *	32 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	31.5 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.5 W
Display number of colours *	1.07 billion colours	Power consumption (max)	250 W
Response time (fast)	5 ms	Power consumption (off)	0.3 W
Pixel pitch	0.2325 x 0.2325 mm	AC input voltage	100 - 240 V
Pixel density	110 ppi	AC input frequency	50/60 Hz
Horizontal scan range	25 - 185 kHz	Input current	3.2 A
Vertical scan range	48 - 120 Hz	Power supply type	Internal
		Energy efficiency scale	A to G
		European Product Registry for Energy Labelling (EPREL) code	1777749

Display		Operational conditions	
Viewable size, horizontal	80 cm	Operating temperature (T-T)	0 - 40 °C
Viewable size, vertical	33.5 cm	Storage temperature (T-T)	-20 - 60 °C
Viewable size diagonal	86.7 cm	Operating relative humidity (H-H)	10 - 80%
High Dynamic Range (HDR) supported	✗	Storage relative humidity (H-H)	5 - 90%
Surface hardness	3H	Operating altitude	0 - 5000 m
Colour gamut standard	DCI-P3	Non-operating altitude	5000 - 12192 m
Colour gamut	98%	Weight & dimensions	
sRGB coverage (typical)	100%	Width (with stand)	813.5 mm
Performance		Depth (with stand)	240.4 mm
NVIDIA G-SYNC *	✗	Height (with stand)	542.8 mm
AMD FreeSync *	✗	Weight (with stand)	7.78 kg
Flicker-free technology	✓	Width (without stand)	813.5 mm
Low Blue Light technology	✓	Depth (without stand)	105.1 mm
Multimedia		Height (without stand)	359.1 mm
Number of speakers	2	Weight (without stand)	10.4 kg
RMS rated power	10 W	Bezel width (side)	9.78 mm
Built-in speaker(s) *	✓	Bezel width (top)	1.04 cm
Built-in camera *	✗	Bezel width (bottom)	1.39 cm
Design		Packaging data	
Market positioning *	Business	Package weight	15.1 kg
Product colour *	Black, Silver	Packaging content	
Front bezel colour	Black	Stand included	✓
Detachable stand	✓	Cables included	AC, DisplayPort, HDMI, USB Type-C to USB Type-C
Feet colour	Silver	Power adapter included	✓
Ports & interfaces		Remote control included	✗
Built-in USB hub *	✓	Stylus included	✗
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Quick start guide	✓
USB upstream port type	USB Type-C	Sustainability	
Number of USB Type-C upstream ports quantity	2	Sustainability compliance	✓
USB Type-A downstream ports quantity	5	Sustainability certificates	ENERGY STAR, TCO
USB Type-C downstream ports quantity	3	Doesn't contain	PVC/BFR
USB Type-C DisplayPort Alternate Mode	✓	Carbon footprint	
USB Power Delivery (USB PD)	✓	Total carbon footprint (kg of CO2e)	361
USB Power Delivery up to	90 W	Carbon emissions, manufacturing (kg of CO2e)	149
HDMI *	✓	Carbon emissions, logistics (kg of CO2e)	28
HDMI ports quantity	1	Carbon emissions, energy usage (kg of CO2e)	154
HDMI version	2.1	Carbon emissions, end-of-life (kg of CO2e)	30
DisplayPorts quantity	1	Total carbon emissions, w/o use phase (kg of CO2e)	207
DisplayPort version	1.4	PAIA version	GaBi version 1, 2024
Thunderbolt 4 ports quantity	2	Other features	
Headphone out *	✓	Heavy metals free	Hg (mercury)
Headphone outputs	1	Compliance certificates	RoHS
HDCP	✓	Ethernet LAN (RJ-45) ports	1
HDCP version	1.4/2.2	Network	
Network		Wi-Fi	✗
Ergonomics		Ergonomics	
VESA mounting *	✓	VESA mounting *	✓
Panel mounting interface	100 x 100 mm	Panel mounting interface	100 x 100 mm
Wall mountable	✓	Wall mountable	✓
Cable management	✓	Cable management	✓



5397184821503



0884116452034



884116452034

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.