

D-Link DBS-2000-10MP/E verkkokytkin Hallittu L2 Gigabit Ethernet (10/100/1000) Power over Ethernet -tuki Harmaa

Tuotemerkki : D-Link

Tuotekoodi: DBS-2000-10MP/E

Tuotteen nimi : DBS-2000-10MP/E



D-Link DBS-2000-10MP/E. Kytkin tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8, Console-portti: RJ-45. MAC-osoitetaulukko: 8000 entries, Kytkentäkapasiteetti: 20 Gbit/s. Verkkostandardit: IEEE 802.3ad, IEEE 802.3at. Power over Ethernet -tuki. Telineasennus

Management features		Power over Ethernet (PoE)	
Switch type *	Managed	Power over Ethernet (PoE) power per port	30 W
Switch layer	L2	Total Power over Ethernet (PoE) budget	130 W
Web-based management	✓	Operational conditions	
Ports & interfaces		Operating temperature (T-T)	
Basic switching RJ-45 Ethernet ports quantity *	8	-5 - 50 °C	
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Storage temperature (T-T)	
Combo SFP ports quantity	2	-20 - 70 °C	
Console port	RJ-45	Operating relative humidity (H-H)	
Network		0 - 95%	
Networking standards *	IEEE 802.3ad, IEEE 802.3at	Storage relative humidity (H-H)	
10G support *	✗	0 - 95%	
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T	Operating altitude	
Link aggregation	✓	0 - 1500 m	
Auto MDI/MDI-X	✓	Heat dissipation	
Spanning tree protocol	✓	519.51 BTU/h	
Data transmission		Weight & dimensions	
Switching capacity *	20 Gbit/s	Width	
Forwarding rate	14.88 Mpps	330 mm	
MAC address table *	8000 entries	Depth	
Packet buffer memory	4.1 MB	180 mm	
Security		Height	
IGMP snooping	✓	44 mm	
Security algorithms	WPA3, WPA, WPA2	Weight	
Design		1.77 kg	
Rack mounting *	✓	Packaging data	
Product colour	Grey	Package width	
LED indicators	✓	319 mm	
		Package depth	
		400 mm	
		Package height	
		91 mm	
		Package weight	
		3.39 kg	
		Technical details	
		Shipping (inner) case height	
		34.9 cm	
		Shipping (inner) case width	
		29.4 cm	
		Shipping (inner) case length	
		41.6 cm	
		Shipping (inner) case net weight	
		10.2 kg	
		Products per shipping (inner) case	
		3 pc(s)	
		Pallet gross weight (air)	
		282.5 kg	
		Master (outer) cases per pallet (air)	
		24 pc(s)	
		Products per pallet (air)	
		72 pc(s)	
		Pallet gross length	
		110 cm	

Design		Technical details	
Number of fans	0 fan(s)	Pallet gross width	120 cm
Performance		Pallet height (air)	118.2 cm
Built-in processor	✓	Pallet gross weight (sea)	458.4 kg
Processor frequency	500 MHz	Master (outer) cases per pallet (sea)	40 pc(s)
Memory type	DDR3-SDRAM	Products per pallet (sea)	120 pc(s)
Internal memory	256 MB	Pallet height (sea)	188 cm
Flash memory	32 MB	Shipping (inner) case gross weight	11 kg
Mean time between failures (MTBF)	1274005 h	Logistics data	
Power		Harmonized System (HS) code	85176990
Power source *	AC		
AC input voltage	100 - 240 V		
Power consumption (max)	152.3 W		
Power over Ethernet (PoE)			
Power over Ethernet (PoE) *	✓		
Power over Ethernet plus (PoE+) ports quantity	8		



0790069471186



790069471186

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.