



D-Link DBS-2000-28MP/E network switch Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grey

Brand : D-Link

Product code: DBS-2000-28MP/E

Product name : DBS-2000-28MP/E

- 24 x 10/100/1000BASE-T PoE ports
- 4 x 10/100/1000BASE-T ports
- 370W PoE power budget
- Supports IEEE 802.3at PoE
- Zero-Touch Deployment
- Cloud Management w/99.9% SLA
- WPA/WPA2/WPA3 Encryption
- Innovative D-Link Green Energy-saving features
- Intuitive Web Portal for comprehensive switch management
- Multilingual Support

56 Gbps, 41.7 Mpps, 24x 1G PoE RJ-45, 4x 1G SFP/RJ-45, 500MHz, 256MB DDR3, 440x250x44 mm
D-Link DBS-2000-28MP/E. Switch type: Managed, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 24, Console port: RJ-45. MAC address table: 8000 entries, Switching capacity: 56 Gbit/s. Networking standards: IEEE 802.3ad, IEEE 802.3at. Power over Ethernet (PoE). Rack mounting



Management features		Power over Ethernet (PoE)	
Switch type *	Managed	Power over Ethernet (PoE) power per port	30 W
Switch layer	L2	Total Power over Ethernet (PoE) budget	370 W
Web-based management	✓		
Ports & interfaces		Operational conditions	
Basic switching RJ-45 Ethernet ports quantity *	24	Operating temperature (T-T)	-5 - 50 °C
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Storage temperature (T-T)	-20 - 70 °C
Combo SFP ports quantity	4	Operating relative humidity (H-H)	0 - 95%
Console port	RJ-45	Storage relative humidity (H-H)	0 - 95%
Network		Operating altitude	0 - 1500 m
Networking standards *	IEEE 802.3ad, IEEE 802.3at	Heat dissipation	1521.99 BTU/h
10G support *	✗	Weight & dimensions	
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T	Width	440 mm
Link aggregation	✓	Depth	250 mm
Auto MDI/MDI-X	✓	Height	44 mm
Spanning tree protocol	✓	Weight	3.94 kg
Data transmission		Packaging data	
Switching capacity *	56 Gbit/s	Package width	365 mm
Forwarding rate	41.7 Mpps	Package depth	521 mm
MAC address table *	8000 entries	Package height	92 mm
Packet buffer memory	4.1 MB	Package weight	5.13 kg
Security		Technical details	
IGMP snooping	✓	Shipping (inner) case height	39.3 cm
Security algorithms	WPA, WPA2	Shipping (inner) case width	29.5 cm
Design		Shipping (inner) case length	53.9 cm
Rack mounting *	✓	Shipping (inner) case net weight	15.4 kg
Product colour	Grey	Products per shipping (inner) case	3 pc(s)
LED indicators	✓	Pallet gross weight (air)	409.5 kg
		Master (outer) cases per pallet (air)	24 pc(s)
		Products per pallet (air)	72 pc(s)
		Pallet gross length	110 cm

Performance		Technical details	
Built-in processor	✓	Pallet gross width	120 cm
Processor frequency	500 MHz	Pallet height (air)	131.4 cm
Memory type	DDR3-SDRAM	Pallet gross weight (sea)	670 kg
Internal memory	256 MB	Master (outer) cases per pallet (sea)	40 pc(s)
Flash memory	32 MB	Products per pallet (sea)	120 pc(s)
Mean time between failures (MTBF)	277967 h	Pallet height (sea)	2.1 m
Power		Shipping (inner) case gross weight	16.2 kg
Power source *	DC/PoE	Logistics data	
AC input voltage	100 - 240 V	Harmonized System (HS) code	85176990
Power consumption (max)	446.1 W		
Power over Ethernet (PoE)			
Power over Ethernet (PoE) *	✓		
Power over Ethernet (PoE) ports quantity	24		



0790069471247



790069471247

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.