iiyama

iiyama ProLite T2752MSC-W1 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Touchscreen White

Brand : iiyama   **Product family:** ProLite   **Product code:** T2752MSC-W1

Product name : T2752MSC-W1

27", 10 point touch, 1920 x 1080, 16:9, 1000:1

iiyama ProLite T2752MSC-W1 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Touchscreen White:

27" Optical Bonded PCAP 10pt touchscreen monitor with IPS panel technology, edge-to-edge glass design and anti-fingerprint coating

The ProLite T2752MSC-W1 with its Full HD (1920x1080) resolution and with IPS panel technology offers exceptional colors and wide viewing angles. The Optical Bonded Projective Capacitive (PCAP) 10-point touch technology ensures a seamless and accurate touch response and a lower light reflection, in addition, the display is protected against humidity and potential moisture development. A special Nano coating ensures a smoother touch and less resistance in the swipe. It makes the screen less static and susceptible to dirt, dust and fingerprints. A perfect choice for a vast array of applications.

IPS TECHNOLOGY
IPS technology offers higher contrast, darker blacks and much better viewing angles than standard TN technology. The screen will look good no matter what angle you look at it.

Display

Display diagonal *	68.6 cm (27")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✔
Touchscreen technology	Projected capacitive system
Touch technology	Multi-touch
Number of simultaneous touchpoints	10
Display brightness (peak)	400 cd/m²
Display brightness (typical)	360 cd/m²
Display brightness	255 cd/m²
Response time *	5 ms
Screen shape *	Flat
Aspect ratio	16:9
Contrast ratio (typical) *	1000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Pixel pitch	0.311 x 0.311 mm
Horizontal scan range	30 - 83 kHz
Viewable size, horizontal	59.8 cm
Viewable size, vertical	33.6 cm
Display diagonal (metric)	68.6 cm

Performance

NVIDIA G-SYNC *	✗
AMD FreeSync *	✗
Windows operating systems supported	✔
Linux operating systems supported	✔

Ports & interfaces

USB Type-A downstream ports quantity	3
USB Touch port	✔
HDMI *	✔
HDMI ports quantity	1
DisplayPorts quantity	1
Audio output	✔
HDCP	✔

Network

Ethernet LAN	✗

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Wall mountable	✔
Cable lock slot *	✔
Cable lock slot type	Kensington
Tilt adjustment	✔
Tilt angle range	5 - 90°
On Screen Display (OSD) languages	German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Portuguese, Russian
Number of OSD languages	10
Plug and Play	✔
LED indicators	✔

Power

Energy efficiency class (SDR) *	E
Power consumption (typical) *	30 W
Power consumption (standby) *	1.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50 Hz

Multimedia

Number of speakers	2
RMS rated power	1 W
Built-in speaker(s) *	✔
Built-in camera *	✘

Design

Market positioning *	Business
Product colour *	White
Glass thickness	2.2 mm

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of upstream ports	1

Power

Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	1824494

Weight & dimensions

Width (with stand)	614 mm
Depth (with stand)	239.5 mm
Height (with stand)	403 mm
Weight (with stand)	6.7 kg

Packaging content

Cables included	AC, HDMI, USB
Quick start guide	✔

Other features

Full HD	✔
Certification	CE, TÜV-Bauart, ErP, CU

Logistics data

Harmonized System (HS) code	85285210

4948570123001