## îiyama

## iiyama ProLite XUB2490HSUH-B1 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

**Product name:** 

XUB2490HSUH-B1

iiyama ProLite XUB2490HSUH-B1. Display diagonal: 60.5 cm (23.8"), Display resolution:  $1920 \times 1080$  pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal:  $178^\circ$ , Viewing angle, vertical:  $178^\circ$ . Built-in yeaker(s). Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black





Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Panel mounting interface	100 x 100 mm
Display resolution *	1920 x 1080 pixels	Cable lock slot *	✓
HD type *	Full HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LED	Adjustable height (max)	15 cm
Panel type *	IPS	Pivot	1
Touchscreen *	×	Pivot angle	0 - 90°
Display brightness (typical)	250 cd/m <sup>2</sup>	Swivelling	1
Response time *	4 ms	Swivel angle range	-45 - 45°
Display surface	Matt	Tilt adjustment	✓ ·
Screen shape *	Flat	Tilt angle range	5 - 22°
Supported graphics resolutions	1920 x 1080 (HD 1080)	On Screen Display (OSD)	√ ·
Contrast ratio (typical) *	1000:1	On Screen display (OSD)	German, Dutch, English, Spanish,
Contrast ratio (dynamic)	8000000:1	On Screen Display (OSD) languages	
Maximum refresh rate *	60 Hz	, ,	Portuguese, Russian
Viewing angle, horizontal	178°	Number of OSD languages	9
Viewing angle, vertical	178° 16.7 million colours	Power	
Display number of colours * Pixel pitch	0.275 x 0.275 mm	Energy efficiency class (SDR) *	G
Horizontal scan range	30 - 115 kHz	Power consumption (typical) *	14 W
Viewable size, horizontal	52.7 cm	Power consumption (standby) *	0.5 W
Viewable size, vertical	29.6 cm	Power consumption (off)	0.3 W
DDC/CI	<b>✓</b>	AC input voltage	100 - 240 V
sRGB coverage (typical)	96%	Input current	1.5 A
NTSC coverage (typical)	72%	Energy efficiency scale	A to G
5 . 71	7270	European Product Registry for	352216
Performance		Energy Labelling (EPREL) code	
NVIDIA G-SYNC *	×	Operational conditions	
AMD FreeSync *	×	Operating temperature (T-T)	5 - 35 °C
Component video sync	Separate sync	Storage temperature (T-T)	-20 - 60 °C
Flicker-free technology	<b>✓</b>	Operating relative humidity (H-H)	10 - 80%
Low Blue Light technology	1	Storage relative humidity (H-H)	5 - 85%
Multimedia		Weight & dimensions	
Number of speakers	2	Width (with stand)	539.5 mm
•			

Multimedia		Weight & dimensions	
RMS rated power Built-in speaker(s) * Built-in camera *	4 W ✓	Depth (with stand) Height (with stand) Weight (with stand)	209.5 mm 365.5 mm 5 kg
Design		Width (without stand)  Depth (without stand)	539.5 mm 45.5 mm
Market positioning *	Home	Height (without stand)	323 mm
Product colour * Feet colour	Black Black	Packaging data	
Ports & interfaces		Package width Package depth	610 mm 410 mm
Built-in USB hub *	✓	Package height	159 mm
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Package weight	6.6 kg
USB upstream port type	USB Type-A	Package type	Box
USB Type-A downstream ports quantity	3	Quantity per pack	1 pc(s)
HDMI *	✓	Packaging content	
HDMI ports quantity	1	Stand included	<b>✓</b>
DisplayPorts quantity	1	Cables included	AC, HDMI, USB
Audio input	×	Sustainability	
Headphone out *	✓	Sustainability certificates	ENERGY STAR
Headphone outputs	1	Other features	
HDCP	✓	Certification	CE, TÜV-Bauart, EAC, VCCI-B, PSE
Ergonomics		Logistics data	
VESA mounting *	✓	Harmonized System (HS) code	85285210



4948570123186

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.