

## iiyama ProLite XUB2490HSUH-B1 tietokoneen litteä näyttö 60,5 cm (23.8") 1920 x 1080 pikseliä Full HD LED musta

**Tuotemerkki :** iiyama

**Tuoteperhe:** ProLite

**Tuotekoodi:** XUB2490HSUH-B1

**Tuotteen nimi :**  
XUB2490HSUH-B1

iiyama ProLite XUB2490HSUH-B1. Näytön halkaisija: 60,5 cm (23.8"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LED, Näytön pinta: Matta, Vasteaika (tyypillinen): 4 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Panel mounting interface	100 x 100 mm
Display resolution *	1920 x 1080 pixels	Cable lock slot *	✓
HD type *	Full HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LED	Adjustable height (max)	15 cm
Panel type *	IPS	Pivot	✓
Touchscreen *	✗	Pivot angle	0 - 90°
Display brightness (typical)	250 cd/m <sup>2</sup>	Swivelling	✓
Response time *	4 ms	Swivel angle range	-45 - 45°
Display surface	Matt	Tilt adjustment	✓
Screen shape *	Flat	Tilt angle range	5 - 22°
Supported graphics resolutions	1920 x 1080 (HD 1080)	On Screen Display (OSD)	✓
Contrast ratio (typical) *	1000:1	On Screen Display (OSD) languages	German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Portuguese, Russian
Contrast ratio (dynamic)	8000000:1	Number of OSD languages	9
Maximum refresh rate *	60 Hz		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Display number of colours *	16.7 million colours		
Pixel pitch	0.275 x 0.275 mm		
Horizontal scan range	30 - 115 kHz		
Viewable size, horizontal	52.7 cm		
Viewable size, vertical	29.6 cm		
DDC/CI	✓		
sRGB coverage (typical)	96%		
NTSC coverage (typical)	72%		
Performance		Power	
NVIDIA G-SYNC *	✗	Energy efficiency class (SDR) *	G
AMD FreeSync *	✗	Power consumption (typical) *	14 W
Component video sync	Separate sync	Power consumption (standby) *	0.5 W
Flicker-free technology	✓	Power consumption (off)	0.3 W
Low Blue Light technology	✓	AC input voltage	100 - 240 V
		Input current	1.5 A
		Energy efficiency scale	A to G
		European Product Registry for Energy Labelling (EPREL) code	352216
		Operational conditions	
		Operating temperature (T-T)	5 - 35 °C
		Storage temperature (T-T)	-20 - 60 °C
		Operating relative humidity (H-H)	10 - 80%
		Storage relative humidity (H-H)	5 - 85%
		Weight & dimensions	
Number of speakers	2	Width (with stand)	539.5 mm

<b>Multimedia</b>		<b>Weight &amp; dimensions</b>	
RMS rated power	4 W	Depth (with stand)	209.5 mm
Built-in speaker(s) *	✓	Height (with stand)	365.5 mm
Built-in camera *	✓	Weight (with stand)	5 kg
<b>Design</b>		Width (without stand)	539.5 mm
Market positioning *	Home	Depth (without stand)	45.5 mm
Product colour *	Black	Height (without stand)	323 mm
Feet colour	Black	<b>Packaging data</b>	
<b>Ports &amp; interfaces</b>		Package width	610 mm
Built-in USB hub *	✓	Package depth	410 mm
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Package height	159 mm
USB upstream port type	USB Type-A	Package weight	6.6 kg
USB Type-A downstream ports quantity	3	Package type	Box
HDMI *	✓	Quantity per pack	1 pc(s)
HDMI ports quantity	1	<b>Packaging content</b>	
DisplayPorts quantity	1	Stand included	✓
Audio input	✗	Cables included	AC, HDMI, USB
Headphone out *	✓	<b>Sustainability</b>	
Headphone outputs	1	Sustainability certificates	ENERGY STAR
HDCP	✓	<b>Other features</b>	
<b>Ergonomics</b>		Certification	CE, TÜV-Bauart, EAC, VCCI-B, PSE
VESA mounting *	✓	<b>Logistics data</b>	
		Harmonized System (HS) code	85285210



4948570123186

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-MAR-2025. Prints or copies of Information are only valid on the printed Publication date