ASUS Noctua RTX4080 SUPER OC NVIDIA GEForce RTX 4080 SUPER 16 GB GDDR6X

Brand : ASUS

Product code: 90YV0KA2-M0NA00

Product name : Noctua RTX4080 SUPER OC

- Powered by NVIDIA DLSS3, ultra-efficient Ada Lovelace arch, and full ray tracing
- 4th Generation Tensor Cores: Up to 4X performance with DLSS 3 vs. brute-force rendering
- 3rd Generation RT Cores: Up to 2X ray tracing performance
- OC Edition: 2640 MHz (OC mode)/ 2610 MHz (Default mode)
- Two Noctua NF-A12x25 PWM fans deliver exceptional cooling and low noise
- Optimized vapor chamber efficiently wicks heat into a large fin array
- Dual BIOS switch lets you toggle between Quiet and Performance BIOS profiles sans software
- 0dB technology lets you enjoy light gaming in relative silence
- GPU Tweak III provides intuitive performance tweaking, thermal controls, and system monitoring 16 GB, GDDR6X, 256-bit, PCI Express 4.0, 2610 MHz boost clock, 2x HDMI, 3x DisplayPort, 1x 16-pin, 4.3 slot





Processor		Performance	
CUDA *	1	HDCP version	2.3
CUDA cores	10240	Dual Link DVI *	×
Graphics processor family *	NVIDIA	NVIDIA G-SYNC	 Image: A set of the set of the
Processor boost clock speed 2 Processor frequency (OC mode) 2 Maximum resolution * 7 Parallel processing technology support * N Maximum displays per videocard 4	GeForce RTX 4080 SUPER 2610 MHz 2640 MHz 7680 x 4320 pixels Not supported 4	Design	
		Cooling type * Number of fans Form factor Bracket height Number of slots Product colour	Active 2 fan(s) Full-Height/Full-Length (FH/FL) Full-Height (FH) 4.3 Black
Memory		Power	
Discrete graphics card memory * Graphics card memory type * Memory bus * Data transfer rate	16 GB GDDR6X 256 bit 23 Gbit/s	Minimum system power supply * Supplementary power connectors System requirements	850 W 1x 16-pin
Ports & interfaces			
Interface type *	PCI Express 4.0	Windows operating systems supported	Windows 10 x64, Windows 11 x64
HDMI ports quantity *	2	Weight & dimensions	
HDMI version DisplayPorts quantity * DisplayPort version	2.1a 3 1.4a	Weight Length Depth	1.95 kg 310 mm 87.5 mm
Performance		Height	144.8 mm
TV tuner integrated *	x	Packaging data	
DirectX version * OpenGL version * Virtual Reality (VR) ready	12 Ultimate 4.6	Package width Package depth Package height Package weight	310 mm 144.8 mm 87.5 mm 2.71 kg
HDCP	 Image: A second s	Package type	Box

/isus

Packaging content
Manual





4711387493625

0197105493636



197105493636

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.