

be quiet! System Power 9 virtalähdeyksikkö 700 W 20+4 pin ATX ATX musta

Tuotemerkki : be quiet!

Tuotekoodi: BN248

Tuotteen nimi : System Power 9

be quiet! System Power 9. Kokonaisteho: 700 W, AC-syöttöjännite: 200 - 240 V, AC-syöttötaajuus: 50 Hz. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 55 cm, SATA-virtakaapelin pituus: 350,550 mm. Tarkoitus: PC, Virransyöttöyksikön mitat: ATX, 80 PLUS certification: 80 PLUS Bronze. Tuotteen väri: musta, Tuulettimen halkaisija: 12 cm, Tuulettimien määrä: 1 tuuletin(ta). Sisältää johdot: AC



Power		Performance	
Total power *	700 W	Purpose *	PC
AC input voltage *	200 - 240 V	Power supply unit (PSU) form factor *	ATX
AC input frequency	50 Hz	ATX version	2.4
Input current	6 A	EPS version	2.92
Power factor	0.95	Silent mode	✓
Power Factor Correction (PFC) type	Active	Bearing technology	Sleeve
Combined power (+3.3V)	130 W	Certification	CE, CB, TÜV, RCM, CU
Combined power (+12V)	672 W	Design	
Combined power (+5V)	130 W	Product colour	Black
Combined power (-12V)	3.6 W	Fan diameter	12 cm
Combined power (+5Vsb)	15 W	Number of fans	1 fan(s)
Max output current (+3.3V)	24 A	Illumination	✗
Max output current (+12V1)	33 A	On/off switch	✓
Max output current (+12V2)	25 A	Packaging content	
Max output current (+5V)	15 A	Cables included	AC
Max output current (-12V)	0.3 A	Weight & dimensions	
Max output current (+5Vsb)	3 A	Width	150 mm
Hold time	17 ms	Depth	140 mm
Efficiency	89%	Height	86 mm
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Weight	2.07 kg
Ports & interfaces		Packaging data	
Motherboard power connector *	20+4 pin ATX	Manual	✓
Motherboard power cable length	55 cm	Package width	97 mm
Number of SATA power connectors	6	Package depth	268 mm
Number of PATA power connectors	2	Package height	195 mm
SATA power cable length	350,550 mm	Package weight	2.38 kg
PCI Express power connectors (6+2 pin)	4	Package type	Box
PCI Express power cable length	50 cm	Technical details	
CPU power connector (4+4 pin)	✓		

Ports & interfaces		Technical details	
CPU power cable length	60 cm	Sustainability certificates	ENERGY STAR
Cabling type	Non-Modular	Compliance certificates	RoHS
Performance		Logistics data	
80 PLUS certification *	80 PLUS Bronze	Harmonized System (HS) code	84733020
Other features			
Screws included		✓	
Noise level (silent mode, <30%)		10.6 dB	
Noise level (quiet mode, 50%)		15.4 dB	
Noise level (full-load mode, 100%)		31.7 dB	



4260052186077

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-DEC-2024. Prints or copies of Information are only valid on the printed Publication date