

# QNAP TS-262 NAS Tower Intel® Celeron® N4505 4 GB 0 TB QNAP QTS Kulta, Valkoinen



**Tuotemerkki :** QNAP

**Tuotekoodi:** TS-262-4G

**Tuotteen nimi :** TS-262

QNAP TS-262. Malli: NAS. Alustatyyppi: Tower. Laitteen luokka: Koti & Kotitoimisto. Suoritinperhe: Intel® Celeron®, Proessorimalli: N4505, Proessorin taajuus: 2 GHz. Sisäinen muisti: 4 GB. Asennetun muistin kokonaiskapasiteetti: 0 TB. Käyttöjärjestelmä asennettu: QNAP QTS

Storage		Performance	
Supported storage drive interfaces	Serial ATA III	Number of users	4096 user(s)
Storage drive sizes supported	2.5,3.5"	Snapshot	✓
Number of M.2 (M & B) slots	2	Management protocols	SNMP V2/V3
RAID support *	✓	Share folder access right management	✓
RAID levels	0, 1, JBOD	Security algorithms	256-bit AES, FIPS 140-2
Online RAID migration	✓	Access Control List (ACL)	✓
Online RAID expansion	✓	Reset button	✓
RAID rebuild	✓	On/off switch	✓
Hot-swap drive bays	✓	Built-in FTP server	✓
Supported file systems	HFS+, NTFS, exFAT, ext3, ext4	Browser supported	Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox
Storage drives installed *	✗	System log	✓
Total installed storage capacity *	0 TB	Hot spare	✓
Number of storage drives supported *	2	Disk scan	✓
Installed storage drive type *	✗	S.M.A.R.T. support	✓
Supported storage drive types *	HDD & SSD	Share folder	512
Disk roaming	✓	Remotely operated	✓
<b>Processor</b>		USB copy function	✓
Processor manufacturer *	Intel	<b>Software</b>	
Processor family *	Intel® Celeron®	Operating system installed *	QNAP QTS
Processor model *	N4505	Operating system version	5.0.1
Processor frequency *	2 GHz		
Processor boost frequency	2.9 GHz		
Processor cores	2		
Processor threads	2		
Processor cache	4 MB		
CPU configuration (max)	1		
On-board graphics card model	Intel® UHD Graphics		
<b>Memory</b>			
Internal memory *	4 GB		
Maximum RAM supported	4 GB		
Flash memory	4000 MB		
<b>Network</b>			
Ethernet LAN *	✓		

Network		Software	
Ethernet LAN data rates	10,100,1000,2500 Mbit/s		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
DHCP server	✓		
Jumbo frames support	✓		
iSCSI support	✓		
Supported network protocols	IPv4, IPv6		
Dynamic DNS (DDNS)	✓		
Ports & interfaces			
USB port *	✓		
USB 2.0 ports quantity	2	Windows operating systems supported	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2		
HDMI ports quantity	1		
HDMI version	2.0		
Ethernet LAN (RJ-45) ports *	1		
Concurrent connections	1500		
PCI Express x2 (Gen 3.x) slots	1		
Design			
Chassis type *	Tower		
Cooling type *	Active		
Product colour	Gold, White	Linux operating systems supported	✓
Number of fans	1 fan(s)		
Fan diameter	7 cm		
LED indicators	HDD, LAN, Power, Status, USB	Mac operating systems supported	
Cable lock slot	✓		
Cable lock slot type	Kensington		
Performance			
Type *	NAS	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2019
Device class *	Home & Home Office		
Backup function *	✓	Other operating systems supported	IBM AIX 7.1, IBM AIX 7.2, Solaris 10, Solaris 10 SPARC, Solaris 11, Solaris 11 SPARC
Backup features	Cloud, iSCSI LUN		
Buzzer	✓		
Multilingual support	✓		
Power			
Power supply location	External		
Power supply unit (PSU) capacity	65 W		
Power consumption (typical)	12.448 W		
Power consumption (sleep)	8.198 W		
AC input voltage	100 - 240 V		
Fan voltage	12 V		
Weight & dimensions			
Width *	105 mm		
Depth *	226 mm		
Height *	168 mm		
Weight	1.55 kg		
Package weight	2.68 kg		
Packaging content			
External power adapter	✓		
Cables included	AC, LAN (RJ-45)		
Power cables quantity	1		
Quick installation guide	✓		
Number of screws	12		
Processor special features			
Enhanced Intel SpeedStep Technology	✓		
Idle States	✓		
Intel 64	✓		
Intel Trusted Execution Technology	✗		

**Processor special features**


Intel Virtualization Technology (VT-x)	✓
Intel Virtualization Technology for Directed I/O (VT-d)	✓
Intel VT-x with Extended Page Tables (EPT)	✓

**Operational conditions**

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	5 - 95%
Storage temperature (T-T)	-20 - 70 °C

**Other features**

Fibre Channel	✓
---------------	---



4711103082294

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-DEC-2024. Prints or copies of Information are only valid on the printed Publication date