MSI PRO B650M-B emolevy AMD B650 Pistoke AM5 mikro ATX

Tuotemerkki: MSI Tuotekoodi: PRO B650M-B

Tuotteen nimi: PRO B650M-B

MSI PRO B650M-B. Suoritinvalmistaja: AMD, Prosessorin kanta: Pistoke AM5, Yhteensopivat prosessorit: AMD Ryzen 7000 Series. Tuetut muistityypit: DDR5-SDRAM, Sisäinen enimmäismuisti: 96 GB, Tuetut muistin kellotaajuudet: 6800, 6600, 6400, 6200, 6000, 5800, 5600, 5400, 5200, 5000, 4800 MHz. Tuetut tallennusasemaliitännät: M.2, SATA, RAID-tasot: 0, 1, 10. Ethernet-liitännän tyyppi: 2.5 Gigabit Ethernet, LAN-kontrolleri: Realtek RTL8125-BG. Komponentti (tuotteelle): PC, Emolevyn muototekijä: mikro ATX, Emolevyn piirisarjan perhe: AMD





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series * Supported processor sockets Maximum internal memory supported by processor	AMD Socket AM5 AMD Ryzen 7000 Series Socket AM5 96 GB	HDMI ports quantity * HDMI version DisplayPorts quantity DisplayPort version Headphone outputs Line-in	1 2.1 1 1.4
Memory		Microphone in	✓
Supported memory types * Number of memory slots *	DDR5-SDRAM 2	Network Ethernet LAN	/
Supported memory clock speeds	6800, 6600, 6400, 6200, 6000, 5800, 5600, 5400, 5200, 5000, 4800 MHz	Ethernet interface type LAN controller	2.5 Gigabit Ethernet Realtek RTL8125-BG
Supported memory clock speed (max)	6800 MHz	Wi-Fi *	×
Maximum internal memory *	96 GB	Features	
Storage controllers Supported storage drive interfaces * RAID levels	M.2, SATA 0, 1, 10	Motherboard chipset * Audio chip Audio output channels *	AMD B650 Realtek ALC897 7.1 channels
Internal I/O		PC health monitoring Component for *	Fan PC
USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1) connectors * USB 3.2 Gen 2 (3.1 Gen 2)	4 2 1	Motherboard form factor * Motherboard chipset family * Windows operating systems supported	micro ATX AMD Windows 11 x64
connectors * Front panel audio connector Front panel connector	/	Expansion slots PCI Express x16 (Gen 3.x) slots Number of M.2 (M) slots	1
ATX Power connector (24-pin) CPU fan connector	1	BIOS	
Chassis intrusion connector	<i>'</i>	BIOS type * BIOS memory size	UEFI AMI 256 Mbit
Rear panel I/O ports		ACPI version	6.4
USB 2.0 ports quantity *	2	System Management BIOS (SMBIOS) version	3.5

Rear panel I/O ports		Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Width	215 mm
		Depth	243.8 mm
Ethernet LAN (RJ-45) ports *	1	·	
VGA (D-Sub) ports quantity *	1		



4711377144797

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.