


QNAP TVS-h874 NAS Tower Intel® Core™ i7 32 GB DDR4 0 TB QuTS hero musta



Tuotemerkki : QNAP

Tuotekoodi: TVS-H874-I7-32G

Tuotteen nimi : TVS-h874

QNAP TVS-h874. Malli: NAS. Alustatyyppi: Tower. Laitteen luokka: Pienet & Keskikokoiset Yritykset. Suoritinperhe: Intel® Core™ i7. Sisäinen muisti: 32 GB, Sisäisen muistin tyyppi: DDR4. Asennetun muistin kokonaiskapasiteetti: 0 TB. Käyttöjärjestelmä asennettu: QuTS hero

Storage		Design	
Supported storage drive interfaces	Serial ATA II, Serial ATA III	Cable lock slot	✓
Storage drive sizes supported	2.5,3.5,M.2	Cable lock slot type	Kensington
Number of M.2 (M & B) slots	2	Performance	
RAID support *	✓	Type *	NAS
RAID levels	0, 1, 5, 6, 10, 50, 60, JBOD	Device class *	Small & Medium Business
Online RAID expansion	✓	Backup function *	✓
RAID rebuild	✓	Backup features	USB drive, iSCSI LUN
Hot-swap drive bays	✓	Buzzer	✓
Supported file systems	FAT32, HFS+, NTFS, ZFS, exFAT, ext3, ext4	Multilingual support	✓
Storage drives installed *	✗	Snapshot	✓
Total installed storage capacity *	0 TB	Management protocols	SNMP V2, V3
Number of storage drives supported *	8	Share folder access right management	✓
Installed storage drive type *	✗	Security algorithms	256-bit AES, FIPS 140-2, SSH, TLS
Supported storage drive types *	HDD & SSD	Access Control List (ACL)	✓
Disk roaming	✓	Reset button	✓
Processor		On/off switch	✓
Processor manufacturer *	Intel	Built-in FTP server	✓
Processor family *	Intel® Core™ i7	Browser supported	Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox
Processor cores	12	System log	✓
Processor threads	20	Hot spare	✓
On-board graphics card model	Intel UHD Graphics 770	Password authentication	✓
Memory		Disk scan	✓
Internal memory *	32 GB	S.M.A.R.T. support	✓
Internal memory type	DDR4	Share folder	SMB/CIFS, AFP, NFS
Maximum RAM supported	64 GB	USB copy function	✓
Memory slots	2	Software	
Memory form factor	SO-DIMM	Operating system installed *	QuTS hero
Flash memory	5000 MB	Operating system version	h5.0.0
Network			
Ethernet LAN *	✓		
Ethernet LAN data rates	10,100,1000,2500 Mbit/s		
DHCP server	✓		

Network		Software	
Jumbo frames support	✓		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
iSCSI support	✓		
Wake-on-LAN ready	✓		
Supported network protocols	IPv4, IPv6		
Dynamic DNS (DDNS)	✓		
Ports & interfaces			
USB port *	✓		
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Windows operating systems supported	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1		
HDMI ports quantity	1		
HDMI version	1.4b		
Ethernet LAN (RJ-45) ports *	4		
Concurrent connections	3500		
PCI Express x16 (Gen 4.x) slots	1		
Design			
Chassis type *	Tower		
Cooling type *	Active		
Product colour	Black		
Number of fans	3 fan(s)	Linux operating systems supported	CentOS 7.0, SuSE Linux 12.0, SuSE Linux 12.3, SuSE Linux 15, Ubuntu 14.04
Fan diameter	12 cm		
Fan diameter 2	6 cm		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Drive bay locking	✓	Mac operating systems supported	
LED indicators	HDD, LAN, M.2, Status, USB		
Built-in display	✓		
Display type	LCD	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
		Other operating systems supported	IBM AIX 7.1, IBM AIX 7.2, Solaris 10
		Power	
		Power supply location	Built-in
		Power supply unit (PSU) capacity	350 W
		Number of power supply units	1
		Power consumption (typical)	98.959 W
		Power consumption (sleep)	81.798 W
		AC input voltage	100 - 240 V
		Weight & dimensions	
		Width *	329.3 mm
		Depth *	280.8 mm
		Height *	188.2 mm
		Weight	7.3 kg
		Package weight	8.95 kg
		Packaging content	
		Cables included	AC, LAN (RJ-45)
		Power cables quantity	1
		Quick installation guide	✓
		Number of screws	56
		Drive tray key included	✓
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	5 - 95%
		Storage temperature (T-T)	-20 - 70 °C

Other features

Fibre Channel





4711103082409

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-FEB-2025. Prints or copies of Information are only valid on the printed Publication date