## îiyama

## iiyama G-MASTER RED EAGLE CURVED tietokoneen litteä näyttö 114,3 cm (45") 5120 x 1440 pikseliä Dual QHD LED musta

Tuotemerkki: iiyama Tuoteperhe: G-MASTER Tuotekoodi: GCB4580DQSN-B1

Tuotteen nimi: RED EAGLE

CURVED

iiyama G-MASTER RED EAGLE CURVED. Näytön halkaisija: 114,3 cm (45"), Näytön erottelutarkkuus: 5120 x 1440 pikseliä, HD-tyyppi: Dual QHD, Näytön teknologia: LED, Näytön pinta: Matta, Vasteaika (tyypillinen): 0,8 ms, Vakiokuvasuhde: 32:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



		Ports & interfaces		Display
	✓	Built-in KVM switch	114.3 cm (45")	Display diagonal *
	✓	HDCP	5120 x 1440 pixels	Display resolution *
		Network	Dual QHD	HD type *
			32:9	Native aspect ratio *
	✓	Ethernet LAN	LED	Display technology *
		Ergonomics	VA	Panel type *
	/	VESA mounting *	LED	Backlight type
200 x 100 mm		Panel mounting interface	×	Touchscreen *
200 X 100 IIIII	X	Wall mountable	450 cd/m <sup>2</sup>	Display brightness (typical)
			0.8 ms	Response time *
	<b>✓</b>	Cable lock slot *	Matt	Display surface
1	Kensington	Cable lock slot type	Curved	Screen shape *
	✓	Height adjustment *	1500R	Screen curvature rating
	13 cm	Height adjustment	3000:1	Contrast ratio (typical) *
	✓	Tilt adjustment	80000000:1	Contrast ratio (dynamic)
	3 - 20°	Tilt angle range	165 Hz	Maximum refresh rate *
	✓	On Screen Display (OSD)	178°	Viewing angle, horizontal
rman, English, French, , Italian, Japanese, Poli		On Screen Display (OSD) languages	178° 0.212 x 0.212 mm	Viewing angle, vertical Pixel pitch
	9	Number of OSD languages	30.6 cm	Viewable size, horizontal
	<i>3</i>	5 5	108.8 cm	Viewable size, vertical
		Power	30 - 260 kHz	Digital horizontal frequency
	F	Energy efficiency class (SDR) *	113 cm	Display diagonal (metric)
	G	Energy efficiency class (HDR) *	✓	High Dynamic Range (HDR) supported
	37 kWh	Energy consumption (SDR) per 1000 hours *	High Dynamic Range (HDR) 400	High Dynamic Range (HDR)
	67 kWh	Energy consumption (HDR) per 1000 hours *		Performance
	37 W	Power consumption (typical) *	✓	AMD FreeSvnc *
	0.5 W	Power consumption (standby) *	1	•
	0.3 W	Power consumption (off)	•	
<b>V</b>	100 - 240 V	AC input voltage		
	50/60 Hz	AC input frequency	<b>*</b>	Low Blue Light technology
	External	Power supply type		Multimedia
	A to G	Energy efficiency scale	2	Number of speakers
	1774067	European Product Registry for Energy Labelling (EPREL) code	6 W ✓	RMS rated power Built-in speaker(s) *
V	37 W 0.5 W 0.3 W 100 - 240 V 50/60 Hz External A to G	Energy consumption (HDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency Power supply type Energy efficiency scale European Product Registry for	2 6 W	technology  Performance  AMD FreeSync *  ConnectShare (USB)  Flicker-free technology  Low Blue Light technology  Multimedia  Number of speakers  RMS rated power

Multimedia		Operational conditions	
Built-in camera *	x	Operating temperature (T-T)	5 - 35 °C
Design		Weight & dimensions	
Market positioning * Product colour * Detachable stand Feet colour	Gaming Black ✔ Black	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand)	1090 mm 275 mm 409 mm 11.2 kg
Ports & interfaces		Packaging content	
Built-in USB hub * USB hub version USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Power Delivery (USB PD)	3.2 Gen 1 (3.1 Gen 1)  nstream ports  1  ery (USB PD)  ery up to  90 W	Stand included Cables included Power adapter included Quick start guide Manual Sustainability	✓ DisplayPort, HDMI, Power, USB ✓ ✓
USB Power Delivery up to HDMI * HDMI ports quantity		Sustainability compliance Sustainability certificates Other features	<b>√</b> ErP
DisplayPorts quantity Headphone out * Headphone outputs	1 * 1	Brand specific technologies Volume control Compliance certificates	Black Equalizer, Eye Saver Buttons CE, PSE, REACH, RoHS, cTUVus, UKCA, VCCI, WEEE



4948570122264

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.