

MPN: MO-CDL40JD090A

SFP 155 Mbps, SMF, 40 km, LC, Compatible with HP JD090A

- ****100% HP Compatible****



Specifications

Features	Certification	MSA
	Compatible products	HP JD090A
	Easy to install	Yes
	Plug and Play	Yes
	RoHS compliance	Yes
Operational conditions	Operating temperature (T-T)	-45 - 75 °C
	Storage relative humidity (H-H)	10 - 85 %
	Storage temperature (T-T)	-40 - 85 °C
Package dimensions	Gross Weight (Package, kg)	0.02 kg
Packaging data	Number of products included	1 kusů
Performance	Digital Diagnostics Monitoring (DDM)	Yes
	Duplex system	Full
	Fiber optic connector	LC
	Fiber ports quantity	1
	Interface type	SFP
	Maximum data transfer rate	155 Mbit/s
	Maximum transfer distance	40000 m
	Multi-mode fiber (MMF) supported	No
	SFP transceiver type	Fiber optic
	Single-mode fiber (SMF) supported	Yes
	Wavelength	1310 nm
Product dimensions	Net Weight (Product, kg)	0.01 kg
Vendor information	Brand Name	Lanview

Vendor information

Warranty

3 Year(s)

Recommended accessories



Lanview LC-LC Singlemode fibre cable duplex 3m OS2 9/125 LSZH
MPN: LVO231408



Lanview LC-LC Singlemode fibre cable duplex 1m OS2 9/125 LSZH
MPN: LVO231406



Lanview LC-LC Singlemode fibre cable duplex 2m OS2 9/125 LSZH
MPN: LVO231407



MicroConnect Optical Fibre Cable, LC-LC, Singlemode, Duplex, OS2 (Yellow) 1.5m
MPN: FIB4410015



MicroConnect Optical Fibre Cable, LC-LC, Singlemode, Duplex, OS2 (Yellow) 1m
MPN: FIB441001



MicroConnect Optical Fibre Cable, LC-LC, Singlemode, Duplex, OS2 (Yellow) 3m
MPN: FIB441003