

MPN: MO-RUC-10G-SFPP-SR

# SFP+ 10 Gbps, MMF, 300 m, LC, DDMI support, Compatible with Ruckus 10G-SFPP-SR

Micro-Optics products provide seamless connectivity for all your current and future network hardware needs.

- **\*\*100% Ruckus Compatible\*\***



## Specifications

Features	Brand compatibility	Ruckus Wireless
	Certification	MSA
	Compatible products	Ruckus 10G-SFPP-SR
	Easy to install	Y
	Form factor	SFP+
	Plug and Play	Y
	RoHS compliance	Y
Operational conditions	Operating relative humidity (H-H)	10 - 80 %
	Operating temperature (T-T)	0-70 °C
	Storage relative humidity (H-H)	10 - 85 %
	Storage temperature (T-T)	-40 - 85 °C
Package dimensions	Depth (package,cm)	10 cm
	Gross Weight (Package, kg)	0.04 kg
	Height (package,cm)	3 cm
	Width (package,cm)	6 cm
Packaging data	Number of products included	1 pc(s)
Performance	Cabling technology	10GBase-SR
	Digital Diagnostics Monitoring (DDM)	Y
	Fiber cable diameters supported (core/cladding)	50/125, 62.5/125 µm
	Fiber ethernet cabling technology	10GBASE-SR
	Fiber optic connector	SFP+
	Maximum data transfer rate	10000 Mbit/s
	Maximum transfer distance	300 m

<b>Performance</b>	<b>Multi-mode fiber (MMF) supported</b>	Y
	<b>SFP transceiver standard</b>	SR
	<b>SFP transceiver type</b>	Fiber optic
	<b>Single-mode fiber (SMF) supported</b>	N
	<b>Wavelength</b>	850 nm
<b>Product dimensions</b>	<b>Net Weight (Product, kg)</b>	0.03 kg
	<b>Product Depth</b>	5.6 cm
	<b>Product Height</b>	0.85 cm
	<b>Product Width</b>	1.4 cm
<b>Vendor information</b>	<b>Brand Name</b>	MicroOptics
	<b>Warranty</b>	3 Year(s)

## Other images

