

MPN: MO-SFP-10G-BX-D-10

SFP+ 10 Gbps, SMF, 10 km, DDMI support, Compatible with Cisco SFP-10G-BX-D-10

Micro-Optics products provide seamless connectivity for all your current and future network hardware needs.

- ****100% Cisco Compatible****



Specifications

Features	Certification	MSA
	Compatible products	Cisco SFP-10G-BX-D-10
	Easy to install	Yes
	Hot-Plug support	Yes
	Plug and Play	Yes
	RoHS compliance	Yes
Operational conditions	Operating relative humidity (H-H)	10 - 80 %
	Operating temperature (T-T)	0 - 70 °C
	Storage relative humidity (H-H)	10 - 85 %
	Storage temperature (T-T)	-40 - 85 °C
Package dimensions	Gross Weight (Package, kg)	0.02 kg
Packaging data	Number of products included	1 kusú
Performance	Auto MDI/MDI-X	Yes
	Cabling technology	10GBASE-BX10-D
	Digital Diagnostics Monitoring (DDM)	Yes
	Duplex system	Full
	Fiber cable diameters supported (core/cladding)	9/125 µm
	Fiber optic connector	LC
	Fiber ports quantity	1
	Interface type	SFP+
	Maximum data transfer rate	10000 Mbit/s
	Maximum transfer distance	10000 m
	Multi-mode fiber (MMF) supported	No

Performance	Rx wavelength (min)	1270 nm
	SFP transceiver standard	BX
	SFP transceiver type	Fiber optic
	Single-mode fiber (SMF) supported	Yes
	Tx wavelength (min)	1330 nm
	Wavelength	1330 nm
Product dimensions	Net Weight (Product, kg)	0.01 kg
	Product Depth	5.65 cm
	Product Height	0.85 cm
	Product Width	1.34 cm
Vendor information	Brand Name	Lanview
	Warranty	3 Year(s)

Recommended accessories



Lanview LC-LC Singlemode fibre cable duplex 3m OS2 9/125 LSZH
MPN: LVO231408



Lanview LC-LC Singlemode fibre cable duplex 1m OS2 9/125 LSZH
MPN: LVO231406



Lanview LC-LC Singlemode fibre cable duplex 2m OS2 9/125 LSZH
MPN: LVO231407



MicroConnect Optical Fibre Cable, LC-LC, Singlemode, Duplex, OS2 (Yellow) 1.5m
MPN: FIB4410015



MicroConnect Optical Fibre Cable, LC-LC, Singlemode, Duplex, OS2 (Yellow) 1m
MPN: FIB441001



MicroConnect Optical Fibre Cable, LC-LC, Singlemode, Duplex, OS2 (Yellow) 3m
MPN: FIB441003